

Data File : BF100662.D
Acq On : 17 Nov 2017 6:21
Operator : SJ/JU
Sample : I6491-07
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
111317-SIDI-E-U-B

Quant Time: Nov 17 07:27:03 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 16 12:15:03 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	92009	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	332950	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	128947	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	203003	20.00	ng	0.00
75) Chrysene-d12	14.04	240	217417	20.00	ng	0.00
86) Perylene-d12	15.52	264	219577	20.00	ng	0.00

System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	218652	38.09	ng	0.00
7) Phenol-d6	6.50	99	171564	24.24	ng	-0.01
23) Nitrobenzene-d5	7.45	82	497731	98.83	ng	0.00
41) 2,4,6-Tribromophenol	10.70	330	96016	73.07	ng	0.00
44) 2-Fluorobiphenyl	9.24	172	905395	106.92	ng	0.00
78) Terphenyl-d14	12.99	244	644391	68.10	ng	0.00

Target Compounds						Qvalue
19) n-Nitroso-di-n-propylamine	7.45	70	64700	13.18	ng	# 81
25) Isophorone	7.45	82	495955	46.86	ng	# 64
47) 2-Nitroaniline	9.23	65	1173	3.25	ng	# 1
50) 2,6-Dinitrotoluene	9.92	165	16535	8.48	ng	# 24
56) 2,4-Dinitrotoluene	9.92	165	16535	6.73	ng	# 21
66) 4-Bromophenyl-phenylether	10.70	248	6266	2.88	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BF100662.D

Acq On : 17 Nov 2017 6:21

Operator : SJ/JU

Sample : I6491-07

Misc :

ALS Vial : 44 Sample Multiplier: 1

Instrument :

BNA_F

ClientSampleId :

111317-SIDI-E-U-B


Quant Time: Nov 17 07:27:03 2017


Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110817.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Nov 16 12:15:03 2017

Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.88 min Scan# 815
Delta R.T. -0.01 min
Lab File: BF100662.D
Acq: 17 Nov 2017 6:21

Instrument :
BNA_F
ClientSampleId :
111317-SIDI-E-U-B




Tgt Ion:152 Resp: 92009
Ion Ratio Lower Upper
152 100
150 158.5 124.6 186.8
115 59.3 50.1 75.1





#5

2-Fluorophenol
Concen: 38.09 ng
RT: 5.49 min Scan# 579
Delta R.T. -0.01 min
Lab File: BF100662.D
Acq: 17 Nov 2017 6:21

Tgt Ion:112 Resp: 218652
Ion Ratio Lower Upper
112 100
64 60.8 47.9 71.9
63 30.6 23.7 35.5





#7

Phenol-d6

Concen: 24.24 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF100662.D

Acq: 17 Nov 2017 6:21

Instrument :

BNA_F

ClientSampleId :

111317-SIDI-E-U-B





Tgt Ion: 99 Resp: 171564

Ion Ratio Lower Upper

99 100

42 17.5 14.5 21.7

71 29.1 25.4 38.0



#19

n-Nitroso-di-n-propylamine

Concen: 13.18 ng

RT: 7.45 min Scan# 911

Delta R.T. 0.15 min

Lab File: BF100662.D

Acq: 17 Nov 2017 6:21

Tgt Ion: 70 Resp: 64700


Ion Ratio Lower Upper

70 100

42 50.8 47.5 71.3

101 0.0 7.4 11.2#

130 2.2 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.16 min Scan# 1033
Delta R.T. -0.01 min
Lab File: BF100662.D
Acq: 17 Nov 2017 6:21




Instrument :
BNA_F
ClientSampleId :
111317-SIDI-E-U-B


Tgt Ion:	136	Resp:	332950
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	8.4	6.6	9.8
68	5.4	5.0	7.4



#23
Nitrobenzene-d5
Concen: 98.83 ng
RT: 7.45 min Scan# 911
Delta R.T. -0.01 min
Lab File: BF100662.D
Acq: 17 Nov 2017 6:21

Tgt Ion:	82	Resp:	497731
Ion	Ratio	Lower	Upper
82	100		
128	47.4	36.1	54.1
54	53.0	41.4	62.2





#25

Isophorone

Concen: 46.86 ng

RT: 7.45 min Scan# 911

Delta R.T. -0.26 min

Lab File: BF100662.D

Acq: 17 Nov 2017 6:21

Instrument :

BNA_F

ClientSampleId :

111317-SIDI-E-U-B


Tgt Ion: 82 Resp: 495955

Ion Ratio Lower Upper




82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.92 min Scan# 1331

Delta R.T. -0.01 min

Lab File: BF100662.D

Acq: 17 Nov 2017 6:21


Tgt Ion: 164 Resp: 128947

Ion Ratio Lower Upper



164 100


162 103.5 86.1 129.1

160 46.0 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 73.07 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. -0.01 min
 Lab File: BF100662.D
 Acq: 17 Nov 2017 6:21

Instrument :
 BNA_F
 ClientSampleId :
 111317-SIDI-E-U-B

Tgt Ion	Ratio	Lower	Upper
330	100		
332	98.6	77.0	115.6
141	28.9	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 106.92 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. -0.00 min
 Lab File: BF100662.D
 Acq: 17 Nov 2017 6:21

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.7	44.5
170	24.7	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#47

2-Nitroaniline

Concen: 3.25 ng

RT: 9.23 min Scan# 1215

Delta R.T. -0.23 min

Lab File: BF100662.D

Acq: 17 Nov 2017 6:21

Instrument :

BNA_F

ClientSampleId :

111317-SIDI-E-U-B


Tgt Ion: 65 Resp: 1173

Ion Ratio Lower Upper

65 100

92 213.6 55.8 83.6#




138 33.2 91.2 136.8#



Abundance Ion 65.00 (64.70 to 65.70): BF1

Ion 92.00 (91.70 to 92.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#50

2,6-Dinitrotoluene

Concen: 8.48 ng

RT: 9.92 min Scan# 1331

Delta R.T. 0.21 min

Lab File: BF100662.D

Acq: 17 Nov 2017 6:21


Tgt Ion: 165 Resp: 16535

Ion Ratio Lower Upper

165 100

63 0.0 44.7 67.1#



89 0.0 44.0 66.0#



Abundance Ion 165.00 (164.70 to 165.70): BF1

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1









#56
 2,4-Dinitrotoluene
 Concen: 6.73 ng
 RT: 9.92 min Scan# 1331
 Delta R.T. -0.19 min
 Lab File: BF100662.D
 Acq: 17 Nov 2017 6:21




Instrument :
 BNA_F
 ClientSampleId :
 111317-SIDI-E-U-B


Tgt Ion:	165	Resp:	16535
Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.40 min Scan# 1584
 Delta R.T. -0.00 min
 Lab File: BF100662.D
 Acq: 17 Nov 2017 6:21

Tgt Ion:	188	Resp:	203003
Ion	Ratio	Lower	Upper
188	100		
94	7.9	8.5	12.7#
80	8.5	9.2	13.8#









#66
4-Bromophenyl-phenylether
Concen: 2.88 ng
RT: 10.70 min Scan# 1465
Delta R.T. -0.25 min
Lab File: BF100662.D
Acq: 17 Nov 2017 6:21

Instrument :
BNA_F
ClientSampleId :
111317-SIDI-E-U-B

Tgt Ion:248 Resp: 6266
Ion Ratio Lower Upper
248 100
250 177.3 76.9 115.3#
141 391.9 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.04 min Scan# 2032
Delta R.T. -0.01 min
Lab File: BF100662.D
Acq: 17 Nov 2017 6:21

Tgt Ion:240 Resp: 217417
Ion Ratio Lower Upper
240 100
120 11.3 9.5 14.3
236 25.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 68.10 ng
 RT: 12.99 min Scan# 1853
 Delta R.T. -0.01 min
 Lab File: BF100662.D
 Acq: 17 Nov 2017 6:21

Instrument :
 BNA_F
 ClientSampleId :
 111317-SIDI-E-U-B

Tgt Ion: 244 Resp: 644391
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 11.1 11.0 16.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.52 min Scan# 2283
 Delta R.T. -0.00 min
 Lab File: BF100662.D
 Acq: 17 Nov 2017 6:21

Tgt Ion: 264 Resp: 219577
 Ion Ratio Lower Upper
 264 100
 260 22.4 19.2 28.8
 265 20.9 17.5 26.3

