

Data Path : Z:\HPCHEM1\BNA F\DATA\BF111617\
 Data File : BF100649.D
 Acq On : 17 Nov 2017 00:32
 Operator : SJ/JU
 Sample : I6490-02
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 111417-JETT-E-D-S

Quant Time: Nov 17 02:57:24 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 16 12:15:03 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	104496	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	397953	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	172252	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	275252	20.00	ng	0.00
75) Chrysene-d12	14.04	240	215783	20.00	ng	0.00
86) Perylene-d12	15.52	264	201442	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	297728	45.67	ng	0.00
7) Phenol-d6	6.50	99	233914	29.10	ng	-0.01
23) Nitrobenzene-d5	7.45	82	602990	100.18	ng	0.00
41) 2,4,6-Tribromophenol	10.70	330	138466	78.89	ng	0.00
44) 2-Fluorobiphenyl	9.24	172	1117086	98.75	ng	0.00
78) Terphenyl-d14	12.99	244	745335	79.37	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF111617\
Data File : BF100649.D
Acq On : 17 Nov 2017 00:32
Operator : SJ/JU
Sample : I6490-02
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
111417-JETT-E-D-S

Quant Time: Nov 17 02:57:24 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 16 12:15:03 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.88 min Scan# 815
Delta R.T. -0.01 min
Lab File: BF100649.D
Acq: 17 Nov 2017 00:32

Instrument :
BNA_F
ClientSampleId :
111417-JETT-E-D-S

Tot Ion:152 Resp: 104496
Ion Ratio Lower Upper
152 100
150 160.4 124.6 186.8
115 61.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 45.672 ng
RT: 5.50 min Scan# 580
Delta R.T. -0.00 min
Lab File: BF100649.D
Acq: 17 Nov 2017 00:32

Tgt Ion:112 Resp: 297728
Ion Ratio Lower Upper
112 100
64 58.7 47.9 71.9
63 29.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 29.099 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF100649.D

Acq: 17 Nov 2017 00:32

Instrument :

BNA_F

ClientSampleId :

111417-JETT-E-D-S





Tot Ion: 99 Resp: 233914

Ion Ratio Lower Upper

99 100

42 18.0 14.5 21.7

71 30.9 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.01 min

Lab File: BF100649.D

Acq: 17 Nov 2017 00:32

Tgt Ion: 136 Resp: 397953




Ion Ratio Lower Upper


136 100

137 11.3 8.9 13.3

54 8.5 6.6 9.8

68 6.4 5.0 7.4









#23
Nitrobenzene-d5
Concen: 100.177 ng
RT: 7.45 min Scan# 911
Delta R.T. -0.01 min
Lab File: BF100649.D
Acq: 17 Nov 2017 00:32




Instrument :
BNA_F
ClientSampleId :
111417-JETT-E-D-S


Tot Ion	82	Resp	602990
Ion Ratio	100	Lower	Upper
128	45.5	36.1	54.1
54	53.3	41.4	62.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.92 min Scan# 1331
Delta R.T. -0.01 min
Lab File: BF100649.D
Acq: 17 Nov 2017 00:32

Tgt Ion	164	Resp	172252
Ion Ratio	100	Lower	Upper
162	105.6	86.1	129.1
160	46.1	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 78.887 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. -0.01 min
 Lab File: BF100649.D
 Acq: 17 Nov 2017 00:32

Instrument :
 BNA_F
 ClientSampleId :
 111417-JETT-E-D-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.0	77.0	115.6
141	28.8	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.751 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. -0.00 min
 Lab File: BF100649.D
 Acq: 17 Nov 2017 00:32

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.7	44.5
170	24.0	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1584
Delta R.T. -0.00 min
Lab File: BF100649.D
Acq: 17 Nov 2017 00:32




Instrument :
BNA_F
ClientSampleId :
111417-JETT-E-D-S


Tot Ion:188 Resp: 275252
Ion Ratio Lower Upper
188 100
94 9.3 8.5 12.7
80 9.4 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.04 min Scan# 2032
Delta R.T. -0.01 min
Lab File: BF100649.D
Acq: 17 Nov 2017 00:32

Tgt Ion:240 Resp: 215783
Ion Ratio Lower Upper
240 100
120 11.9 9.5 14.3
236 24.9 20.7 31.1





#78

Terphenyl-d14

Concen: 79.365 ng

RT: 12.99 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BF100649.D

Acq: 17 Nov 2017 00:32

Instrument :

BNA_F

ClientSampleId :

111417-JETT-E-D-S


Tot Ion:244 Resp: 745335

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0




122 12.5 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.52 min Scan# 2283

Delta R.T. -0.00 min

Lab File: BF100649.D

Acq: 17 Nov 2017 00:32


Tgt Ion:264 Resp: 201442

Ion Ratio Lower Upper

264 100

260 22.7 19.2 28.8

265 20.9 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

