

Data Path : Z:\HPCHEM1\BNA F\DATA\BF111617\
 Data File : BF100654.D
 Acq On : 17 Nov 2017 2:46
 Operator : SJ/JU
 Sample : I6490-07
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 111417-TIDO-E-U-B

Quant Time: Nov 17 05:54:35 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 16 12:15:03 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	101569	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	387929	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	165809	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	263972	20.00	ng	0.00
75) Chrysene-d12	14.04	240	211493	20.00	ng	0.00
86) Perylene-d12	15.52	264	217963	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	266753	42.10	ng	0.00
7) Phenol-d6	6.50	99	206115	26.38	ng	-0.01
23) Nitrobenzene-d5	7.45	82	543001	92.54	ng	0.00
41) 2,4,6-Tribromophenol	10.70	330	128536	76.08	ng	0.00
44) 2-Fluorobiphenyl	9.24	172	1019099	93.59	ng	0.00
78) Terphenyl-d14	12.99	244	675009	73.33	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF111617\
Data File : BF100654.D
Acq On : 17 Nov 2017 2:46
Operator : SJ/JU
Sample : I6490-07
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
111417-TIDO-E-U-B

Quant Time: Nov 17 05:54:35 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 16 12:15:03 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.88 min Scan# 815
Delta R.T. -0.01 min
Lab File: BF100654.D
Acq: 17 Nov 2017 2:46

Instrument :
BNA_F
ClientSampleId :
111417-TIDO-E-U-B

Tot Ion:152 Resp: 101569
Ion Ratio Lower Upper
152 100
150 156.8 124.6 186.8
115 59.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.100 ng
RT: 5.50 min Scan# 580
Delta R.T. 0.00 min
Lab File: BF100654.D
Acq: 17 Nov 2017 2:46

Tgt Ion:112 Resp: 266753
Ion Ratio Lower Upper
112 100
64 56.6 47.9 71.9
63 28.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 26.380 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF100654.D

Acq: 17 Nov 2017 2:46

Instrument :

BNA_F

ClientSampleId :

111417-TIDO-E-U-B





Tot Ion: 99 Resp: 206115

Ion Ratio Lower Upper

99 100

42 18.4 14.5 21.7

71 30.2 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.01 min

Lab File: BF100654.D

Acq: 17 Nov 2017 2:46

Tgt Ion: 136 Resp: 387929




Ion Ratio Lower Upper


136 100

137 10.3 8.9 13.3

54 8.2 6.6 9.8

68 5.8 5.0 7.4









#23
 Nitrobenzene-d5
 Concen: 92.542 ng
 RT: 7.45 min Scan# 911
 Delta R.T. -0.01 min
 Lab File: BF100654.D
 Acq: 17 Nov 2017 2:46




Instrument :
 BNA_F
 ClientSampleId :
 111417-TIDO-E-U-B


Tot Ion	82	Resp	543001
Ion Ratio	100	Lower	Upper
128	46.2	36.1	54.1
54	52.1	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.92 min Scan# 1331
 Delta R.T. -0.01 min
 Lab File: BF100654.D
 Acq: 17 Nov 2017 2:46

Tgt Ion	164	Resp	165809
Ion Ratio	100	Lower	Upper
162	103.3	86.1	129.1
160	47.1	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 76.075 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. -0.01 min
 Lab File: BF100654.D
 Acq: 17 Nov 2017 2:46




Instrument :
 BNA_F
 ClientSampleId :
 111417-TIDO-E-U-B


Tot Ion	Ratio	Lower	Upper
330	100		
332	94.4	77.0	115.6
141	28.4	29.9	44.9#



#44
 2-Fluorobiphenyl
 Concen: 93.589 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. 0.00 min
 Lab File: BF100654.D
 Acq: 17 Nov 2017 2:46

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	24.0	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1584
Delta R.T. 0.00 min
Lab File: BF100654.D
Acq: 17 Nov 2017 2:46




Instrument :
BNA_F
ClientSampleId :
111417-TIDO-E-U-B


Tot Ion:188 Resp: 263972
Ion Ratio Lower Upper
188 100
94 9.3 8.5 12.7
80 9.8 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.04 min Scan# 2032
Delta R.T. -0.01 min
Lab File: BF100654.D
Acq: 17 Nov 2017 2:46

Tgt Ion:240 Resp: 211493
Ion Ratio Lower Upper
240 100
120 11.0 9.5 14.3
236 25.7 20.7 31.1





#78

Terphenyl-d14

Concen: 73.335 ng

RT: 12.99 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BF100654.D

Acq: 17 Nov 2017 2:46

Instrument :

BNA_F

ClientSampleId :

111417-TIDO-E-U-B


Tot Ion:244 Resp: 675009

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0




122 11.9 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.52 min Scan# 2283

Delta R.T. 0.00 min

Lab File: BF100654.D

Acq: 17 Nov 2017 2:46


Tgt Ion:264 Resp: 217963

Ion Ratio Lower Upper

264 100

260 24.2 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

