

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111622\
 Data File : BF131272.D
 Acq On : 16 Nov 2022 18:50
 Operator : CG\JU
 Sample : N5564-02RE
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-1(OW)RE

Quant Time: Nov 16 22:17:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 16 06:35:36 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.969	152	94913	20.000	ng	0.00
21) Naphthalene-d8	8.263	136	346029	20.000	ng	0.00
39) Acenaphthene-d10	10.028	164	192715	20.000	ng	0.00
64) Phenanthrene-d10	11.522	188	343902	20.000	ng	0.00
76) Chrysene-d12	14.180	240	172281	20.000	ng	0.00
86) Perylene-d12	15.727	264	191816	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	217981	40.668	ng	0.00
7) Phenol-d6	6.575	99	162708	23.967	ng	-0.02
23) Nitrobenzene-d5	7.540	82	628725	101.986	ng	0.00
42) 2,4,6-Tribromophenol	10.822	330	144115	78.288	ng	0.00
45) 2-Fluorobiphenyl	9.345	172	1108444	84.171	ng	0.00
79) Terphenyl-d14	13.121	244	917047	91.410	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111622\
Data File : BF131272.D
Acq On : 16 Nov 2022 18:50
Operator : CG\JU
Sample : N5564-02RE
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-1(OW)RE

Quant Time: Nov 16 22:17:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 16 06:35:36 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.969 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50




Instrument :
BNA_F
ClientSampleId :
B-1(OW)RE


Tgt Ion:152 Resp: 94913
Ion Ratio Lower Upper
152 100
150 146.1 120.2 180.4
115 62.4 51.8 77.8



#5
2-Fluorophenol
Concen: 40.668 ng
RT: 5.575 min Scan# 593
Delta R.T. -0.000 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50

Tgt Ion:112 Resp: 217981
Ion Ratio Lower Upper
112 100
64 69.2 58.4 87.6
63 38.2 31.6 47.4









#7
Phenol-d6
Concen: 23.967 ng
RT: 6.575 min Scan# 71
Delta R.T. -0.017 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50




Instrument :
BNA_F
ClientSampleId :
B-1(OW)RE


Tgt Ion: 99 Resp: 162708
Ion Ratio Lower Upper
99 100
42 24.0 18.6 28.0
71 40.8 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.263 min Scan# 1050
Delta R.T. -0.006 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50

Tgt Ion: 136 Resp: 346029
Ion Ratio Lower Upper
136 100
137 10.6 8.5 12.7
54 9.9 7.8 11.8
68 5.1 4.2 6.4









#23
Nitrobenzene-d5
Concen: 101.986 ng
RT: 7.540 min Scan# 91
Delta R.T. -0.005 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50




Instrument :
BNA_F
ClientSampleId :
B-1(OW)RE


Tgt Ion: 82 Resp: 628725
Ion Ratio Lower Upper
82 100
128 39.0 31.1 46.7
54 62.4 51.8 77.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.028 min Scan# 1350
Delta R.T. -0.005 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50

Tgt Ion:164 Resp: 192715
Ion Ratio Lower Upper
164 100
162 103.4 82.1 123.1
160 44.6 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 78.288 ng

RT: 10.822 min Scan# 1486

Delta R.T. -0.006 min

Lab File: BF131272.D

Acq: 16 Nov 2022 18:50

Instrument :

BNA_F

ClientSampleId :

B-1(OW)RE





Tgt Ion:330 Resp: 144115

Ion Ratio Lower Upper

330 100

332 96.5 76.8 115.2

141 36.4 29.6 44.4



#45

2-Fluorobiphenyl

Concen: 84.171 ng

RT: 9.345 min Scan# 1234

Delta R.T. -0.006 min

Lab File: BF131272.D

Acq: 16 Nov 2022 18:50




Tgt Ion:172 Resp: 1108444


Ion Ratio Lower Upper

172 100

171 34.9 28.2 42.2

170 22.9 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.522 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50




Instrument :
BNA_F
ClientSampleId :
B-1(OW)RE


Tgt Ion:188 Resp: 343902
Ion Ratio Lower Upper
188 100
94 8.8 6.8 10.2
80 10.0 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.180 min Scan# 2056
Delta R.T. -0.006 min
Lab File: BF131272.D
Acq: 16 Nov 2022 18:50

Tgt Ion:240 Resp: 172281
Ion Ratio Lower Upper
240 100
120 8.1 7.8 11.6
236 25.2 20.6 31.0









#79
 Terphenyl-d14
 Concen: 91.410 ng
 RT: 13.121 min Scan# 1876
 Delta R.T. -0.006 min
 Lab File: BF131272.D
 Acq: 16 Nov 2022 18:50

Instrument :
 BNA_F
 ClientSampleId :
 B-1(OW)RE

Tgt Ion:244 Resp: 917047
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.6
 122 9.3 7.4 11.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.727 min Scan# 2319
 Delta R.T. 0.000 min
 Lab File: BF131272.D
 Acq: 16 Nov 2022 18:50

Tgt Ion:264 Resp: 191816
 Ion Ratio Lower Upper
 264 100
 260 24.4 18.6 27.8
 265 21.1 16.6 24.8

