

Data Path : Z:\HPCHEM1\BNA F\DATA\BF111715\
 Data File : BF082992.D
 Acq On : 18 Nov 2015 3:53
 Operator : UM/IZ
 Sample : G4407-11
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Nov 18 04:32:33 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 17 04:41:30 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	183283	20.00	ng	-0.10
21) Naphthalene-d8	8.04	136	733153	20.00	ng	-0.10
38) Acenaphthene-d10	9.79	164	382128	20.00	ng	-0.10
63) Phenanthrene-d10	11.28	188	696218	20.00	ng	-0.10
75) Chrysene-d12	13.91	240	693179	20.00	ng	-0.11
86) Perylene-d12	15.30	264	502227	20.00	ng	-0.16
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	734922	62.39	ng	-0.09
7) Phenol-d6	6.40	99	568664	36.31	ng	-0.09
23) Nitrobenzene-d5	7.32	82	1384520	82.17	ng	-0.09
41) 2,4,6-Tribromophenol	10.58	330	465820	106.32	ng	-0.10
44) 2-Fluorobiphenyl	9.12	172	2070196	77.65	ng	-0.10
78) Terphenyl-d14	12.87	244	2122633	72.63	ng	-0.10
Target Compounds						
9) Benzaldehyde	6.52	77	29148	3.37	ng	Qvalue 81
19) n-Nitroso-di-n-propylamine	7.32	70	185470	16.11	ng	# 69
50) 2,6-Dinitrotoluene	9.79	165	50591	7.57	ng	# 17
56) 2,4-Dinitrotoluene	9.79	165	50582	5.58	ng	# 16
66) 4-Bromophenyl-phenylether	10.58	248	28870	3.44	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF111715\
Data File : BF082992.D
Acq On : 18 Nov 2015 3:53
Operator : UM/IZ
Sample : G4407-11
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Nov 18 04:32:33 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 17 04:41:30 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.75 min Scan# 408

Delta R.T. -0.10 min

Lab File: BF082992.D

Acq: 18 Nov 2015 3:53

Instrument :

BNA_F

ClientSampled :


Tot Ion:152 Resp: 183283

Ion Ratio Lower Upper

152 100

150 161.8 127.0 190.4




115 68.4 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 62.39 ng

RT: 5.36 min Scan# 286

Delta R.T. -0.09 min

Lab File: BF082992.D

Acq: 18 Nov 2015 3:53


Tgt Ion:112 Resp: 734922

Ion Ratio Lower Upper

112 100

64 64.2 48.9 73.3



63 32.8 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 36.31 ng

RT: 6.40 min Scan# 377

Delta R.T. -0.09 min

Lab File: BF082992.D

Acq: 18 Nov 2015 3:53

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 568664

Ion Ratio Lower Upper




99 100

42 19.7 19.2 28.8

71 35.3 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 3.37 ng

RT: 6.52 min Scan# 388

Delta R.T. 0.13 min

Lab File: BF082992.D

Acq: 18 Nov 2015 3:53


Tgt Ion: 77 Resp: 29148

Ion Ratio Lower Upper



77 100

105 67.3 63.5 103.5

106 62.4 59.3 99.3



Abundance Ion 77.00 (76.70 to 77.70): BF0
Ion 105.00 (104.70 to 105.70): B
Ion 106.00 (105.70 to 106.70): B








#19
 n-Nitroso-di-n-propylamine
 Concen: 16.11 ng
 RT: 7.32 min Scan# 458
 Delta R.T. 0.05 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion: 70 Resp: 185470
 Ion Ratio Lower Upper
 70 100
 42 45.1 57.7 86.5#
 101 0.0 7.0 10.6#
 130 2.0 11.8 17.6#



#21
 Naphthalene-d8
 Concen: 20.00 ng
 RT: 8.04 min Scan# 521
 Delta R.T. -0.10 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53

Tgt Ion: 136 Resp: 733153
 Ion Ratio Lower Upper
 136 100
 137 11.0 9.1 13.7
 54 6.8 9.1 13.7#
 68 5.3 4.8 7.2









#23
 Nitrobenzene-d5
 Concen: 82.17 ng
 RT: 7.32 min Scan# 458
 Delta R.T. -0.09 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion: 82 Resp: 1384520
 Ion Ratio Lower Upper
 82 100
 128 39.8 26.8 40.2
 54 50.4 45.7 68.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.79 min Scan# 674
 Delta R.T. -0.10 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53

Tgt Ion:164 Resp: 382128
 Ion Ratio Lower Upper
 164 100
 162 100.4 84.9 127.3
 160 43.4 37.5 56.3









#41
 2,4,6-Tribromophenol
 Concen: 106.32 ng
 RT: 10.58 min Scan# 743
 Delta R.T. -0.10 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 465820
 Ion Ratio Lower Upper
 330 100
 332 99.1 76.6 114.8
 141 35.7 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.65 ng
 RT: 9.12 min Scan# 615
 Delta R.T. -0.10 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53

Tgt Ion:172 Resp: 2070196
 Ion Ratio Lower Upper
 172 100
 171 36.6 30.8 46.2
 170 24.6 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
2,6-Dinitrotoluene
Concen: 7.57 ng
RT: 9.79 min Scan# 674
Delta R.T. 0.11 min
Lab File: BF082992.D
Acq: 18 Nov 2015 3:53

Instrument :
BNA_F
ClientSampleId :




Tot Ion	Ratio	Lower	Upper
165	100		
63	1.4	55.5	83.3#
89	1.6	55.0	82.6#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0



#56
2,4-Dinitrotoluene
Concen: 5.58 ng
RT: 9.79 min Scan# 674
Delta R.T. -0.29 min
Lab File: BF082992.D
Acq: 18 Nov 2015 3:53




Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.4	43.4	65.0#
89	1.6	70.6	106.0#
182	0.8	1.5	2.3#


Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.28 min Scan# 804
Delta R.T. -0.10 min
Lab File: BF082992.D
Acq: 18 Nov 2015 3:53




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 696218
Ion Ratio Lower Upper
188 100
94 5.8 6.1 9.1#
80 5.6 7.0 10.6#



#66
4-Bromophenyl-phenylether
Concen: 3.44 ng
RT: 10.58 min Scan# 743
Delta R.T. -0.34 min
Lab File: BF082992.D
Acq: 18 Nov 2015 3:53

Tgt Ion:248 Resp: 28870
Ion Ratio Lower Upper
248 100
250 207.0 79.4 119.2#
141 638.8 36.3 54.5#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.91 min Scan# 1034

Delta R.T. -0.11 min

Lab File: BF082992.D

Acq: 18 Nov 2015 3:53

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 693179

Ion Ratio Lower Upper

240 100

120 6.9 10.9 16.3#




236 26.3 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 72.63 ng

RT: 12.87 min Scan# 943

Delta R.T. -0.10 min

Lab File: BF082992.D

Acq: 18 Nov 2015 3:53


Tgt Ion:244 Resp: 2122633

Ion Ratio Lower Upper

244 100

212 8.1 7.6 11.4



122 10.6 11.3 16.9#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.30 min Scan# 1156
 Delta R.T. -0.16 min
 Lab File: BF082992.D
 Acq: 18 Nov 2015 3:53

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.8	29.6
265	22.1	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

