

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111720\
 Data File : BF122356.D
 Acq On : 17 Nov 2020 20:27
 Operator : JU/CG
 Sample : L4770-11
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FJ-BH-02-4-5

Quant Time: Nov 18 00:24:00 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 10 12:25:42 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	250164	20.00	ng	0.00
21) Naphthalene-d8	8.151	136	953046	20.00	ng	0.00
39) Acenaphthene-d10	9.904	164	510412	20.00	ng	0.00
64) Phenanthrene-d10	11.392	188	904476	20.00	ng	0.00
76) Chrysene-d12	14.027	240	655353	20.00	ng	0.00
86) Perylene-d12	15.498	264	724668	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	1401245	86.01	ng	0.00
7) Phenol-d6	6.486	99	1939129	90.98	ng	0.00
23) Nitrobenzene-d5	7.428	82	1262876	81.12	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	462942	84.51	ng	0.00
45) 2-Fluorobiphenyl	9.227	172	2246792	68.78	ng	0.00
79) Terphenyl-d14	12.980	244	2159583	69.81	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.616	163	415313	11.45	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111720\
Data File : BF122356.D
Acq On : 17 Nov 2020 20:27
Operator : JU/CG
Sample : L4770-11
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FJ-BH-02-4-5

Quant Time: Nov 18 00:24:00 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 10 12:25:42 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27




Instrument :
BNA_F
ClientSampleId :
FJ-BH-02-4-5


Tgt Ion:152 Resp: 250164
Ion Ratio Lower Upper
152 100
150 153.1 125.3 187.9
115 60.5 51.9 77.9



#5
2-Fluorophenol
Concen: 86.01 ng
RT: 5.481 min Scan# 577
Delta R.T. 0.006 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27

Tgt Ion:112 Resp: 1401245
Ion Ratio Lower Upper
112 100
64 56.9 50.4 75.6
63 28.8 25.8 38.6









#7
Phenol-d6
Concen: 90.98 ng
RT: 6.486 min Scan# 748
Delta R.T. -0.006 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27




Instrument :
BNA_F
ClientSampleId :
FJ-BH-02-4-5


Tgt Ion: 99 Resp: 1939129
Ion Ratio Lower Upper
99 100
42 18.4 15.9 23.9
71 34.5 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.151 min Scan# 1031
Delta R.T. 0.000 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27

Tgt Ion: 136 Resp: 953046
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 7.5 7.1 10.7
68 6.2 5.0 7.4





#23

Nitrobenzene-d5

Concen: 81.12 ng

RT: 7.428 min Scan# 908

Delta R.T. -0.006 min

Lab File: BF122356.D

Acq: 17 Nov 2020 20:27

Instrument :





BNA_F

ClientSampleId :

FJ-BH-02-4-5

Tgt Ion: 82 Resp: 1262876

Ion	Ratio	Lower	Upper
82	100		
128	47.3	35.0	52.4
54	48.8	43.9	65.9



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.904 min Scan# 1329




Delta R.T. -0.006 min


Lab File: BF122356.D

Acq: 17 Nov 2020 20:27

Tgt Ion: 164 Resp: 510412


Ion	Ratio	Lower	Upper
164	100		
162	101.5	83.2	124.8
160	45.7	37.5	56.3








#42
2,4,6-Tribromophenol
Concen: 84.51 ng
RT: 10.692 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27

Instrument :
BNA_F
ClientSampleId :
FJ-BH-02-4-5







Tgt Ion: 330 Resp: 462942
Ion Ratio Lower Upper
330 100
332 95.4 77.3 115.9
141 30.8 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 68.78 ng
RT: 9.227 min Scan# 1214
Delta R.T. -0.006 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27

Tgt Ion: 172 Resp: 2246792
Ion Ratio Lower Upper
172 100
171 36.6 29.1 43.7
170 25.0 19.8 29.6









#50
Dimethylphthalate
Concen: 11.45 ng
RT: 9.616 min Scan# 1280
Delta R.T. -0.018 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27




Instrument :
BNA_F
ClientSampleId :
FJ-BH-02-4-5


Tgt Ion:163 Resp: 415313
Ion Ratio Lower Upper
163 100
194 3.7 3.3 4.9
164 9.7 8.2 12.4



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.392 min Scan# 1582
Delta R.T. -0.000 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27

Tgt Ion:188 Resp: 904476
Ion Ratio Lower Upper
188 100
94 8.8 8.3 12.5
80 9.2 9.1 13.7









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.027 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27




Instrument :
BNA_F
ClientSampleId :
FJ-BH-02-4-5


Tgt Ion:240 Resp: 655353
Ion Ratio Lower Upper
240 100
120 10.5 9.2 13.8
236 26.0 20.9 31.3



#79
Terphenyl-d14
Concen: 69.81 ng
RT: 12.980 min Scan# 1852
Delta R.T. 0.000 min
Lab File: BF122356.D
Acq: 17 Nov 2020 20:27

Tgt Ion:244 Resp: 2159583
Ion Ratio Lower Upper
244 100
212 7.1 5.4 8.2
122 10.3 8.1 12.1





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.498 min Scan# 2280
 Delta R.T. 0.000 min
 Lab File: BF122356.D
 Acq: 17 Nov 2020 20:27

Instrument :
 BNA_F
 ClientSampleId :
 FJ-BH-02-4-5

Tgt Ion:264 Resp: 724668
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.7 28.1
 265 21.2 17.3 25.9

