

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111915\
 Data File : BF083062.D
 Acq On : 20 Nov 2015 4:53
 Operator : UM/IZ
 Sample : G4436-14
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ON-1593

Quant Time: Nov 20 07:07:41 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF111915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 20 01:33:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	132287	20.00	ng	0.00
21) Naphthalene-d8	7.98	136	501057	20.00	ng	-0.01
38) Acenaphthene-d10	9.74	164	260642	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	536135	20.00	ng	0.00
75) Chrysene-d12	13.85	240	480012	20.00	ng	-0.01
86) Perylene-d12	15.23	264	383710	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	982620	115.37	ng	0.02
7) Phenol-d6	6.35	99	1218320	108.61	ng	0.00
23) Nitrobenzene-d5	7.26	82	882685	80.65	ng	-0.01
41) 2,4,6-Tribromophenol	10.53	330	412624	149.11	ng	0.00
44) 2-Fluorobiphenyl	9.07	172	1507325	77.89	ng	-0.01
78) Terphenyl-d14	12.81	244	1646362	80.97	ng	0.00
Target Compounds						
9) Benzaldehyde	6.48	77	30735	3.72	ng	Qvalue 84
19) n-Nitroso-di-n-propylamine	7.26	70	119277	14.55	ng	# 76
25) Isophorone	7.26	82	689047	33.38	ng	# 69
50) 2,6-Dinitrotoluene	9.73	165	33209	7.18	ng	# 28
56) 2,4-Dinitrotoluene	9.73	165	33209	5.37	ng	# 19
66) 4-Bromophenyl-phenylether	10.53	248	27408	4.41	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111915\
Data File : BF083062.D
Acq On : 20 Nov 2015 4:53
Operator : UM/IZ
Sample : G4436-14
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ON-1593

Quant Time: Nov 20 07:07:41 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF111915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 20 01:33:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.70 min Scan# 404

Delta R.T. 0.00 min

Lab File: BF083062.D

Acq: 20 Nov 2015 4:53

Instrument :

BNA_F

ClientSampled :

ON-1593




Tgt Ion:152 Resp: 132287

Ion Ratio Lower Upper

152 100

150 154.5 126.4 189.6

115 54.8 49.0 73.6



#5

2-Fluorophenol

Concen: 115.37 ng

RT: 5.31 min Scan# 282

Delta R.T. 0.02 min

Lab File: BF083062.D

Acq: 20 Nov 2015 4:53




Tgt Ion:112 Resp: 982620


Ion Ratio Lower Upper

112 100

64 66.1 54.8 82.2

63 35.0 29.0 43.4





#7

Phenol-d6

Concen: 108.61 ng

RT: 6.35 min Scan# 373

Delta R.T. 0.00 min

Lab File: BF083062.D

Acq: 20 Nov 2015 4:53

Instrument :

BNA_F

ClientSampleId :

ON-1593


Tgt Ion: 99 Resp: 1218320

Ion Ratio Lower Upper

99 100

42 20.3 16.6 25.0




71 37.9 29.2 43.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 3.72 ng

RT: 6.48 min Scan# 384

Delta R.T. 0.24 min

Lab File: BF083062.D

Acq: 20 Nov 2015 4:53


Tgt Ion: 77 Resp: 30735

Ion Ratio Lower Upper

77 100

105 75.1 69.6 109.6



106 67.0 62.0 102.0






Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E









#19
n-Nitroso-di-n-propylamine
Concen: 14.55 ng
RT: 7.26 min Scan# 453
Delta R.T. 0.14 min
Lab File: BF083062.D
Acq: 20 Nov 2015 4:53


Instrument :
BNA_F
ClientSampleId :
ON-1593


Tgt Ion: 70 Resp: 119277
Ion Ratio Lower Upper
70 100
42 46.3 50.2 75.2#
101 0.0 6.8 10.2#
130 1.9 12.9 19.3#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.98 min Scan# 516
Delta R.T. -0.01 min
Lab File: BF083062.D
Acq: 20 Nov 2015 4:53

Tgt Ion: 136 Resp: 501057
Ion Ratio Lower Upper
136 100
137 11.0 8.6 12.8
54 9.7 6.2 9.2#
68 6.6 4.2 6.2#









#23
 Nitrobenzene-d5
 Concen: 80.65 ng
 RT: 7.26 min Scan# 453
 Delta R.T. -0.01 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Instrument :
 BNA_F
 ClientSampleId :
 ON-1593

Tgt Ion	Ratio	Lower	Upper
82	100		
128	36.3	33.1	49.7
54	52.0	39.8	59.6




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#25
 Isophorone
 Concen: 33.38 ng
 RT: 7.26 min Scan# 453
 Delta R.T. -0.27 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Tgt Ion	Ratio	Lower	Upper
82	100		
95	0.0	5.7	8.5#
138	0.0	12.2	18.4#



Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 95.00 (94.70 to 95.70): BF0
 Ion 138.00 (137.70 to 138.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.74 min Scan# 670
 Delta R.T. 0.00 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Instrument :
 BNA_F
 ClientSampled :
 ON-1593

Tgt Ion:164 Resp: 260642
 Ion Ratio Lower Upper
 164 100
 162 102.3 80.5 120.7
 160 46.0 35.0 52.4




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 149.11 ng
 RT: 10.53 min Scan# 739
 Delta R.T. 0.00 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Tgt Ion:330 Resp: 412624
 Ion Ratio Lower Upper
 330 100
 332 98.2 77.6 116.4
 141 33.0 34.6 52.0#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 77.89 ng
 RT: 9.07 min Scan# 611
 Delta R.T. -0.01 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Instrument :
 BNA_F
 ClientSampleId :
 ON-1593

Tgt Ion:172 Resp: 1507325
 Ion Ratio Lower Upper
 172 100
 171 36.4 28.2 42.4
 170 24.9 19.4 29.0




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 7.18 ng
 RT: 9.73 min Scan# 669
 Delta R.T. 0.19 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Tgt Ion:165 Resp: 33209
 Ion Ratio Lower Upper
 165 100
 63 1.7 40.6 61.0#
 89 1.8 44.5 66.7#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0






#56
 2,4-Dinitrotoluene
 Concen: 5.37 ng
 RT: 9.73 min Scan# 669
 Delta R.T. -0.21 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Instrument :
 BNA_F
 ClientSampleId :
 ON-1593

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.7	40.6	61.0#
89	1.8	64.4	96.6#
182	0.0	1.6	2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.22 min Scan# 799
 Delta R.T. 0.00 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53



Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.1	9.0	13.4#
80	9.3	10.2	15.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#66
 4-Bromophenyl-phenylether
 Concen: 4.41 ng
 RT: 10.53 min Scan# 739
 Delta R.T. -0.24 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53




Instrument :
 BNA_F
 ClientSampleId :
 ON-1593


Tgt Ion: 248 Resp: 27408
 Ion Ratio Lower Upper
 248 100
 250 196.3 76.1 114.1#
 141 329.2 79.2 118.8#



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.85 min Scan# 1029
 Delta R.T. -0.01 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Tgt Ion: 240 Resp: 480012
 Ion Ratio Lower Upper
 240 100
 120 8.5 5.3 7.9#
 236 26.3 20.4 30.6









#78
 Terphenyl-d14
 Concen: 80.97 ng
 RT: 12.81 min Scan# 938
 Delta R.T. 0.00 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Instrument :
 BNA_F
 ClientSampleId :
 ON-1593

Tgt Ion:244 Resp: 1646362
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.4 9.6
 122 13.5 10.9 16.3



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.23 min Scan# 1150
 Delta R.T. -0.01 min
 Lab File: BF083062.D
 Acq: 20 Nov 2015 4:53

Tgt Ion:264 Resp: 383710
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.6 27.8
 265 21.4 17.0 25.6

