

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111915\
 Data File : BF083068.D
 Acq On : 20 Nov 2015 7:48
 Operator : UM/IZ
 Sample : G4455-07
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK1-111315

Quant Time: Nov 20 09:20:27 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF111915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 20 01:33:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.69	152	107930	20.00	ng	-0.01
21) Naphthalene-d8	7.98	136	415225	20.00	ng	-0.01
38) Acenaphthene-d10	9.73	164	209125	20.00	ng	-0.01
63) Phenanthrene-d10	11.22	188	457973	20.00	ng	0.00
75) Chrysene-d12	13.85	240	437320	20.00	ng	-0.01
86) Perylene-d12	15.23	264	342274	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	431267	62.06	ng	0.00
7) Phenol-d6	6.34	99	333896	36.48	ng	-0.01
23) Nitrobenzene-d5	7.26	82	833741	91.92	ng	-0.01
41) 2,4,6-Tribromophenol	10.53	330	365300	164.52	ng	0.00
44) 2-Fluorobiphenyl	9.07	172	1454731	93.69	ng	-0.01
78) Terphenyl-d14	12.81	244	1463673	79.01	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111915\
Data File : BF083068.D
Acq On : 20 Nov 2015 7:48
Operator : UM/IZ
Sample : G4455-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK1-111315

Quant Time: Nov 20 09:20:27 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF111915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 20 01:33:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.69 min Scan# 403

Delta R.T. -0.01 min

Lab File: BF083068.D

Acq: 20 Nov 2015 7:48

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK1-111315


Tgt Ion:152 Resp: 107930

Ion Ratio Lower Upper

152 100

150 157.5 126.4 189.6




115 72.0 49.0 73.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 62.06 ng

RT: 5.29 min Scan# 280

Delta R.T. 0.00 min

Lab File: BF083068.D

Acq: 20 Nov 2015 7:48


Tgt Ion:112 Resp: 431267

Ion Ratio Lower Upper

112 100

64 65.6 54.8 82.2



63 33.5 29.0 43.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 36.48 ng

RT: 6.34 min Scan# 372

Delta R.T. -0.01 min

Lab File: BF083068.D

Acq: 20 Nov 2015 7:48

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK1-111315


Tgt Ion: 99 Resp: 333896

Ion Ratio Lower Upper

99 100

42 21.0 16.6 25.0




71 37.1 29.2 43.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.98 min Scan# 516

Delta R.T. -0.01 min

Lab File: BF083068.D

Acq: 20 Nov 2015 7:48

Tgt Ion: 136 Resp: 415225


Ion Ratio Lower Upper

136 100

137 11.0 8.6 12.8

54 9.5 6.2 9.2#

68 6.4 4.2 6.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 91.92 ng
 RT: 7.26 min Scan# 453
 Delta R.T. -0.01 min
 Lab File: BF083068.D
 Acq: 20 Nov 2015 7:48

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK1-111315

Tgt Ion: 82 Resp: 833741
 Ion Ratio Lower Upper
 82 100
 128 37.7 33.1 49.7
 54 52.1 39.8 59.6




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.73 min Scan# 669
 Delta R.T. -0.01 min
 Lab File: BF083068.D
 Acq: 20 Nov 2015 7:48

Tgt Ion: 164 Resp: 209125
 Ion Ratio Lower Upper
 164 100
 162 102.2 80.5 120.7
 160 44.6 35.0 52.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 164.52 ng
 RT: 10.53 min Scan# 739
 Delta R.T. 0.00 min
 Lab File: BF083068.D
 Acq: 20 Nov 2015 7:48




Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK1-111315


Tgt Ion:330 Resp: 365300
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.6 116.4
 141 31.4 34.6 52.0#



#44
 2-Fluorobiphenyl
 Concen: 93.69 ng
 RT: 9.07 min Scan# 611
 Delta R.T. -0.01 min
 Lab File: BF083068.D
 Acq: 20 Nov 2015 7:48

Tgt Ion:172 Resp: 1454731
 Ion Ratio Lower Upper
 172 100
 171 36.4 28.2 42.4
 170 24.7 19.4 29.0









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.22 min Scan# 799
Delta R.T. 0.00 min
Lab File: BF083068.D
Acq: 20 Nov 2015 7:48




Instrument :
BNA_F
ClientSampleId :
FIELDBLANK1-111315


Tgt Ion:188 Resp: 457973
Ion Ratio Lower Upper
188 100
94 6.7 9.0 13.4#
80 7.3 10.2 15.4#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.85 min Scan# 1029
Delta R.T. -0.01 min
Lab File: BF083068.D
Acq: 20 Nov 2015 7:48

Tgt Ion:240 Resp: 437320
Ion Ratio Lower Upper
240 100
120 7.4 5.3 7.9
236 26.0 20.4 30.6









#78
 Terphenyl-d14
 Concen: 79.01 ng
 RT: 12.81 min Scan# 938
 Delta R.T. 0.00 min
 Lab File: BF083068.D
 Acq: 20 Nov 2015 7:48

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK1-111315

Tgt Ion:244 Resp: 1463673
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.4 9.6
 122 13.4 10.9 16.3



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.23 min Scan# 1150
 Delta R.T. -0.01 min
 Lab File: BF083068.D
 Acq: 20 Nov 2015 7:48

Tgt Ion:264 Resp: 342274
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.6 27.8
 265 21.3 17.0 25.6

