

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112018\
 Data File : BF110891.D
 Acq On : 20 Nov 2018 13:50
 Operator : JU/SJ
 Sample : J5993-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20180925-WCC-1-COMPOSITE

Quant Time: Nov 20 14:41:58 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 12:43:10 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	61963	20.00	ng	0.00
21) Naphthalene-d8	8.22	136	259312	20.00	ng	0.00
39) Acenaphthene-d10	9.98	164	123073	20.00	ng	-0.01
64) Phenanthrene-d10	11.48	188	230952	20.00	ng	0.00
76) Chrysene-d12	14.13	240	135934	20.00	ng	0.00
87) Perylene-d12	15.66	264	139652	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	441040	115.62	ng	0.00
7) Phenol-d6	6.57	99	559405	114.68	ng	0.00
23) Nitrobenzene-d5	7.50	82	336860	74.81	ng	-0.01
42) 2,4,6-Tribromophenol	10.78	330	120940	97.52	ng	0.00
45) 2-Fluorobiphenyl	9.29	172	454124	52.70	ng	-0.01
79) Terphenyl-d14	13.06	244	326371	44.96	ng	-0.01
Target Compounds						
10) Phenol	6.58	94	26726	4.725	ng	Qvalue # 73
50) Dimethylphthalate	9.69	163	58536	6.374	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112018\
Data File : BF110891.D
Acq On : 20 Nov 2018 13:50
Operator : JU/SJ
Sample : J5993-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20180925-WCC-1-COMPOSITE

Quant Time: Nov 20 14:41:58 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 12:43:10 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.94 min Scan# 825
 Delta R.T. -0.01 min
 Lab File: BF110891.D
 Acq: 20 Nov 2018 13:50

Instrument :
 BNA_F
 ClientSampleId :
 20180925-WCC-1-COMPOSITE

Tot Ion:152 Resp: 61963
 Ion Ratio Lower Upper
 152 100
 150 160.6 122.7 184.1
 115 64.6 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 115.615 ng
 RT: 5.56 min Scan# 591
 Delta R.T. 0.00 min
 Lab File: BF110891.D
 Acq: 20 Nov 2018 13:50

Tgt Ion:112 Resp: 441040
 Ion Ratio Lower Upper
 112 100
 64 60.5 44.1 66.1
 63 33.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 114.677 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110891.D

Acq: 20 Nov 2018 13:50

Instrument :

BNA_F

ClientSampleId :

20180925-WCC-1-COMPOSITE


Tot Ion: 99 Resp: 559405

Ion Ratio Lower Upper




99 100

42 20.6 15.8 23.6

71 36.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 4.725 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF110891.D

Acq: 20 Nov 2018 13:50


Tgt Ion: 94 Resp: 26726

Ion Ratio Lower Upper



94 100

65 30.9 25.3 65.3

66 48.9 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.22 min Scan# 1043
Delta R.T. -0.01 min
Lab File: BF110891.D
Acq: 20 Nov 2018 13:50




Instrument :
BNA_F
ClientSampleId :
20180925-WCC-1-COMPOSITE


Tot Ion:136	Resp:	259312
Ion	Ratio	Lower Upper
136	100	
137	10.3	8.8 13.2
54	7.9	5.4 8.2
68	5.2	4.2 6.2



#23
Nitrobenzene-d5
Concen: 74.812 ng
RT: 7.50 min Scan# 921
Delta R.T. -0.01 min
Lab File: BF110891.D
Acq: 20 Nov 2018 13:50

Tgt Ion: 82	Resp:	336860
Ion	Ratio	Lower Upper
82	100	
128	43.4	34.2 51.2
54	54.4	38.6 58.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.98 min Scan# 1342

Delta R.T. -0.01 min

Lab File: BF110891.D

Acq: 20 Nov 2018 13:50

Instrument :

BNA_F

ClientSampleId :

20180925-WCC-1-COMPOSITE


Tot Ion:164 Resp: 123073

Ion Ratio Lower Upper

164 100

162 104.3 83.0 124.6




160 46.0 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 97.523 ng

RT: 10.78 min Scan# 1478

Delta R.T. -0.01 min

Lab File: BF110891.D

Acq: 20 Nov 2018 13:50


Tgt Ion:330 Resp: 120940

Ion Ratio Lower Upper

330 100

332 97.9 77.1 115.7



141 40.3 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 52.698 ng
RT: 9.29 min Scan# 1225
Delta R.T. -0.01 min
Lab File: BF110891.D
Acq: 20 Nov 2018 13:50

Instrument :
BNA_F
ClientSampleId :
20180925-WCC-1-COMPOSITE

Tot Ion:172 Resp: 454124
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 23.1 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 6.374 ng
RT: 9.69 min Scan# 1293
Delta R.T. -0.01 min
Lab File: BF110891.D
Acq: 20 Nov 2018 13:50

Tgt Ion:163 Resp: 58536
Ion Ratio Lower Upper
163 100
194 3.6 3.2 4.8
164 9.6 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1597
Delta R.T. -0.01 min
Lab File: BF110891.D
Acq: 20 Nov 2018 13:50




Instrument :
BNA_F
ClientSampleId :
20180925-WCC-1-COMPOSITE


Tot Ion:188 Resp: 230952
Ion Ratio Lower Upper
188 100
94 8.5 7.2 10.8
80 8.6 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2048
Delta R.T. -0.01 min
Lab File: BF110891.D
Acq: 20 Nov 2018 13:50

Tgt Ion:240 Resp: 135934
Ion Ratio Lower Upper
240 100
120 10.6 8.3 12.5
236 24.8 21.2 31.8





#79

Terphenyl-d14

Concen: 44.964 ng

RT: 13.06 min Scan# 1865

Delta R.T. -0.01 min

Lab File: BF110891.D

Acq: 20 Nov 2018 13:50

Instrument :

BNA_F

ClientSampleId :

20180925-WCC-1-COMPOSITE


Tot Ion:244 Resp: 326371

Ion Ratio Lower Upper

244 100

212 6.9 5.8 8.8




122 12.1 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2308

Delta R.T. 0.01 min

Lab File: BF110891.D

Acq: 20 Nov 2018 13:50


Tgt Ion:264 Resp: 139652

Ion Ratio Lower Upper

264 100

260 22.7 18.7 28.1

265 21.9 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

