

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112019\
 Data File : BF117897.D
 Acq On : 20 Nov 2019 17:06
 Operator : JU
 Sample : K5927-06
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-5A

Quant Time: Nov 21 03:41:05 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 18:36:07 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	164438	20.00	ng	-0.01
21) Naphthalene-d8	8.20	136	713977	20.00	ng	-0.01
39) Acenaphthene-d10	9.96	164	360754	20.00	ng	-0.01
64) Phenanthrene-d10	11.46	188	585209	20.00	ng	-0.01
76) Chrysene-d12	14.10	240	387357	20.00	ng	-0.01
87) Perylene-d12	15.62	264	392196	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	914416	98.43	ng	0.00
7) Phenol-d6	6.54	99	1165830	104.05	ng	0.00
23) Nitrobenzene-d5	7.48	82	812623	67.66	ng	-0.01
42) 2,4,6-Tribromophenol	10.76	330	344392	90.17	ng	-0.01
45) 2-Fluorobiphenyl	9.28	172	1585856	78.86	ng	-0.01
79) Terphenyl-d14	13.05	244	1316347	62.11	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.67	163	317987	12.570	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112019\
Data File : BF117897.D
Acq On : 20 Nov 2019 17:06
Operator : JU
Sample : K5927-06
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-5A

Quant Time: Nov 21 03:41:05 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 18:36:07 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.92 min Scan# 821
Delta R.T. -0.01 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Instrument :
BNA_F
ClientSampleId :
B-5A

Tot Ion:152 Resp: 164438
Ion Ratio Lower Upper
152 100
150 155.0 125.3 187.9
115 62.0 47.0 70.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 98.433 ng
RT: 5.53 min Scan# 586
Delta R.T. 0.00 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Tgt Ion:112 Resp: 914416
Ion Ratio Lower Upper
112 100
64 54.7 45.6 68.4
63 30.0 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 104.046 ng

RT: 6.54 min Scan# 757

Delta R.T. -0.01 min

Lab File: BF117897.D

Acq: 20 Nov 2019 17:06

Instrument :

BNA_F

ClientSampleId :

B-5A


Tot Ion: 99 Resp: 1165830

Ion Ratio Lower Upper




99 100

42 18.9 14.9 22.3

71 37.9 28.6 43.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.20 min Scan# 1040

Delta R.T. -0.01 min

Lab File: BF117897.D

Acq: 20 Nov 2019 17:06

Tgt Ion: 136 Resp: 713977


Ion Ratio Lower Upper

136 100



137 11.3 9.0 13.4


54 6.9 5.4 8.2

68 5.0 4.3 6.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 67.659 ng
RT: 7.48 min Scan# 917
Delta R.T. -0.01 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Instrument :
BNA_F
ClientSampled :
B-5A

Tot Ion: 82 Resp: 812623
Ion Ratio Lower Upper
82 100
128 50.8 38.9 58.3
54 47.9 39.8 59.6




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.96 min Scan# 1339
Delta R.T. -0.01 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Tgt Ion: 164 Resp: 360754
Ion Ratio Lower Upper
164 100
162 100.0 81.3 121.9
160 45.4 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 90.172 ng

RT: 10.76 min Scan# 1474

Delta R.T. -0.01 min

Lab File: BF117897.D

Acq: 20 Nov 2019 17:06

Instrument :

BNA_F

ClientSampled :

B-5A


Tot Ion:330 Resp: 344392

Ion Ratio Lower Upper




330 100

332 98.8 76.7 115.1

141 34.8 27.7 41.5



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 78.865 ng

RT: 9.28 min Scan# 1223

Delta R.T. -0.01 min

Lab File: BF117897.D

Acq: 20 Nov 2019 17:06


Tgt Ion:172 Resp: 1585856

Ion Ratio Lower Upper



172 100


171 36.2 30.9 46.3

170 24.4 21.0 31.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 12.570 ng
RT: 9.67 min Scan# 1290
Delta R.T. -0.02 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Instrument :
BNA_F
ClientSampled :
B-5A

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.3	4.9
164	9.9	8.7	13.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.46 min Scan# 1593
Delta R.T. -0.01 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.1	6.6	10.0
80	10.2	7.2	10.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.10 min Scan# 2043
Delta R.T. -0.01 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06




Instrument :
BNA_F
ClientSampled :
B-5A


Tot Ion	Ratio	Lower	Upper
240	100		
120	12.1	9.5	14.3
236	27.1	21.3	31.9



#79
Terphenyl-d14
Concen: 62.107 ng
RT: 13.05 min Scan# 1864
Delta R.T. -0.01 min
Lab File: BF117897.D
Acq: 20 Nov 2019 17:06

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.8	6.3	9.5
122	9.7	9.4	14.2





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.62 min Scan# 2301
 Delta R.T. 0.00 min
 Lab File: BF117897.D
 Acq: 20 Nov 2019 17:06

Instrument :
 BNA_F
 ClientSampleId :
 B-5A

Tot Ion	Ion	Ratio	Lower	Upper
264	100			
260	24.2	19.4	29.0	
265	21.1	17.1	25.7	

