

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112019\
 Data File : BF117898.D
 Acq On : 20 Nov 2019 17:33
 Operator : JU
 Sample : K5927-09
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-7

Quant Time: Nov 21 03:42:28 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 18:36:07 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	183211	20.00	ng	-0.01
21) Naphthalene-d8	8.20	136	735444	20.00	ng	-0.01
39) Acenaphthene-d10	9.97	164	386384	20.00	ng	0.00
64) Phenanthrene-d10	11.46	188	652139	20.00	ng	-0.01
76) Chrysene-d12	14.11	240	384248	20.00	ng	0.00
87) Perylene-d12	15.62	264	390399	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	742713	71.76	ng	0.00
7) Phenol-d6	6.54	99	1007604	80.71	ng	0.00
23) Nitrobenzene-d5	7.47	82	610331	49.33	ng	-0.02
42) 2,4,6-Tribromophenol	10.76	330	291431	71.24	ng	-0.01
45) 2-Fluorobiphenyl	9.28	172	1212317	56.29	ng	-0.01
79) Terphenyl-d14	13.04	244	1030476	49.01	ng	-0.01
Target Compounds						Qvalue
50) Dimethylphthalate	9.67	163	234500	8.655	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112019\
Data File : BF117898.D
Acq On : 20 Nov 2019 17:33
Operator : JU
Sample : K5927-09
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-7

Quant Time: Nov 21 03:42:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 18:36:07 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.92 min Scan# 821
Delta R.T. -0.01 min
Lab File: BF117898.D
Acq: 20 Nov 2019 17:33

Instrument :
BNA_F
ClientSampled :
B-7

Tot Ion:152 Resp: 183211
Ion Ratio Lower Upper
152 100
150 153.2 125.3 187.9
115 61.0 47.0 70.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 71.758 ng
RT: 5.53 min Scan# 585
Delta R.T. -0.01 min
Lab File: BF117898.D
Acq: 20 Nov 2019 17:33

Tgt Ion:112 Resp: 742713
Ion Ratio Lower Upper
112 100
64 55.7 45.6 68.4
63 30.0 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 80.711 ng

RT: 6.54 min Scan# 757

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33

Instrument :

BNA_F

ClientSampled :

B-7


Tot Ion: 99 Resp: 1007604

Ion Ratio Lower Upper




99 100

42 16.8 14.9 22.3

71 33.8 28.6 43.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.20 min Scan# 1040

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33

Tgt Ion: 136 Resp: 735444


Ion Ratio Lower Upper

136 100



137 11.0 9.0 13.4


54 6.9 5.4 8.2

68 5.3 4.3 6.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 49.333 ng
 RT: 7.47 min Scan# 916
 Delta R.T. -0.02 min
 Lab File: BF117898.D
 Acq: 20 Nov 2019 17:33

Instrument :
 BNA_F
 ClientSampled :
 B-7

Tot Ion: 82 Resp: 610331
 Ion Ratio Lower Upper
 82 100
 128 46.3 38.9 58.3
 54 51.0 39.8 59.6




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.97 min Scan# 1340
 Delta R.T. -0.01 min
 Lab File: BF117898.D
 Acq: 20 Nov 2019 17:33

Tgt Ion: 164 Resp: 386384
 Ion Ratio Lower Upper
 164 100
 162 101.8 81.3 121.9
 160 44.7 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 71.244 ng

RT: 10.76 min Scan# 1474

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33

Instrument :

BNA_F

ClientSampled :

B-7


Tot Ion:330 Resp: 291431

Ion Ratio Lower Upper

330 100

332 95.7 76.7 115.1




141 34.4 27.7 41.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 56.290 ng

RT: 9.28 min Scan# 1223

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33


Tgt Ion:172 Resp: 1212317

Ion Ratio Lower Upper

172 100

171 35.9 30.9 46.3



170 24.4 21.0 31.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 8.655 ng

RT: 9.67 min Scan# 1290

Delta R.T. -0.02 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33

Instrument :

BNA_F

ClientSampleId :

B-7


Tot Ion:163 Resp: 234500

Ion Ratio Lower Upper




163 100

194 3.8 3.3 4.9

164 9.7 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.46 min Scan# 1593

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33


Tgt Ion:188 Resp: 652139

Ion Ratio Lower Upper



188 100


94 9.1 6.6 10.0

80 10.0 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.11 min Scan# 2044

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33

Instrument :

BNA_F

ClientSampleId :

B-7





Tot Ion:240 Resp: 384248

Ion Ratio Lower Upper

240 100

120 9.3 9.5 14.3#

236 26.4 21.3 31.9



#79

Terphenyl-d14

Concen: 49.013 ng

RT: 13.04 min Scan# 1863

Delta R.T. -0.01 min

Lab File: BF117898.D

Acq: 20 Nov 2019 17:33




Tgt Ion:244 Resp: 1030476


Ion Ratio Lower Upper

244 100

212 7.2 6.3 9.5

122 11.8 9.4 14.2






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.62 min Scan# 2300
Delta R.T. -0.01 min
Lab File: BF117898.D
Acq: 20 Nov 2019 17:33

Instrument :
BNA_F
ClientSampleId :
B-7

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.4	29.0
265	21.6	17.1	25.7



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

