

Data Path : V:\HPCHEM1\BNA F\DATA\BF112115\
 Data File : BF083145.D
 Acq On : 22 Nov 2015 8:27
 Operator : UM/IZ
 Sample : G4505-06
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-22(1-2.2)

Quant Time: Nov 23 03:14:52 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF112115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Nov 22 09:22:46 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.65	152	201392	20.00	ng	-0.01
21) Naphthalene-d8	7.94	136	764285	20.00	ng	-0.01
38) Acenaphthene-d10	9.69	164	375882	20.00	ng	-0.01
63) Phenanthrene-d10	11.16	188	714884	20.00	ng	-0.01
75) Chrysene-d12	13.78	240	642153	20.00	ng	-0.02
86) Perylene-d12	15.15	264	522830	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1789469	134.34	ng	-0.01
7) Phenol-d6	6.32	99	2263254	131.31	ng	-0.02
23) Nitrobenzene-d5	7.22	82	1351192	80.78	ng	-0.01
41) 2,4,6-Tribromophenol	10.48	330	531163	138.13	ng	-0.01
44) 2-Fluorobiphenyl	9.02	172	1808245	67.08	ng	-0.01
78) Terphenyl-d14	12.75	244	2030354	74.46	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.42	163	386963	13.37	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : V:\HPCHEM1\BNA F\DATA\BF112115\
Data File : BF083145.D
Acq On : 22 Nov 2015 8:27
Operator : UM/IZ
Sample : G4505-06
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-22(1-2.2)

Quant Time: Nov 23 03:14:52 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF112115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Nov 22 09:22:46 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.65 min Scan# 408

Delta R.T. -0.01 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27

Instrument :

BNA_F

ClientSampleId :

SB-22(1-2.2)


Tot Ion:152 Resp: 201392

Ion Ratio Lower Upper

152 100

150 157.0 125.8 188.8




115 63.2 46.9 70.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 134.34 ng

RT: 5.27 min Scan# 287

Delta R.T. -0.01 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27


Tgt Ion:112 Resp: 1789469

Ion Ratio Lower Upper

112 100

64 59.8 58.4 87.6



63 30.6 30.0 45.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 131.31 ng

RT: 6.32 min Scan# 379

Delta R.T. -0.02 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27

Instrument :

BNA_F

ClientSampled :

SB-22(1-2.2)


Tot Ion: 99 Resp: 2263254

Ion Ratio Lower Upper

99 100

42 21.5 17.7 26.5




71 36.7 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.94 min Scan# 521

Delta R.T. -0.01 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27

Tgt Ion: 136 Resp: 764285


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 7.6 5.8 8.6

68 5.5 3.8 5.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 80.78 ng
 RT: 7.22 min Scan# 458
 Delta R.T. -0.01 min
 Lab File: BF083145.D
 Acq: 22 Nov 2015 8:27

Instrument :
 BNA_F
 ClientSampleId :
 SB-22(1-2.2)

Tot Ion: 82 Resp: 1351192




Ion	Ratio	Lower	Upper
82	100		
128	38.9	28.5	42.7
54	53.7	44.6	67.0




#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.69 min Scan# 674
 Delta R.T. -0.01 min
 Lab File: BF083145.D
 Acq: 22 Nov 2015 8:27

Tgt Ion:164 Resp: 375882

Ion	Ratio	Lower	Upper
164	100		
162	104.7	81.2	121.8
160	45.6	35.6	53.4









#41
 2,4,6-Tribromophenol
 Concen: 138.13 ng
 RT: 10.48 min Scan# 743
 Delta R.T. -0.01 min
 Lab File: BF083145.D
 Acq: 22 Nov 2015 8:27

Instrument :
 BNA_F
 ClientSampleId :
 SB-22(1-2.2)

Tot Ion:330 Resp: 531163
 Ion Ratio Lower Upper
 330 100
 332 95.8 77.7 116.5
 141 33.5 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.08 ng
 RT: 9.02 min Scan# 615
 Delta R.T. -0.01 min
 Lab File: BF083145.D
 Acq: 22 Nov 2015 8:27

Tgt Ion:172 Resp: 1808245
 Ion Ratio Lower Upper
 172 100
 171 37.3 29.5 44.3
 170 24.8 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.37 ng

RT: 9.42 min Scan# 650

Delta R.T. -0.03 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27

Instrument :

BNA_F

ClientSampleId :

SB-22(1-2.2)


Tot Ion:163 Resp: 386963

Ion Ratio Lower Upper

163 100

194 3.0 2.6 4.0




164 10.4 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.16 min Scan# 803

Delta R.T. -0.01 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27


Tgt Ion:188 Resp: 714884

Ion Ratio Lower Upper

188 100

94 7.2 6.0 9.0



80 7.6 6.7 10.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.78 min Scan# 1032

Delta R.T. -0.02 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27

Instrument :

BNA_F

ClientSampled :

SB-22(1-2.2)


Tot Ion:240 Resp: 642153

Ion Ratio Lower Upper

240 100

120 11.9 5.4 8.2#




236 25.5 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 74.46 ng

RT: 12.75 min Scan# 942

Delta R.T. -0.01 min

Lab File: BF083145.D

Acq: 22 Nov 2015 8:27


Tgt Ion:244 Resp: 2030354

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.2



122 6.7 4.3 6.5#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.15 min Scan# 1152
Delta R.T. -0.01 min
Lab File: BF083145.D
Acq: 22 Nov 2015 8:27

Instrument :
BNA_F
ClientSampleId :
SB-22(1-2.2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.1	28.7
265	22.2	18.2	27.4



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

