

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112124\
 Data File : BF140551.D
 Acq On : 21 Nov 2024 22:18
 Operator : RC/JU
 Sample : P4916-08
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-2-WC

Quant Time: Nov 22 00:11:51 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 21 15:23:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	80781	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	300494	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	161946	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	283437	20.000	ng	0.00
76) Chrysene-d12	14.045	240	173917	20.000	ng	0.00
86) Perylene-d12	15.533	264	134360	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	665107	140.480	ng	0.01
7) Phenol-d6	6.510	99	807335	128.985	ng	0.00
23) Nitrobenzene-d5	7.428	82	566022	96.349	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	249377	143.980	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	1078834	99.255	ng	0.00
79) Terphenyl-d14	12.986	244	1026038	91.864	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112124\
Data File : BF140551.D
Acq On : 21 Nov 2024 22:18
Operator : RC/JU
Sample : P4916-08
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-2-WC

Quant Time: Nov 22 00:11:51 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 21 15:23:48 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 813
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18




Instrument :
BNA_F
ClientSampleId :
TP-2-WC


Tgt Ion:152 Resp: 80781
Ion Ratio Lower Upper
152 100
150 153.0 128.5 192.7
115 60.0 50.2 75.4



#5
2-Fluorophenol
Concen: 140.480 ng
RT: 5.510 min Scan# 581
Delta R.T. 0.012 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18

Tgt Ion:112 Resp: 665107
Ion Ratio Lower Upper
112 100
64 60.5 49.2 73.8
63 32.5 27.0 40.4









#7
Phenol-d6
Concen: 128.985 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18




Instrument :
BNA_F
ClientSampleId :
TP-2-WC


Tgt Ion: 99 Resp: 807335
Ion Ratio Lower Upper
99 100
42 18.8 15.4 23.0
71 37.9 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18

Tgt Ion: 136 Resp: 300494
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 6.8 5.8 8.8
68 5.3 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 96.349 ng
 RT: 7.428 min Scan# 909
 Delta R.T. -0.012 min
 Lab File: BF140551.D
 Acq: 21 Nov 2024 22:18




Instrument :
 BNA_F
 ClientSampleId :
 TP-2-WC


Tgt Ion: 82 Resp: 566022
 Ion Ratio Lower Upper
 82 100
 128 41.8 33.0 49.4
 54 49.2 39.5 59.3



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.904 min Scan# 1328
 Delta R.T. -0.012 min
 Lab File: BF140551.D
 Acq: 21 Nov 2024 22:18

Tgt Ion:164 Resp: 161946
 Ion Ratio Lower Upper
 164 100
 162 100.7 80.6 120.8
 160 45.3 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 143.980 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18




Instrument :
BNA_F
ClientSampleId :
TP-2-WC


Tgt Ion:330 Resp: 249377
Ion Ratio Lower Upper
330 100
332 96.5 76.9 115.3
141 32.7 26.7 40.1



#45
2-Fluorobiphenyl
Concen: 99.255 ng
RT: 9.228 min Scan# 1213
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18

Tgt Ion:172 Resp: 1078834
Ion Ratio Lower Upper
172 100
171 35.5 28.4 42.6
170 23.7 19.0 28.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.398 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF140551.D

Acq: 21 Nov 2024 22:18

Instrument :

BNA_F

ClientSampleId :

TP-2-WC





Tgt Ion:188 Resp: 283437

Ion Ratio Lower Upper

188 100

94 8.0 6.4 9.6

80 8.9 6.9 10.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2032

Delta R.T. -0.006 min

Lab File: BF140551.D

Acq: 21 Nov 2024 22:18




Tgt Ion:240 Resp: 173917


Ion Ratio Lower Upper

240 100

120 9.3 7.3 10.9


236 25.5 20.6 31.0








#79
Terphenyl-d14
Concen: 91.864 ng
RT: 12.986 min Scan# 1852
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18

Instrument :
BNA_F
ClientSampleId :
TP-2-WC



Tgt Ion:244 Resp: 1026038
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.8
122 9.9 8.0 12.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.533 min Scan# 2285
Delta R.T. -0.006 min
Lab File: BF140551.D
Acq: 21 Nov 2024 22:18

Tgt Ion:264 Resp: 134360
Ion Ratio Lower Upper
264 100
260 23.7 19.0 28.6
265 21.8 16.6 25.0

