

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112222\
 Data File : BF131347.D
 Acq On : 23 Nov 2022 00:25
 Operator : CG\JU
 Sample : N5740-01MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS

Quant Time: Nov 23 04:21:29 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 22 01:17:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	96501	20.000	ng	0.00
21) Naphthalene-d8	8.257	136	336777	20.000	ng	0.00
39) Acenaphthene-d10	10.022	164	176131	20.000	ng	0.00
64) Phenanthrene-d10	11.516	188	269412	20.000	ng	0.00
76) Chrysene-d12	14.174	240	178610	20.000	ng	0.00
86) Perylene-d12	15.709	264	197393	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	613347	120.966	ng	0.01
7) Phenol-d6	6.587	99	761260	117.673	ng	0.00
23) Nitrobenzene-d5	7.534	82	493114	73.809	ng	0.00
42) 2,4,6-Tribromophenol	10.810	330	188057	126.911	ng	0.00
45) 2-Fluorobiphenyl	9.333	172	853862	70.528	ng	0.00
79) Terphenyl-d14	13.110	244	650789	59.583	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.846	88	101901	42.155	ng	98
3) Pyridine	3.598	79	265631	39.575	ng	98
4) n-Nitrosodimethylamine	3.569	42	176888	44.688	ng	98
6) Aniline	6.628	93	191481	22.585	ng	98
8) 2-Chlorophenol	6.745	128	281810	49.058	ng	98
9) Benzaldehyde	6.516	77	159958	40.306	ng	98
10) Phenol	6.598	94	337029	46.988	ng	97
11) bis(2-Chloroethyl)ether	6.698	93	270729	45.050	ng	99
12) 1,3-Dichlorobenzene	6.904	146	308281	45.029	ng	97
13) 1,4-Dichlorobenzene	6.981	146	308272	44.314	ng	98
14) 1,2-Dichlorobenzene	7.134	146	296075	46.223	ng	98
15) Benzyl Alcohol	7.104	79	255477	48.163	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.239	45	494150	42.996	ng	98
17) 2-Methylphenol	7.210	107	224748	45.905	ng	99
18) Hexachloroethane	7.481	117	115964	46.599	ng	95
19) n-Nitroso-di-n-propyla...	7.381	70	206634	43.632	ng	96
20) 3+4-Methylphenols	7.363	107	286627	45.851	ng	94
22) Acetophenone	7.381	105	393276	45.877	ng	# 96
24) Nitrobenzene	7.551	77	313549	45.045	ng	100
25) Isophorone	7.792	82	562892	47.225	ng	97
26) 2-Nitrophenol	7.869	139	134932	57.859	ng	93
27) 2,4-Dimethylphenol	7.898	122	250818	54.280	ng	99
28) bis(2-Chloroethoxy)met...	8.004	93	330528	48.823	ng	99
29) 2,4-Dichlorophenol	8.110	162	236018	47.089	ng	96
30) 1,2,4-Trichlorobenzene	8.192	180	271226	43.682	ng	99
31) Naphthalene	8.281	128	781880	43.567	ng	99
32) Benzoic acid	7.998	122	113366	41.593	ng	87
33) 4-Chloroaniline	8.322	127	42176	5.957	ng	95
34) Hexachlorobutadiene	8.392	225	175700	43.700	ng	99
35) Caprolactam	8.698	113	50827	38.590	ng	90
36) 4-Chloro-3-methylphenol	8.798	107	253636	48.708	ng	93
37) 2-Methylnaphthalene	8.969	142	520210	42.781	ng	98
38) 1-Methylnaphthalene	9.075	142	484360	41.077	ng	100
40) 1,2,4,5-Tetrachloroben...	9.133	216	270092	47.255	ng	99
41) Hexachlorocyclopentadiene	9.122	237	275928	107.388	ng	98
43) 2,4,6-Trichlorophenol	9.245	196	173254	53.433	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112222\
 Data File : BF131347.D
 Acq On : 23 Nov 2022 00:25
 Operator : CG\JU
 Sample : N5740-01MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS


Quant Time: Nov 23 04:21:29 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 22 01:17:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.280	196	182758	50.125	ng	96
46) 1,1'-Biphenyl	9.439	154	636793	47.377	ng	99
47) 2-Chloronaphthalene	9.463	162	497698	46.159	ng	99
48) 2-Nitroaniline	9.557	65	166232	50.777	ng	99
49) Acenaphthylene	9.880	152	745501	45.357	ng	100
50) Dimethylphthalate	9.739	163	570890	46.521	ng	98
51) 2,6-Dinitrotoluene	9.798	165	123899	50.485	ng	94
52) Acenaphthene	10.057	154	485446	47.166	ng	99
53) 3-Nitroaniline	9.969	138	54293	21.530	ng	97
54) 2,4-Dinitrophenol	10.075	184	72785	69.266	ng	# 84
55) Dibenzofuran	10.227	168	653250	44.117	ng	100
56) 4-Nitrophenol	10.122	139	165051	94.305	ng	98
57) 2,4-Dinitrotoluene	10.204	165	153554	49.728	ng	100
58) Fluorene	10.574	166	497932	43.088	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.339	232	140819	46.376	ng	100
60) Diethylphthalate	10.439	149	534312	46.112	ng	99
61) 4-Chlorophenyl-phenyle...	10.563	204	263478	44.476	ng	98
62) 4-Nitroaniline	10.586	138	99964	39.830	ng	96
63) Azobenzene	10.722	77	531572	42.665	ng	98
65) 4,6-Dinitro-2-methylph...	10.610	198	53675	46.791	ng	86
66) n-Nitrosodiphenylamine	10.680	169	434748	50.642	ng	99
67) 4-Bromophenyl-phenylether	11.057	248	162335	49.163	ng	99
68) Hexachlorobenzene	11.116	284	169914	48.484	ng	99
69) Atrazine	11.210	200	147540	55.820	ng	99
70) Pentachlorophenol	11.310	266	164729	80.839	ng	99
71) Phenanthrene	11.539	178	650261	44.661	ng	99
72) Anthracene	11.592	178	655217	45.791	ng	99
73) Carbazole	11.745	167	540244	44.262	ng	99
74) Di-n-butylphthalate	12.074	149	700081	48.675	ng	99
75) Fluoranthene	12.733	202	605232	39.449	ng	99
77) Benzidine	12.857	184	211512	64.111	ng	97
78) Pyrene	12.968	202	599348	38.033	ng	100
80) Butylbenzylphthalate	13.586	149	230720	43.905	ng	97
81) Benzo(a)anthracene	14.162	228	562971	45.984	ng	98
82) 3,3'-Dichlorobenzidine	14.121	252	98603	30.351	ng	99
83) Chrysene	14.198	228	532922	44.368	ng	99
84) Bis(2-ethylhexyl)phtha...	14.145	149	316693	45.245	ng	100
85) Di-n-octyl phthalate	14.774	149	565705	54.388	ng	98
87) Indeno(1,2,3-cd)pyrene	17.292	276	527497	39.788	ng	99
88) Benzo(b)fluoranthene	15.257	252	596563	45.493	ng	100
89) Benzo(k)fluoranthene	15.286	252	603582	44.790	ng	98
90) Benzo(a)pyrene	15.651	252	528146	49.085	ng	99
91) Dibenzo(a,h)anthracene	17.315	278	450283	41.138	ng	98
92) Benzo(g,h,i)perylene	17.768	276	404090	36.989	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Nov 23 04:21:29 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 22 01:17:52 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:152 Resp: 96501
Ion Ratio Lower Upper
152 100
150 143.7 117.8 176.8
115 61.8 47.1 70.7



#2
1,4-Dioxane
Concen: 42.155 ng
RT: 2.846 min Scan# 129
Delta R.T. 0.065 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion: 88 Resp: 101901
Ion Ratio Lower Upper
88 100
58 95.6 78.2 117.4
43 38.5 31.6 47.4









#3
 Pyridine
 Concen: 39.575 ng
 RT: 3.598 min Scan# 21
 Delta R.T. 0.053 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25




Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS


Tgt Ion: 79 Resp: 265631
 Ion Ratio Lower Upper
 79 100
 52 96.4 78.7 118.1
 51 47.2 39.3 58.9



#4
 n-Nitrosodimethylamine
 Concen: 44.688 ng
 RT: 3.569 min Scan# 252
 Delta R.T. 0.053 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25

Tgt Ion: 42 Resp: 176888
 Ion Ratio Lower Upper
 42 100
 74 95.1 78.0 117.0
 44 6.5 5.2 7.8









#5
2-Fluorophenol
Concen: 120.966 ng
RT: 5.581 min Scan# 594
Delta R.T. 0.012 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:112 Resp: 613347
Ion Ratio Lower Upper
112 100
64 70.8 58.6 88.0
63 38.2 31.4 47.0



#6
Aniline
Concen: 22.585 ng
RT: 6.628 min Scan# 772
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion: 93 Resp: 191481
Ion Ratio Lower Upper
93 100
66 42.9 35.6 53.4
65 23.7 18.4 27.6









#7
Phenol-d6
Concen: 117.673 ng
RT: 6.587 min Scan# 765
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion: 99 Resp: 761260
Ion Ratio Lower Upper
99 100
42 23.3 19.4 29.2
71 39.9 32.3 48.5



#8
2-Chlorophenol
Concen: 49.058 ng
RT: 6.745 min Scan# 792
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:128 Resp: 281810
Ion Ratio Lower Upper
128 100
130 32.6 12.5 52.5
64 58.7 36.9 76.9









#9
Benzaldehyde
Concen: 40.306 ng
RT: 6.516 min Scan# 753
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion: 77 Resp: 159958
Ion Ratio Lower Upper
77 100
105 95.5 74.5 114.5
106 90.2 68.1 108.1



#10
Phenol
Concen: 46.988 ng
RT: 6.598 min Scan# 767
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion: 94 Resp: 337029
Ion Ratio Lower Upper
94 100
65 34.0 15.0 55.0
66 45.4 28.6 68.6









#11
bis(2-Chloroethyl)ether
Concen: 45.050 ng
RT: 6.698 min Scan# 718
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion: 93 Resp: 270729
Ion Ratio Lower Upper
93 100
63 89.5 68.6 108.6
95 32.4 13.1 53.1



#12
1,3-Dichlorobenzene
Concen: 45.029 ng
RT: 6.904 min Scan# 819
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:146 Resp: 308281
Ion Ratio Lower Upper
146 100
148 62.6 51.4 77.2
75 36.8 27.6 41.4









#13
1,4-Dichlorobenzene
Concen: 44.314 ng
RT: 6.981 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:146 Resp: 308272
Ion Ratio Lower Upper
146 100
148 63.7 50.2 75.2
111 45.8 35.0 52.6



#14
1,2-Dichlorobenzene
Concen: 46.223 ng
RT: 7.134 min Scan# 858
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:146 Resp: 296075
Ion Ratio Lower Upper
146 100
148 62.9 51.4 77.0
111 47.7 39.4 59.0









#15
Benzyl Alcohol
Concen: 48.163 ng
RT: 7.104 min Scan# 853
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion: 79 Resp: 255477
Ion Ratio Lower Upper
79 100
108 70.6 55.1 82.7
77 65.3 51.8 77.8



#16
2,2'-oxybis(1-chloropropane)
Concen: 42.996 ng
RT: 7.239 min Scan# 876
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion: 45 Resp: 494150
Ion Ratio Lower Upper
45 100
77 12.0 0.0 31.2
79 9.1 0.0 28.4









#17
2-Methylphenol
Concen: 45.905 ng
RT: 7.210 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:107 Resp: 224748
Ion Ratio Lower Upper
107 100
108 112.8 89.0 133.6
77 52.7 42.5 63.7
79 53.3 41.4 62.0



#18
Hexachloroethane
Concen: 46.599 ng
RT: 7.481 min Scan# 917
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:117 Resp: 115964
Ion Ratio Lower Upper
117 100
119 97.2 76.6 115.0
201 99.4 87.0 130.6





#19

n-Nitroso-di-n-propylamine

Concen: 43.632 ng

RT: 7.381 min Scan# 901

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS

Tgt Ion: 70 Resp: 206634





Ion Ratio Lower Upper

70 100

42 68.4 57.6 86.4

101 9.4 8.2 12.2

130 19.6 16.3 24.5



#20

3+4-Methylphenols

Concen: 45.851 ng

RT: 7.363 min Scan# 897

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Tgt Ion: 107 Resp: 286627




Ion Ratio Lower Upper


107 100

108 85.8 72.6 112.6

77 57.7 41.4 81.4

79 31.7 15.1 55.1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.257 min Scan# 1049

Delta R.T. -0.000 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS

Tgt Ion:136 Resp: 336777





Ion Ratio Lower Upper

136 100

137 10.7 9.0 13.6

54 10.1 9.4 14.0

68 5.2 4.5 6.7



#22

Acetophenone

Concen: 45.877 ng

RT: 7.381 min Scan# 900

Delta R.T. -0.000 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Tgt Ion:105 Resp: 393276




Ion Ratio Lower Upper


105 100

71 9.9 4.9 7.3#

51 32.8 29.0 43.4

120 21.2 16.9 25.3









#23
Nitrobenzene-d5
Concen: 73.809 ng
RT: 7.534 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion: 82 Resp: 493114
Ion Ratio Lower Upper
82 100
128 39.2 31.4 47.0
54 62.6 49.8 74.6



#24
Nitrobenzene
Concen: 45.045 ng
RT: 7.551 min Scan# 929
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion: 77 Resp: 313549
Ion Ratio Lower Upper
77 100
123 41.6 33.3 49.9
65 15.7 12.7 19.1









#25
Isophorone
Concen: 47.225 ng
RT: 7.792 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion: 82 Resp: 562892
Ion Ratio Lower Upper
82 100
95 7.8 6.2 9.2
138 17.8 12.7 19.1



#26
2-Nitrophenol
Concen: 57.859 ng
RT: 7.869 min Scan# 983
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:139 Resp: 134932
Ion Ratio Lower Upper
139 100
109 36.5 29.9 44.9
65 61.8 55.7 83.5









#27
2,4-Dimethylphenol
Concen: 54.280 ng
RT: 7.898 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:122 Resp: 250818
Ion Ratio Lower Upper
122 100
107 124.0 99.9 149.9
121 58.4 47.4 71.2



#28
bis(2-Chloroethoxy)methane
Concen: 48.823 ng
RT: 8.004 min Scan# 1006
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion: 93 Resp: 330528
Ion Ratio Lower Upper
93 100
95 32.9 26.4 39.6
123 12.0 8.8 13.2





#29

2,4-Dichlorophenol

Concen: 47.089 ng

RT: 8.110 min Scan# 1024

Delta R.T. -0.000 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:162 Resp: 236018

Ion Ratio Lower Upper

162 100

164 65.8 42.2 82.2

98 36.7 18.8 58.8



#30

1,2,4-Trichlorobenzene

Concen: 43.682 ng

RT: 8.192 min Scan# 1038

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:180 Resp: 271226


Ion Ratio Lower Upper

180 100

182 93.7 75.3 112.9

145 29.8 23.4 35.0









#31
Naphthalene
Concen: 43.567 ng
RT: 8.281 min Scan# 1053
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:128 Resp: 781880
Ion Ratio Lower Upper
128 100
129 10.8 9.2 13.8
127 13.1 10.6 16.0



#32
Benzoic acid
Concen: 41.593 ng
RT: 7.998 min Scan# 1005
Delta R.T. -0.024 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:122 Resp: 113366
Ion Ratio Lower Upper
122 100
105 138.2 103.8 143.8
77 107.0 74.3 114.3









#33
4-Chloroaniline
Concen: 5.957 ng
RT: 8.322 min Scan# 1061
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:	127	Resp:	42176
Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.4	39.6
65	33.0	31.0	46.6
92	17.9	16.3	24.5



#34
Hexachlorobutadiene
Concen: 43.700 ng
RT: 8.392 min Scan# 1072
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:	225	Resp:	175700
Ion	Ratio	Lower	Upper
225	100		
223	62.4	49.4	74.0
227	63.3	51.1	76.7









#35
Caprolactam
Concen: 38.590 ng
RT: 8.698 min Scan# 1125
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:113 Resp: 50827
Ion Ratio Lower Upper
113 100
55 216.9 214.5 254.5
56 166.2 159.4 199.4



#36
4-Chloro-3-methylphenol
Concen: 48.708 ng
RT: 8.798 min Scan# 1141
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:107 Resp: 253636
Ion Ratio Lower Upper
107 100
144 23.4 20.9 31.3
142 73.6 63.9 95.9









#37
2-Methylnaphthalene
Concen: 42.781 ng
RT: 8.969 min Scan# 1171
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:142 Resp: 520210
Ion Ratio Lower Upper
142 100
141 86.7 71.0 106.4



#38
1-Methylnaphthalene
Concen: 41.077 ng
RT: 9.075 min Scan# 1188
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:142 Resp: 484360
Ion Ratio Lower Upper
142 100
141 92.0 73.4 110.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.022 min Scan# 11349

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:164 Resp: 176131

Ion Ratio Lower Upper

164 100

162 104.2 80.6 120.8

160 44.7 34.4 51.6



#40

1,2,4,5-Tetrachlorobenzene

Concen: 47.255 ng

RT: 9.133 min Scan# 1198

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Tgt Ion:216 Resp: 270092




Ion Ratio Lower Upper


216 100

214 78.5 63.1 94.7

179 20.3 16.2 24.4

108 19.7 14.6 22.0









#41
Hexachlorocyclopentadiene
Concen: 107.388 ng
RT: 9.122 min Scan# 1197
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:237 Resp: 275928
Ion Ratio Lower Upper
237 100
235 63.1 44.2 84.2
272 12.5 0.0 33.4



#42
2,4,6-Tribromophenol
Concen: 126.911 ng
RT: 10.810 min Scan# 1483
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:330 Resp: 188057
Ion Ratio Lower Upper
330 100
332 97.3 77.5 116.3
141 35.2 29.3 43.9





#43

2,4,6-Trichlorophenol

Concen: 53.433 ng

RT: 9.245 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:196 Resp: 173254

Ion Ratio Lower Upper

196 100

198 95.0 77.4 116.0

200 32.2 26.3 39.5



#44

2,4,5-Trichlorophenol

Concen: 50.125 ng

RT: 9.280 min Scan# 1223

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Tgt Ion:196 Resp: 182758




Ion Ratio Lower Upper


196 100

198 92.5 75.0 112.4

97 55.7 40.3 60.5

132 27.5 20.3 30.5





#45

2-Fluorobiphenyl

Concen: 70.528 ng

RT: 9.333 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:172 Resp: 853862

Ion Ratio Lower Upper

172 100

171 34.7 28.2 42.2

170 23.0 18.7 28.1



#46

1,1'-Biphenyl

Concen: 47.377 ng

RT: 9.439 min Scan# 1250

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:154 Resp: 636793


Ion Ratio Lower Upper

154 100

153 40.2 19.8 59.8

76 11.1 0.0 30.2





#47

2-Chloronaphthalene

Concen: 46.159 ng

RT: 9.463 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:162 Resp: 497698

Ion Ratio Lower Upper

162 100

127 40.6 32.1 48.1

164 32.6 26.6 39.8



#48

2-Nitroaniline

Concen: 50.777 ng

RT: 9.557 min Scan# 1270

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion: 65 Resp: 166232


Ion Ratio Lower Upper

65 100

92 60.2 49.0 73.4

138 85.7 69.4 104.2





#49

Acenaphthylene

Concen: 45.357 ng

RT: 9.880 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:152 Resp: 745501

Ion Ratio Lower Upper

152 100

151 20.0 16.2 24.4

153 13.3 10.6 15.8



#50

Dimethylphthalate

Concen: 46.521 ng

RT: 9.739 min Scan# 1301

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:163 Resp: 570890


Ion Ratio Lower Upper

163 100

194 4.3 3.1 4.7

164 10.0 8.5 12.7









#51
2,6-Dinitrotoluene
Concen: 50.485 ng
RT: 9.798 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:165 Resp: 123899
Ion Ratio Lower Upper
165 100
63 72.1 62.0 93.0
89 64.2 54.4 81.6



#52
Acenaphthene
Concen: 47.166 ng
RT: 10.057 min Scan# 1355
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:154 Resp: 485446
Ion Ratio Lower Upper
154 100
153 112.3 88.4 132.6
152 54.0 42.8 64.2









#53
3-Nitroaniline
Concen: 21.530 ng
RT: 9.969 min Scan# 1340
Delta R.T. -0.012 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:138 Resp: 54293
Ion Ratio Lower Upper
138 100
108 12.8 8.9 13.3
92 122.2 95.3 142.9



#54
2,4-Dinitrophenol
Concen: 69.266 ng
RT: 10.075 min Scan# 1358
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:184 Resp: 72785
Ion Ratio Lower Upper
184 100
63 63.3 72.1 108.1#
154 70.3 56.3 84.5









#55
Dibenzenofuran
Concen: 44.117 ng
RT: 10.227 min Scan# 1384
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:168 Resp: 653250
Ion Ratio Lower Upper
168 100
139 39.4 31.7 47.5
169 13.3 10.6 15.8



#56
4-Nitrophenol
Concen: 94.305 ng
RT: 10.122 min Scan# 1366
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:139 Resp: 165051
Ion Ratio Lower Upper
139 100
109 89.7 69.6 109.6
65 127.2 103.4 143.4









#57
2,4-Dinitrotoluene
Concen: 49.728 ng
RT: 10.204 min Scan# 1380
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:165 Resp: 153554
Ion Ratio Lower Upper
165 100
63 54.2 43.4 65.2
89 80.0 64.0 96.0
182 2.7 2.3 3.5



#58
Fluorene
Concen: 43.088 ng
RT: 10.574 min Scan# 1443
Delta R.T. -0.000 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:166 Resp: 497932
Ion Ratio Lower Upper
166 100
165 98.6 79.0 118.4
167 13.2 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 46.376 ng
RT: 10.339 min Scan# 1403
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:232 Resp: 140819
Ion Ratio Lower Upper
232 100
131 43.9 35.2 52.8
130 2.3 1.8 2.8
166 29.2 23.4 35.2



#60
Diethylphthalate
Concen: 46.112 ng
RT: 10.439 min Scan# 1420
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:149 Resp: 534312
Ion Ratio Lower Upper
149 100
177 21.7 17.6 26.4
150 12.3 10.2 15.4









#61
4-Chlorophenyl-phenylether
Concen: 44.476 ng
RT: 10.563 min Scan# 1441
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:204 Resp: 263478
Ion Ratio Lower Upper
204 100
206 33.3 25.7 38.5
141 63.0 49.2 73.8



#62
4-Nitroaniline
Concen: 39.830 ng
RT: 10.586 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:138 Resp: 99964
Ion Ratio Lower Upper
138 100
92 60.4 37.0 77.0
108 97.6 74.0 114.0









#63
 Azobenzene
 Concen: 42.665 ng
 RT: 10.722 min Scan# 1468
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25




Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS


Tgt	Ion: 77	Resp:	531572
Ion	Ratio	Lower	Upper
77	100		
182	24.2	3.1	43.1
105	20.1	0.0	39.2
51	36.9	17.8	57.8



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.516 min Scan# 1603
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25

Tgt Ion:188	Resp: 269412
Ion Ratio	Lower Upper
188 100	
94 7.2	6.3 9.5
80 8.1	6.8 10.2









#65
4,6-Dinitro-2-methylphenol
Concen: 46.791 ng
RT: 10.610 min Scan# 1449
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:198 Resp: 53675
Ion Ratio Lower Upper
198 100
51 55.5 50.1 90.1
105 45.8 32.5 72.5



#66
n-Nitrosodiphenylamine
Concen: 50.642 ng
RT: 10.680 min Scan# 1461
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:169 Resp: 434748
Ion Ratio Lower Upper
169 100
168 66.9 52.4 78.6
167 36.1 29.2 43.8









#67
4-Bromophenyl-phenylether
Concen: 49.163 ng
RT: 11.057 min Scan# 1525
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:248 Resp: 162335
Ion Ratio Lower Upper
248 100
250 98.9 78.3 117.5
141 73.1 58.0 87.0



#68
Hexachlorobenzene
Concen: 48.484 ng
RT: 11.116 min Scan# 1535
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:284 Resp: 169914
Ion Ratio Lower Upper
284 100
142 35.3 28.4 42.6
249 31.7 26.5 39.7









#69
 Atrazine
 Concen: 55.820 ng
 RT: 11.210 min Scan# 1551
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25




Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS


Tgt Ion:200 Resp: 147540
 Ion Ratio Lower Upper
 200 100
 173 24.5 5.2 45.2
 215 49.0 28.3 68.3



#70
 Pentachlorophenol
 Concen: 80.839 ng
 RT: 11.310 min Scan# 1568
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25

Tgt Ion:266 Resp: 164729
 Ion Ratio Lower Upper
 266 100
 268 64.0 50.6 75.8
 264 63.2 50.4 75.6





#71

Phenanthrene

Concen: 44.661 ng

RT: 11.539 min Scan# 1607

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:178 Resp: 650261

Ion Ratio Lower Upper

178 100

176 18.9 15.6 23.4

179 15.3 12.4 18.6



#72

Anthracene

Concen: 45.791 ng

RT: 11.592 min Scan# 1616

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:178 Resp: 655217


Ion Ratio Lower Upper

178 100

176 18.7 14.7 22.1

179 15.1 12.2 18.4









#73
Carbazole
Concen: 44.262 ng
RT: 11.745 min Scan# 1642
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:167 Resp: 540244
Ion Ratio Lower Upper
167 100
166 21.7 17.0 25.6
139 13.0 10.8 16.2



#74
Di-n-butylphthalate
Concen: 48.675 ng
RT: 12.074 min Scan# 1698
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:149 Resp: 700081
Ion Ratio Lower Upper
149 100
150 9.3 7.3 10.9
104 5.7 4.7 7.1





#75

Fluoranthene

Concen: 39.449 ng

RT: 12.733 min Scan# 1811

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:202 Resp: 605232

Ion Ratio Lower Upper

202 100

101 9.4 0.0 29.6

203 18.1 0.0 37.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.174 min Scan# 2055

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:240 Resp: 178610


Ion Ratio Lower Upper

240 100

120 7.7 5.8 8.8

236 25.8 20.3 30.5









#77
Benzidine
Concen: 64.111 ng
RT: 12.857 min Scan# 1831
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:184 Resp: 211512
Ion Ratio Lower Upper
184 100
185 15.2 13.8 20.8
183 11.8 9.6 14.4



#78
Pyrene
Concen: 38.033 ng
RT: 12.968 min Scan# 1850
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:202 Resp: 599348
Ion Ratio Lower Upper
202 100
200 20.7 16.9 25.3
203 17.3 13.9 20.9









#79
 Terphenyl-d14
 Concen: 59.583 ng
 RT: 13.110 min Scan# 1874
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25




Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS


Tgt Ion:244 Resp: 650789
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.9 8.9
 122 7.7 7.5 11.3



#80
 Butylbenzylphthalate
 Concen: 43.905 ng
 RT: 13.586 min Scan# 1955
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25

Tgt Ion:149 Resp: 230720
 Ion Ratio Lower Upper
 149 100
 91 74.3 61.9 92.9
 206 21.3 16.5 24.7









#81
Benzo(a)anthracene
Concen: 45.984 ng
RT: 14.162 min Scan# 2054
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:228 Resp: 562971
Ion Ratio Lower Upper
228 100
226 26.5 22.0 33.0
229 18.9 15.7 23.5



#82
3,3'-Dichlorobenzidine
Concen: 30.351 ng
RT: 14.121 min Scan# 2046
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:252 Resp: 98603
Ion Ratio Lower Upper
252 100
254 62.9 50.8 76.2
126 9.7 8.3 12.5





#83

Chrysene

Concen: 44.368 ng

RT: 14.198 min Scan# 2059

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:228 Resp: 532922

Ion Ratio Lower Upper

228 100

226 29.7 23.7 35.5

229 19.8 16.2 24.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 45.245 ng

RT: 14.145 min Scan# 2050

Delta R.T. -0.006 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:149 Resp: 316693


Ion Ratio Lower Upper

149 100

167 27.4 21.9 32.9

279 3.9 3.0 4.4





#85

Di-n-octyl phthalate

Concen: 54.388 ng

RT: 14.774 min Scan# 2159

Delta R.T. -0.012 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25

Instrument :

BNA_F

ClientSampleId :

MH-12MS





Tgt Ion:149 Resp: 565705

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8

43 12.6 10.7 16.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.709 min Scan# 2316

Delta R.T. -0.012 min

Lab File: BF131347.D

Acq: 23 Nov 2022 00:25




Tgt Ion:264 Resp: 197393


Ion Ratio Lower Upper

264 100

260 24.5 19.0 28.4

265 21.1 16.4 24.6









#87
 Indeno(1,2,3-cd)pyrene
 Concen: 39.788 ng
 RT: 17.292 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25




Instrument :
 BNA_F
 ClientSampleId :
 MH-12MS


Tgt Ion:276 Resp: 527497
 Ion Ratio Lower Upper
 276 100
 138 19.1 15.8 23.6
 277 25.6 20.3 30.5



#88
 Benzo(b)fluoranthene
 Concen: 45.493 ng
 RT: 15.257 min Scan# 2239
 Delta R.T. -0.006 min
 Lab File: BF131347.D
 Acq: 23 Nov 2022 00:25

Tgt Ion:252 Resp: 596563
 Ion Ratio Lower Upper
 252 100
 253 22.0 17.5 26.3
 125 7.5 5.8 8.6









#89
Benzo(k)fluoranthene
Concen: 44.790 ng
RT: 15.286 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25




Instrument :
BNA_F
ClientSampleId :
MH-12MS


Tgt Ion:252 Resp: 603582
Ion Ratio Lower Upper
252 100
253 21.0 17.9 26.9
125 8.0 6.6 10.0



#90
Benzo(a)pyrene
Concen: 49.085 ng
RT: 15.651 min Scan# 2306
Delta R.T. -0.006 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:252 Resp: 528146
Ion Ratio Lower Upper
252 100
253 21.3 17.5 26.3
125 7.8 6.1 9.1









#91
Dibenzo(a,h)anthracene
Concen: 41.138 ng
RT: 17.315 min Scan# 2589
Delta R.T. -0.012 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Instrument :
BNA_F
ClientSampleId :
MH-12MS

Tgt Ion:278 Resp: 450283
Ion Ratio Lower Upper
278 100
139 12.1 10.4 15.6
279 23.7 18.3 27.5



#92
Benzo(g,h,i)perylene
Concen: 36.989 ng
RT: 17.768 min Scan# 2666
Delta R.T. -0.018 min
Lab File: BF131347.D
Acq: 23 Nov 2022 00:25

Tgt Ion:276 Resp: 404090
Ion Ratio Lower Upper
276 100
277 23.4 18.3 27.5
138 15.9 13.8 20.6

