

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF112316\
 Data File : BF091281.D
 Acq On : 23 Nov 2016 18:12
 Operator : UM/SJ
 Sample : H5723-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T12-13-5HCOMP-1

Quant Time: Nov 23 18:39:17 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 23 13:22:53 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	191129	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	792820	20.00	ng	-0.01
38) Acenaphthene-d10	9.92	164	471538	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	848288	20.00	ng	0.00
75) Chrysene-d12	14.03	240	809010	20.00	ng	-0.01
86) Perylene-d12	15.47	264	711731	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	1381332	116.12	ng	0.02
7) Phenol-d6	6.51	99	1686131	110.32	ng	0.01
23) Nitrobenzene-d5	7.44	82	968369	70.32	ng	-0.01
41) 2,4,6-Tribromophenol	10.70	330	515799	108.47	ng	0.00
44) 2-Fluorobiphenyl	9.24	172	1965998	68.27	ng	0.00
78) Terphenyl-d14	12.99	244	2223536	62.77	ng	0.00
Target Compounds						
31) Naphthalene	8.18	128	206960	5.43	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF112316\
Data File : BF091281.D
Acq On : 23 Nov 2016 18:12
Operator : UM/SJ
Sample : H5723-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T12-13-5HCOMP-1

Quant Time: Nov 23 18:39:17 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 23 13:22:53 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.88 min Scan# 454

Delta R.T. 0.00 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12

Instrument :

BNA_F

ClientSampleId :

T12-13-5HCOMP-1


Tgt Ion:152 Resp: 191129

Ion Ratio Lower Upper

152 100

150 157.1 122.5 183.7




115 68.6 51.8 77.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 116.12 ng

RT: 5.49 min Scan# 333

Delta R.T. 0.02 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12


Tgt Ion:112 Resp: 1381332

Ion Ratio Lower Upper

112 100

64 66.6 61.5 92.3



63 35.4 33.3 49.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 110.32 ng

RT: 6.51 min Scan# 422

Delta R.T. 0.01 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12

Instrument :

BNA_F

ClientSampleId :

T12-13-5HCOMP-1


Tgt Ion: 99 Resp: 1686131

Ion Ratio Lower Upper

99 100

42 17.5 20.6 31.0#




71 31.4 29.9 44.9



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.16 min Scan# 566

Delta R.T. -0.01 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12

Tgt Ion: 136 Resp: 792820


Ion Ratio Lower Upper

136 100

137 11.0 9.1 13.7

54 14.4 9.1 13.7#

68 6.6 5.9 8.9






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 70.32 ng
 RT: 7.44 min Scan# 503
 Delta R.T. -0.01 min
 Lab File: BF091281.D
 Acq: 23 Nov 2016 18:12




Instrument :
 BNA_F
 ClientSampleId :
 T12-13-5HCOMP-1


Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.5	31.8	47.6
54	68.4	49.1	73.7



#31
 Naphthalene
 Concen: 5.43 ng
 RT: 8.18 min Scan# 568
 Delta R.T. -0.01 min
 Lab File: BF091281.D
 Acq: 23 Nov 2016 18:12

Tgt Ion	Ratio	Lower	Upper
128	100		
129	11.0	9.1	13.7
127	13.1	11.0	16.4





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.92 min Scan# 720

Delta R.T. 0.00 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12

Instrument :

BNA_F

ClientSampleId :

T12-13-5HCOMP-1


Tgt Ion:164 Resp: 471538

Ion Ratio Lower Upper

164 100

162 96.2 82.6 124.0




160 43.1 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 108.47 ng

RT: 10.70 min Scan# 789

Delta R.T. 0.00 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12


Tgt Ion:330 Resp: 515799

Ion Ratio Lower Upper

330 100

332 96.6 76.2 114.4



141 35.2 33.6 50.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 68.27 ng
 RT: 9.24 min Scan# 661
 Delta R.T. 0.00 min
 Lab File: BF091281.D
 Acq: 23 Nov 2016 18:12

Instrument :
 BNA_F
 ClientSampleId :
 T12-13-5HCOMP-1

Tgt Ion:172 Resp: 1965998
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.4 44.0
 170 24.7 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.40 min Scan# 850
 Delta R.T. 0.00 min
 Lab File: BF091281.D
 Acq: 23 Nov 2016 18:12

Tgt Ion:188 Resp: 848288
 Ion Ratio Lower Upper
 188 100
 94 6.5 9.2 13.8#
 80 6.9 10.5 15.7#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.03 min Scan# 1080

Delta R.T. -0.01 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12

Instrument :

BNA_F

ClientSampleId :

T12-13-5HCOMP-1


Tgt Ion:240 Resp: 809010

Ion Ratio Lower Upper

240 100

120 10.8 12.1 18.1#




236 24.2 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.77 ng

RT: 12.99 min Scan# 989

Delta R.T. 0.00 min

Lab File: BF091281.D

Acq: 23 Nov 2016 18:12


Tgt Ion:244 Resp: 2223536

Ion Ratio Lower Upper

244 100

212 7.5 6.5 9.7



122 11.7 9.5 14.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.47 min Scan# 1206
Delta R.T. 0.00 min
Lab File: BF091281.D
Acq: 23 Nov 2016 18:12

Instrument :
BNA_F
ClientSampleId :
T12-13-5HCOMP-1

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.8	28.2
265	21.5	17.0	25.6

