

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF112524\  
 Data File : BF140627.D  
 Acq On : 26 Nov 2024 01:58  
 Operator : RC/JU  
 Sample : P4954-03 5X  
 Misc :  
 ALS Vial : 25 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 TR-06-112124

Manual Integrations  
 APPROVED

Reviewed By :Yogesh  
 Patel

Quant Time: Nov 26 02:52:54 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF112124.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Thu Nov 21 15:23:48 2024  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |                                   |
|-----------------------------|--------|------|----------|--------|-------|----------|-----------------------------------|
| Internal Standards          |        |      |          |        |       |          | 11/27/2024                        |
| 1) 1,4-Dichlorobenzene-d4   | 6.869  | 152  | 53634    | 20.000 | ng    | 0.00     | Supervised By :mohammad<br>Summed |
| 21) Naphthalene-d8          | 8.151  | 136  | 186192   | 20.000 | ng    | 0.00     |                                   |
| 39) Acenaphthene-d10        | 9.910  | 164  | 86043    | 20.000 | ng    | 0.00     |                                   |
| 64) Phenanthrene-d10        | 11.398 | 188  | 153928   | 20.000 | ng    | 0.00     |                                   |
| 76) Chrysene-d12            | 14.045 | 240  | 72275    | 20.000 | ng    | 0.00     |                                   |
| 86) Perylene-d12            | 15.539 | 264  | 66814    | 20.000 | ng    | 0.00     | 11/27/2024                        |
| System Monitoring Compounds |        |      |          |        |       |          |                                   |
| 5) 2-Fluorophenol           | 5.498  | 112  | 20304    | 6.459  | ng    | 0.00     |                                   |
| 7) Phenol-d6                | 6.510  | 99   | 50861    | 12.239 | ng    | 0.00     |                                   |
| 23) Nitrobenzene-d5         | 7.434  | 82   | 28996    | 7.966  | ng    | 0.00     |                                   |
| 42) 2,4,6-Tribromophenol    | 10.704 | 330  | 2369     | 2.574  | ng    | 0.00     |                                   |
| 45) 2-Fluorobiphenyl        | 9.222  | 172  | 56675    | 9.814  | ng    | -0.01    |                                   |
| 79) Terphenyl-d14           | 12.980 | 244  | 43057    | 9.276  | ng    | -0.01    |                                   |
| Target Compounds            |        |      |          |        |       |          | Qvalue                            |
| 31) Naphthalene             | 8.175  | 128  | 92644    | 9.660  | ng    |          | 99                                |
| 37) 2-Methylnaphthalene     | 8.863  | 142  | 44948    | 7.379  | ng    |          | 99                                |
| 38) 1-Methylnaphthalene     | 8.963  | 142  | 37969    | 6.359  | ng    |          | 100                               |
| 52) Acenaphthene            | 9.939  | 154  | 13639    | 2.919  | ng    |          | 88                                |
| 55) Dibenzofuran            | 10.116 | 168  | 14944    | 2.097  | ng    | #        | 95                                |
| 58) Fluorene                | 10.457 | 166  | 36703    | 6.415  | ng    | #        | 98                                |
| 71) Phenanthrene            | 11.422 | 178  | 202141   | 27.319 | ng    |          | 99                                |
| 72) Anthracene              | 11.475 | 178  | 44419    | 6.137  | ng    |          | 99                                |
| 75) Fluoranthene            | 12.616 | 202  | 113944   | 14.183 | ng    |          | 99                                |
| 78) Pyrene                  | 12.845 | 202  | 137970   | 20.646 | ng    |          | 99                                |
| 81) Benzo(a)anthracene      | 14.033 | 228  | 41459    | 8.666  | ng    | #        | 93                                |
| 83) Chrysene                | 14.069 | 228  | 38736    | 8.855  | ng    | #        | 91                                |
| 87) Indeno(1,2,3-cd)pyrene  | 17.045 | 276  | 10309    | 2.368  | ng    |          | 96                                |
| 88) Benzo(b)fluoranthene    | 15.104 | 252  | 24595m   | 5.861  | ng    |          |                                   |
| 89) Benzo(k)fluoranthene    | 15.116 | 252  | 11542m   | 3.143  | ng    |          |                                   |
| 90) Benzo(a)pyrene          | 15.474 | 252  | 25778    | 7.555  | ng    | #        | 87                                |
| 92) Benzo(g,h,i)perylene    | 17.504 | 276  | 10760    | 2.957  | ng    | #        | 85                                |

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF112524\  
Data File : BF140627.D  
Acq On : 26 Nov 2024 01:58  
Operator : RC/JU  
Sample : P4954-03 5X  
Misc :  
ALS Vial : 25 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
TR-06-112124

Quant Time: Nov 26 02:52:54 2024  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF112124.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Thu Nov 21 15:23:48 2024  
Response via : Initial Calibration

Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






#1  
1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 6.869 min Scan# 813  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F

ClientSampleId :



TR-06-112124



Tgt Ion:152 Resp: 53634  
Ion Ratio Lower Upper  
152 100  
150 154.3 128.5 192.7  
115 62.8 50.2 75.4


Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed

11/27/2024



#5  
2-Fluorophenol  
Concen: 6.459 ng  
RT: 5.498 min Scan# 579  
Delta R.T. 0.000 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Tgt Ion:112 Resp: 20304  
Ion Ratio Lower Upper  
112 100  
64 60.0 49.2 73.8  
63 32.9 27.0 40.4





#7

Phenol-d6

Concen: 12.239 ng

RT: 6.510 min Scan# 71

Delta R.T. -0.006 min

Lab File: BF140627.D

Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

|             |             |
|-------------|-------------|
| Tgt Ion: 99 | Resp: 5086  |
| Ion Ratio   | Lower Upper |
| 99 100      |             |
| 42 17.4     | 15.4 23.0   |
| 71 36.5     | 30.6 46.0   |



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel



11/27/2024  
Supervised By :mohammad  
ahmed

11/27/2024



#21

Naphthalene-d8

Concen: 20.000 ng




RT: 8.151 min Scan# 1030


Delta R.T. -0.006 min

Lab File: BF140627.D

Acq: 26 Nov 2024 01:58

|             |              |
|-------------|--------------|
| Tgt Ion:136 | Resp: 186192 |
| Ion Ratio   | Lower Upper  |
| 136 100     |              |
| 137 10.6    | 8.6 13.0     |
| 54 7.0      | 5.8 8.8      |
| 68 5.1      | 4.1 6.1      |





#23  
Nitrobenzene-d5  
Concen: 7.966 ng  
RT: 7.434 min Scan# 909  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

Tgt Ion: 82 Resp: 28990  
Ion Ratio Lower Upper  
82 100  
128 42.3 33.0 49.4  
54 49.5 39.5 59.3



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed


11/27/2024



#31  
Naphthalene  
Concen: 9.660 ng  
RT: 8.175 min Scan# 1034  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Tgt Ion:128 Resp: 92644  
Ion Ratio Lower Upper  
128 100  
129 10.6 8.6 13.0  
127 13.0 10.8 16.2





#37  
2-Methylnaphthalene  
Concen: 7.379 ng  
RT: 8.863 min Scan# 1152  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

Tgt Ion:142 Resp: 44948  
Ion Ratio Lower Upper  
142 100  
141 87.4 71.0 106.6



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed


11/27/2024



#38  
1-Methylnaphthalene  
Concen: 6.359 ng  
RT: 8.963 min Scan# 1168  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Tgt Ion:142 Resp: 37969  
Ion Ratio Lower Upper  
142 100  
141 91.3 73.3 109.9






#39  
Acenaphthene-d10  
Concen: 20.000 ng  
RT: 9.910 min Scan# 1330  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNF\_F

ClientSampleId :



TR-06-112124



Tgt Ion:164 Resp: 8604  
Ion Ratio Lower Upper  
164 100  
162 99.7 80.6 120.8  
160 43.9 36.2 54.4


Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel




11/27/2024  
Supervised By :mohammad  
ahmed



11/27/2024




#42  
2,4,6-Tribromophenol  
Concen: 2.574 ng  
RT: 10.704 min Scan# 1464  
Delta R.T. 0.000 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58



Tgt Ion:330 Resp: 2369  
Ion Ratio Lower Upper  
330 100  
332 96.2 76.9 115.3  
141 71.7 26.7 40.1#





#45

2-Fluorobiphenyl

Concen: 9.814 ng

RT: 9.222 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF140627.D


Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F

ClientSampleId :



TR-06-112124



|             |       |           |
|-------------|-------|-----------|
| Tgt Ion:172 | Resp: | 5667      |
| Ion Ratio   | Lower | Upper     |
| 172         | 100   |           |
| 171         | 33.7  | 28.4 42.6 |
| 170         | 23.4  | 19.0 28.6 |


Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel



11/27/2024  
Supervised By :mohammad  
ahmed

11/27/2024



#52

Acenaphthene


Concen: 2.919 ng

RT: 9.939 min Scan# 1334



Delta R.T. -0.006 min


Lab File: BF140627.D

Acq: 26 Nov 2024 01:58




|             |       |            |
|-------------|-------|------------|
| Tgt Ion:154 | Resp: | 13639      |
| Ion Ratio   | Lower | Upper      |
| 154         | 100   |            |
| 153         | 125.5 | 89.7 134.5 |
| 152         | 61.1  | 42.5 63.7  |





#55  
Dibenzenofuran  
Concen: 2.097 ng  
RT: 10.116 min Scan# 11  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58



Instrument :  
BNA\_F  
ClientSampleId :  
TR-06-112124



Tgt Ion:168 Resp: 14944  
Ion Ratio Lower Upper  
168 100  
139 39.6 31.3 46.9  
169 20.1 10.5 15.7


Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed


11/27/2024



#58  
Fluorene  
Concen: 6.415 ng  
RT: 10.457 min Scan# 1422  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58


Tgt Ion:166 Resp: 36703  
Ion Ratio Lower Upper  
166 100  
165 94.3 74.6 111.8  
167 16.3 10.6 16.0





#64  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 11.398 min Scan# 1583  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58



Instrument :  
BNA\_F  
ClientSampleId :  
TR-06-112124



Tgt Ion:188 Resp: 153928  
Ion Ratio Lower Upper  
188 100  
94 8.0 6.4 9.6  
80 8.2 6.9 10.3


Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed


11/27/2024



#71  
Phenanthrene  
Concen: 27.319 ng  
RT: 11.422 min Scan# 1586  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58


Tgt Ion:178 Resp: 202141  
Ion Ratio Lower Upper  
178 100  
176 19.2 15.8 23.6  
179 15.2 12.4 18.6





#72  
 Anthracene  
 Concen: 6.137 ng  
 RT: 11.475 min Scan# 11  
 Delta R.T. -0.006 min  
 Lab File: BF140627.D  
 Acq: 26 Nov 2024 01:58



Instrument :  
 BNA\_F  
 ClientSampleId :  
 TR-06-112124



Tgt Ion:178 Resp: 44419  
 Ion Ratio Lower Upper  
 178 100  
 176 18.5 15.0 22.4  
 179 15.8 12.2 18.4


Manual Integrations  
 APPROVED

Reviewed By :Yogesh  
 Patel




11/27/2024  
 Supervised By :mohammad  
 ahmed



11/27/2024




#75  
 Fluoranthene  
 Concen: 14.183 ng  
 RT: 12.616 min Scan# 1789  
 Delta R.T. -0.006 min  
 Lab File: BF140627.D  
 Acq: 26 Nov 2024 01:58



Tgt Ion:202 Resp: 113944  
 Ion Ratio Lower Upper  
 202 100  
 101 8.6 0.0 28.9  
 203 17.1 0.0 37.6





#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 14.045 min Scan# 2033  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

Tgt Ion:240 Resp: 72275  
Ion Ratio Lower Upper  
240 100  
120 9.7 7.3 10.9  
236 25.8 20.6 31.0



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed


11/27/2024



#78  
Pyrene  
Concen: 20.646 ng  
RT: 12.845 min Scan# 1828  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Tgt Ion:202 Resp: 137970  
Ion Ratio Lower Upper  
202 100  
200 20.2 16.5 24.7  
203 18.3 14.2 21.4





#79

Terphenyl-d14

Concen: 9.276 ng

RT: 12.980 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF140627.D

Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

|           |       |       |      |
|-----------|-------|-------|------|
| Tgt Ion:  | 244   | Resp: | 4305 |
| Ion Ratio | Lower | Upper |      |
| 244       | 100   |       |      |
| 212       | 7.7   | 5.8   | 8.8  |
| 122       | 9.6   | 8.0   | 12.0 |



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel



11/27/2024  
Supervised By :mohammad  
ahmed

11/27/2024



#81

Benzo(a)anthracene

Concen: 8.666 ng




RT: 14.033 min Scan# 2030


Delta R.T. -0.006 min

Lab File: BF140627.D

Acq: 26 Nov 2024 01:58


|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 228   | Resp: | 41459 |
| Ion Ratio | Lower | Upper |       |
| 228       | 100   |       |       |
| 226       | 29.8  | 21.8  | 32.8  |
| 229       | 24.6  | 15.8  | 23.6  |





#83  
Chrysene  
Concen: 8.855 ng  
RT: 14.069 min Scan# 2038  
Delta R.T. -0.012 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58



Instrument :  
BNA\_F  
ClientSampleId :  
TR-06-112124



Tgt Ion:228 Resp: 38730  
Ion Ratio Lower Upper  
228 100  
226 33.0 24.4 36.6  
229 26.7 15.8 23.6


Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel




11/27/2024  
Supervised By :mohammad  
ahmed



11/27/2024




#86  
Perylene-d12  
Concen: 20.000 ng  
RT: 15.539 min Scan# 2286  
Delta R.T. 0.000 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58



Tgt Ion:264 Resp: 66814  
Ion Ratio Lower Upper  
264 100  
260 24.4 19.0 28.6  
265 22.9 16.6 25.0





#87  
Indeno(1,2,3-cd)pyrene  
Concen: 2.368 ng  
RT: 17.045 min Scan# 21  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

Tgt Ion:276 Resp: 10309  
Ion Ratio Lower Upper  
276 100  
138 22.0 15.5 23.3  
277 26.4 20.1 30.1



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel






11/27/2024  
Supervised By :mohammad  
ahmed


11/27/2024



#88  
Benzo(b)fluoranthene  
Concen: 5.861 ng m  
RT: 15.104 min Scan# 2212  
Delta R.T. 0.000 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Tgt Ion:252 Resp: 24595  
Ion Ratio Lower Upper  
252 100  
253 27.8 17.2 25.8#  
125 16.0 6.7 10.1#





#89

Benzo(k)fluoranthene

Concen: 3.143 ng m

RT: 15.116 min Scan# 21

Delta R.T. -0.018 min

Lab File: BF140627.D

Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F



ClientSampleId :

TR-06-112124

|           |       |       |      |
|-----------|-------|-------|------|
| Tgt Ion:  | 252   | Resp: | 1154 |
| Ion Ratio | Lower | Upper |      |
| 252       | 100   |       |      |
| 253       | 32.4  | 17.5  | 26.3 |
| 125       | 18.8  | 6.5   | 9.7  |



Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel



11/27/2024  
Supervised By :mohammad  
ahmed

11/27/2024



#90

Benzo(a)pyrene

Concen: 7.555 ng




RT: 15.474 min Scan# 2275


Delta R.T. 0.000 min

Lab File: BF140627.D

Acq: 26 Nov 2024 01:58

|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 252   | Resp: | 25778 |
| Ion Ratio | Lower | Upper |       |
| 252       | 100   |       |       |
| 253       | 26.7  | 17.3  | 25.9  |
| 125       | 15.7  | 7.0   | 10.6  |






#92  
Benzo(g,h,i)perylene  
Concen: 2.957 ng  
RT: 17.504 min Scan# 20  
Delta R.T. -0.006 min  
Lab File: BF140627.D  
Acq: 26 Nov 2024 01:58

Instrument :

BNA\_F

ClientSampleId :



TR-06-112124



Tgt Ion:276 Resp: 10760  
Ion Ratio Lower Upper  
276 100  
277 33.3 18.9 28.3  
138 19.8 13.2 19.8

Manual Integrations  
APPROVED

Reviewed By :Yogesh  
Patel



11/27/2024  
Supervised By :mohammad  
ahmed

11/27/2024