

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112624\
 Data File : BF140637.D
 Acq On : 26 Nov 2024 13:10
 Operator : RC/JU
 Sample : P5000-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-745

Quant Time: Nov 26 14:11:50 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 21 15:23:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	78083	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	295176	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	156212	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	282217	20.000	ng	0.00
76) Chrysene-d12	14.045	240	154106	20.000	ng	0.00
86) Perylene-d12	15.539	264	155161	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	360270	78.723	ng	0.00
7) Phenol-d6	6.504	99	464276	76.738	ng	-0.01
23) Nitrobenzene-d5	7.428	82	297878	51.619	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	123120	73.694	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	592215	56.485	ng	-0.01
79) Terphenyl-d14	12.980	244	582131	58.820	ng	-0.01


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112624\
Data File : BF140637.D
Acq On : 26 Nov 2024 13:10
Operator : RC/JU
Sample : P5000-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-745

Quant Time: Nov 26 14:11:50 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 21 15:23:48 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 813
Delta R.T. -0.006 min
Lab File: BF140637.D
Acq: 26 Nov 2024 13:10




Instrument :
BNA_F
ClientSampleId :
MH-745

Tgt Ion:152 Resp: 78083
Ion Ratio Lower Upper
152 100
150 155.6 128.5 192.7
115 61.1 50.2 75.4



#5
2-Fluorophenol
Concen: 78.723 ng
RT: 5.498 min Scan# 579
Delta R.T. 0.000 min
Lab File: BF140637.D
Acq: 26 Nov 2024 13:10

Tgt Ion:112 Resp: 360270
Ion Ratio Lower Upper
112 100
64 58.4 49.2 73.8
63 30.9 27.0 40.4





#7

Phenol-d6

Concen: 76.738 ng

RT: 6.504 min Scan# 70

Delta R.T. -0.012 min

Lab File: BF140637.D

Acq: 26 Nov 2024 13:10

Instrument :

BNA_F

ClientSampleId :

MH-745





Tgt Ion: 99 Resp: 464276

Ion Ratio Lower Upper

99 100

42 18.1 15.4 23.0

71 36.4 30.6 46.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.151 min Scan# 1030

Delta R.T. -0.006 min

Lab File: BF140637.D

Acq: 26 Nov 2024 13:10

Tgt Ion: 136 Resp: 295176




Ion Ratio Lower Upper


136 100

137 10.7 8.6 13.0

54 6.7 5.8 8.8

68 5.2 4.1 6.1









#23
Nitrobenzene-d5
Concen: 51.619 ng
RT: 7.428 min Scan# 909
Delta R.T. -0.012 min
Lab File: BF140637.D
Acq: 26 Nov 2024 13:10




Instrument :
BNA_F
ClientSampleId :
MH-745


Tgt Ion: 82 Resp: 297878
Ion Ratio Lower Upper
82 100
128 41.4 33.0 49.4
54 48.5 39.5 59.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.012 min
Lab File: BF140637.D
Acq: 26 Nov 2024 13:10

Tgt Ion: 164 Resp: 156212
Ion Ratio Lower Upper
164 100
162 99.5 80.6 120.8
160 44.7 36.2 54.4








#42
2,4,6-Tribromophenol
Concen: 73.694 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF140637.D
Acq: 26 Nov 2024 13:10




Instrument :
BNA_F
ClientSampleId :
MH-745


Tgt Ion:330 Resp: 123120
Ion Ratio Lower Upper
330 100
332 97.9 76.9 115.3
141 33.1 26.7 40.1



#45
2-Fluorobiphenyl
Concen: 56.485 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.012 min
Lab File: BF140637.D
Acq: 26 Nov 2024 13:10

Tgt Ion:172 Resp: 592215
Ion Ratio Lower Upper
172 100
171 34.9 28.4 42.6
170 22.8 19.0 28.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.398 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF140637.D

Acq: 26 Nov 2024 13:10

Instrument :

BNA_F

ClientSampleId :

MH-745





Tgt Ion:188 Resp: 282217

Ion Ratio Lower Upper

188 100

94 8.0 6.4 9.6

80 8.7 6.9 10.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2032

Delta R.T. -0.006 min

Lab File: BF140637.D

Acq: 26 Nov 2024 13:10




Tgt Ion:240 Resp: 154106


Ion Ratio Lower Upper

240 100

120 9.3 7.3 10.9


236 25.6 20.6 31.0








#79
 Terphenyl-d14
 Concen: 58.820 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.012 min
 Lab File: BF140637.D
 Acq: 26 Nov 2024 13:10

Instrument :
 BNA_F
 ClientSampleId :
 MH-745



Tgt Ion:244 Resp: 582131
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.8
 122 10.0 8.0 12.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.539 min Scan# 2286
 Delta R.T. 0.000 min
 Lab File: BF140637.D
 Acq: 26 Nov 2024 13:10

Tgt Ion:264 Resp: 155161
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.0 28.6
 265 22.0 16.6 25.0

