

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112624\
 Data File : BF140649.D
 Acq On : 26 Nov 2024 18:26
 Operator : RC/JU
 Sample : P4985-04
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-756-WC

Quant Time: Nov 27 00:08:00 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 21 15:23:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	57294	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	211473	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	116578	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	197040	20.000	ng	0.00
76) Chrysene-d12	14.045	240	136703	20.000	ng	0.00
86) Perylene-d12	15.545	264	115889	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	461659	137.482	ng	0.00
7) Phenol-d6	6.510	99	598622	134.846	ng	0.00
23) Nitrobenzene-d5	7.434	82	393693	95.225	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	164370	131.832	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	767622	98.107	ng	-0.01
79) Terphenyl-d14	12.980	244	761106	86.695	ng	-0.01


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112624\
Data File : BF140649.D
Acq On : 26 Nov 2024 18:26
Operator : RC/JU
Sample : P4985-04
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-756-WC

Quant Time: Nov 27 00:08:00 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 21 15:23:48 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26




Instrument :
BNA_F
ClientSampleId :
MH-756-WC


Tgt Ion:152 Resp: 57294
Ion Ratio Lower Upper
152 100
150 158.5 128.5 192.7
115 62.6 50.2 75.4



#5
2-Fluorophenol
Concen: 137.482 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26

Tgt Ion:112 Resp: 461659
Ion Ratio Lower Upper
112 100
64 57.9 49.2 73.8
63 31.1 27.0 40.4









#7
Phenol-d6
Concen: 134.846 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26




Instrument :
BNA_F
ClientSampleId :
MH-756-WC


Tgt Ion: 99 Resp: 598622
Ion Ratio Lower Upper
99 100
42 17.5 15.4 23.0
71 36.2 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26

Tgt Ion: 136 Resp: 211473
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 6.9 5.8 8.8
68 5.3 4.1 6.1









#23
Nitrobenzene-d5
Concen: 95.225 ng
RT: 7.434 min Scan# 909
Delta R.T. -0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26




Instrument :
BNA_F
ClientSampleId :
MH-756-WC


Tgt Ion: 82 Resp: 393693
Ion Ratio Lower Upper
82 100
128 43.2 33.0 49.4
54 47.7 39.5 59.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.012 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26

Tgt Ion:164 Resp: 116578
Ion Ratio Lower Upper
164 100
162 100.4 80.6 120.8
160 43.9 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 131.832 ng

RT: 10.698 min Scan# 1463

Delta R.T. -0.006 min

Lab File: BF140649.D


Acq: 26 Nov 2024 18:26

Instrument :

BNA_F

ClientSampleId :

MH-756-WC






Tgt Ion:330 Resp: 164370

Ion Ratio Lower Upper

330 100

332 93.9 76.9 115.3

141 32.9 26.7 40.1



#45

2-Fluorobiphenyl

Concen: 98.107 ng

RT: 9.222 min Scan# 1212

Delta R.T. -0.012 min

Lab File: BF140649.D

Acq: 26 Nov 2024 18:26




Tgt Ion:172 Resp: 767622


Ion Ratio Lower Upper

172 100

171 35.5 28.4 42.6

170 23.7 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26




Instrument :
BNA_F
ClientSampleId :
MH-756-WC


Tgt Ion:188 Resp: 197040
Ion Ratio Lower Upper
188 100
94 7.9 6.4 9.6
80 9.1 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF140649.D
Acq: 26 Nov 2024 18:26


Tgt Ion:240 Resp: 136703
Ion Ratio Lower Upper
240 100
120 10.5 7.3 10.9
236 25.0 20.6 31.0








#79
 Terphenyl-d14
 Concen: 86.695 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.012 min
 Lab File: BF140649.D
 Acq: 26 Nov 2024 18:26

Instrument :
 BNA_F
 ClientSampleId :
 MH-756-WC



Tgt Ion:244 Resp: 761106
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.8
 122 10.4 8.0 12.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2287
 Delta R.T. 0.006 min
 Lab File: BF140649.D
 Acq: 26 Nov 2024 18:26

Tgt Ion:264 Resp: 115889
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.0 28.6
 265 21.6 16.6 25.0

