

Data Path : Z:\HPCHEM1\BNA F\DATA\BF112817\
 Data File : BF100968.D
 Acq On : 29 Nov 2017 7:32
 Operator : SJ/JU
 Sample : I6604-02
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 112417-TIDO-F-D-S

Quant Time: Nov 29 09:55:23 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 28 15:21:02 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	60235	20.00	ng	0.00
21) Naphthalene-d8	8.14	136	227220	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	105734	20.00	ng	0.00
63) Phenanthrene-d10	11.38	188	180204	20.00	ng	0.00
75) Chrysene-d12	14.02	240	125781	20.00	ng	0.00
86) Perylene-d12	15.49	264	113703	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	168599	44.87	ng	0.00
7) Phenol-d6	6.48	99	128449	27.72	ng	-0.01
23) Nitrobenzene-d5	7.43	82	384450	111.86	ng	0.00
41) 2,4,6-Tribromophenol	10.69	330	103611	96.16	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	799553	115.15	ng	0.00
78) Terphenyl-d14	12.97	244	578531	105.68	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF112817\
Data File : BF100968.D
Acq On : 29 Nov 2017 7:32
Operator : SJ/JU
Sample : I6604-02
Misc :
ALS Vial : 45 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
112417-TIDO-F-D-S

Quant Time: Nov 29 09:55:23 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 28 15:21:02 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 811
Delta R.T. -0.00 min
Lab File: BF100968.D
Acq: 29 Nov 2017 7:32

Instrument :
BNA_F
ClientSampleId :
112417-TIDO-F-D-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	161.3	124.6	186.8
115	60.0	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 44.868 ng
RT: 5.47 min Scan# 576
Delta R.T. -0.00 min
Lab File: BF100968.D
Acq: 29 Nov 2017 7:32

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.3	47.9	71.9
63	31.8	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.721 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF100968.D

Acq: 29 Nov 2017 7:32

Instrument :

BNA_F

ClientSampleId :

112417-TIDO-F-D-S





Tot Ion: 99 Resp: 128449

Ion Ratio Lower Upper

99 100

42 19.1 14.5 21.7

71 34.0 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.14 min Scan# 1029

Delta R.T. -0.00 min

Lab File: BF100968.D

Acq: 29 Nov 2017 7:32

Tgt Ion: 136 Resp: 227220




Ion Ratio Lower Upper

136 100

137 11.2 8.9 13.3

54 8.0 6.6 9.8

68 5.1 5.0 7.4





#23

Nitrobenzene-d5

Concen: 111.862 ng

RT: 7.43 min Scan# 908

Delta R.T. -0.00 min

Lab File: BF100968.D

Acq: 29 Nov 2017 7:32

Instrument :

BNA_F

ClientSampleId :

112417-TIDO-F-D-S


Tot Ion: 82 Resp: 384450

Ion Ratio Lower Upper

82 100

128 49.2 36.1 54.1




54 52.0 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.89 min Scan# 1327

Delta R.T. -0.01 min

Lab File: BF100968.D

Acq: 29 Nov 2017 7:32


Tgt Ion: 164 Resp: 105734

Ion Ratio Lower Upper

164 100

162 100.6 86.1 129.1



160 44.5 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 96.165 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. -0.00 min
 Lab File: BF100968.D
 Acq: 29 Nov 2017 7:32

Instrument :
 BNA_F
 ClientSampleId :
 112417-TIDO-F-D-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.1	77.0	115.6
141	29.2	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 115.146 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. -0.00 min
 Lab File: BF100968.D
 Acq: 29 Nov 2017 7:32

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	23.4	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.38 min Scan# 1580
Delta R.T. -0.00 min
Lab File: BF100968.D
Acq: 29 Nov 2017 7:32




Instrument :
BNA_F
ClientSampleId :
112417-TIDO-F-D-S

Tot Ion:188 Resp: 180204
Ion Ratio Lower Upper
188 100
94 8.6 8.5 12.7
80 9.1 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF100968.D
Acq: 29 Nov 2017 7:32

Tgt Ion:240 Resp: 125781
Ion Ratio Lower Upper
240 100
120 9.9 9.5 14.3
236 25.0 20.7 31.1





#78

Terphenyl-d14

Concen: 105.683 ng

RT: 12.97 min Scan# 1850

Delta R.T. -0.00 min

Lab File: BF100968.D

Acq: 29 Nov 2017 7:32

Instrument :

BNA_F

ClientSampleId :

112417-TIDO-F-D-S


Tot Ion:244 Resp: 578531

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 10.8 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2279

Delta R.T. -0.00 min

Lab File: BF100968.D

Acq: 29 Nov 2017 7:32


Tgt Ion:264 Resp: 113703

Ion Ratio Lower Upper

264 100

260 22.6 19.2 28.8

265 20.2 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

