

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112818\
 Data File : BF111080.D
 Acq On : 29 Nov 2018 8:05
 Operator : JU/SJ
 Sample : J6078-14
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 112618-DBRI-F-U-S

Quant Time: Nov 29 10:04:21 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF112618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 27 15:32:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.93	152	56803	20.00	ng	0.00
21) Naphthalene-d8	8.22	136	241382	20.00	ng	0.00
39) Acenaphthene-d10	9.97	164	102951	20.00	ng	0.00
64) Phenanthrene-d10	11.47	188	161419	20.00	ng	0.00
76) Chrysene-d12	14.13	240	127658	20.00	ng	0.00
87) Perylene-d12	15.66	264	103729	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	157064	45.85	ng	0.00
7) Phenol-d6	6.57	99	122034	27.34	ng	0.00
23) Nitrobenzene-d5	7.50	82	419382	99.43	ng	0.00
42) 2,4,6-Tribromophenol	10.77	330	86256	84.36	ng	-0.01
45) 2-Fluorobiphenyl	9.29	172	763493	107.44	ng	0.00
79) Terphenyl-d14	13.05	244	546213	83.29	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112818\
Data File : BF111080.D
Acq On : 29 Nov 2018 8:05
Operator : JU/SJ
Sample : J6078-14
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
112618-DBRI-F-U-S

Quant Time: Nov 29 10:04:21 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF112618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 27 15:32:10 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.93 min Scan# 824
Delta R.T. -0.00 min
Lab File: BF111080.D
Acq: 29 Nov 2018 8:05

Instrument :
BNA_F
ClientSampleId :
112618-DBRI-F-U-S

Tot Ion:152 Resp: 56803
Ion Ratio Lower Upper
152 100
150 156.8 122.7 184.1
115 62.0 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 45.854 ng
RT: 5.56 min Scan# 590
Delta R.T. 0.01 min
Lab File: BF111080.D
Acq: 29 Nov 2018 8:05

Tgt Ion:112 Resp: 157064
Ion Ratio Lower Upper
112 100
64 59.5 44.1 66.1
63 31.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.339 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.00 min

Lab File: BF111080.D

Acq: 29 Nov 2018 8:05

Instrument :

BNA_F

ClientSampleId :

112618-DBRI-F-U-S


Tot Ion: 99 Resp: 122034

Ion Ratio Lower Upper




99 100

42 19.8 15.8 23.6

71 34.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.22 min Scan# 1042

Delta R.T. -0.01 min

Lab File: BF111080.D

Acq: 29 Nov 2018 8:05

Tgt Ion: 136 Resp: 241382


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2


54 7.9 5.4 8.2

68 4.8 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 99.434 ng
RT: 7.50 min Scan# 921
Delta R.T. -0.01 min
Lab File: BF111080.D
Acq: 29 Nov 2018 8:05




Instrument :
BNA_F
ClientSampleId :
112618-DBRI-F-U-S


Tot Ion	Ratio	Lower	Upper
82	100		
128	47.9	34.2	51.2
54	52.3	38.6	58.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.97 min Scan# 1341
Delta R.T. -0.01 min
Lab File: BF111080.D
Acq: 29 Nov 2018 8:05

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.0	83.0	124.6
160	45.3	37.0	55.6









#42
 2,4,6-Tribromophenol
 Concen: 84.363 ng
 RT: 10.77 min Scan# 1476
 Delta R.T. -0.01 min
 Lab File: BF111080.D
 Acq: 29 Nov 2018 8:05




Instrument :
 BNA_F
 ClientSampleId :
 112618-DBRI-F-U-S


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	77.1	115.7
141	38.2	27.0	40.4



#45
 2-Fluorobiphenyl
 Concen: 107.442 ng
 RT: 9.29 min Scan# 1224
 Delta R.T. -0.01 min
 Lab File: BF111080.D
 Acq: 29 Nov 2018 8:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.6	43.0
170	23.7	19.7	29.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.47 min Scan# 1596
Delta R.T. -0.00 min
Lab File: BF111080.D
Acq: 29 Nov 2018 8:05




Instrument :
BNA_F
ClientSampleId :
112618-DBRI-F-U-S


Tot Ion:188 Resp: 161419
Ion Ratio Lower Upper
188 100
94 7.8 7.2 10.8
80 8.6 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2047
Delta R.T. -0.01 min
Lab File: BF111080.D
Acq: 29 Nov 2018 8:05

Tgt Ion:240 Resp: 127658
Ion Ratio Lower Upper
240 100
120 10.5 8.3 12.5
236 26.0 21.2 31.8





#79

Terphenyl-d14

Concen: 83.291 ng

RT: 13.05 min Scan# 1864

Delta R.T. -0.01 min

Lab File: BF111080.D

Acq: 29 Nov 2018 8:05

Instrument :

BNA_F

ClientSampleId :

112618-DBRI-F-U-S


Tot Ion:244 Resp: 546213

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8




122 10.9 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2308

Delta R.T. -0.01 min

Lab File: BF111080.D

Acq: 29 Nov 2018 8:05


Tgt Ion:264 Resp: 103729

Ion Ratio Lower Upper

264 100

260 20.4 18.7 28.1

265 20.2 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

