

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF112916\
 Data File : BF091339.D
 Acq On : 29 Nov 2016 20:56
 Operator : UM/SJ
 Sample : PB94947BL
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB94947BL

Quant Time: Nov 30 01:03:42 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 29 13:33:46 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	161224	20.00	ng	-0.02
21) Naphthalene-d8	8.15	136	676460	20.00	ng	-0.02
38) Acenaphthene-d10	9.90	164	368236	20.00	ng	-0.02
63) Phenanthrene-d10	11.38	188	677096	20.00	ng	-0.02
75) Chrysene-d12	14.01	240	516506	20.00	ng	-0.03
86) Perylene-d12	15.44	264	363245	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	1333736	135.14	ng	0.00
7) Phenol-d6	6.49	99	1445560	118.99	ng	0.00
23) Nitrobenzene-d5	7.43	82	1011575	83.80	ng	-0.02
41) 2,4,6-Tribromophenol	10.69	330	417291	119.70	ng	-0.02
44) 2-Fluorobiphenyl	9.22	172	1733946	85.26	ng	-0.02
78) Terphenyl-d14	12.97	244	1920826	80.83	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF112916\
Data File : BF091339.D
Acq On : 29 Nov 2016 20:56
Operator : UM/SJ
Sample : PB94947BL
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB94947BL

Quant Time: Nov 30 01:03:42 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 29 13:33:46 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.86 min Scan# 400

Delta R.T. -0.02 min

Lab File: BF091339.D

Acq: 29 Nov 2016 20:56

Instrument :

BNA_F

ClientSampleId :

PB94947BL


Tgt Ion:152 Resp: 161224

Ion Ratio Lower Upper

152 100

150 160.9 122.5 183.7




115 70.2 51.8 77.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 135.14 ng

RT: 5.48 min Scan# 279

Delta R.T. 0.01 min

Lab File: BF091339.D

Acq: 29 Nov 2016 20:56


Tgt Ion:112 Resp: 1333736

Ion Ratio Lower Upper

112 100

64 66.6 61.5 92.3



63 35.5 33.3 49.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 118.99 ng

RT: 6.49 min Scan# 368

Delta R.T. -0.01 min

Lab File: BF091339.D

Acq: 29 Nov 2016 20:56

Instrument :

BNA_F

ClientSampleId :

PB94947BL


Tgt Ion: 99 Resp: 1445560

Ion Ratio Lower Upper

99 100

42 23.9 20.6 31.0




71 37.8 29.9 44.9



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.15 min Scan# 513

Delta R.T. -0.02 min

Lab File: BF091339.D

Acq: 29 Nov 2016 20:56

Tgt Ion: 136 Resp: 676460


Ion Ratio Lower Upper

136 100

137 10.7 9.1 13.7

54 8.6 9.1 13.7#

68 4.6 5.9 8.9#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 83.80 ng
 RT: 7.43 min Scan# 450
 Delta R.T. -0.02 min
 Lab File: BF091339.D
 Acq: 29 Nov 2016 20:56




Instrument :
 BNA_F
 ClientSampleID :
 PB94947BL


Tgt Ion: 82 Resp: 1011575
 Ion Ratio Lower Upper
 82 100
 128 50.2 31.8 47.6#
 54 58.1 49.1 73.7



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.90 min Scan# 666
 Delta R.T. -0.02 min
 Lab File: BF091339.D
 Acq: 29 Nov 2016 20:56

Tgt Ion: 164 Resp: 368236
 Ion Ratio Lower Upper
 164 100
 162 96.4 82.6 124.0
 160 43.7 36.7 55.1









#41
 2,4,6-Tribromophenol
 Concen: 119.70 ng
 RT: 10.69 min Scan# 735
 Delta R.T. -0.02 min
 Lab File: BF091339.D
 Acq: 29 Nov 2016 20:56

Instrument :
 BNA_F
 ClientSampleId :
 PB94947BL

Tgt Ion:330 Resp: 417291
 Ion Ratio Lower Upper
 330 100
 332 98.5 76.2 114.4
 141 35.2 33.6 50.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.26 ng
 RT: 9.22 min Scan# 607
 Delta R.T. -0.02 min
 Lab File: BF091339.D
 Acq: 29 Nov 2016 20:56

Tgt Ion:172 Resp: 1733946
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.4 44.0
 170 24.3 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.38 min Scan# 796
Delta R.T. -0.02 min
Lab File: BF091339.D
Acq: 29 Nov 2016 20:56

Instrument :
BNA_F
ClientSampleId :
PB94947BL

Tgt Ion:188 Resp: 677096
Ion Ratio Lower Upper
188 100
94 6.6 9.2 13.8#
80 6.7 10.5 15.7#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.01 min Scan# 1026
Delta R.T. -0.03 min
Lab File: BF091339.D
Acq: 29 Nov 2016 20:56

Tgt Ion:240 Resp: 516506
Ion Ratio Lower Upper
240 100
120 8.7 12.1 18.1#
236 25.5 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 80.83 ng
 RT: 12.97 min Scan# 935
 Delta R.T. -0.02 min
 Lab File: BF091339.D
 Acq: 29 Nov 2016 20:56

Instrument :
 BNA_F
 ClientSampleId :
 PB94947BL

Tgt Ion:244 Resp: 1920826
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.5 9.7
 122 9.4 9.5 14.3#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.44 min Scan# 1151
 Delta R.T. -0.03 min
 Lab File: BF091339.D
 Acq: 29 Nov 2016 20:56

Tgt Ion:264 Resp: 363245
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.8 28.2
 265 21.7 17.0 25.6

