

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF113022\
 Data File : BF131477.D
 Acq On : 30 Nov 2022 18:20
 Operator : CG\JU
 Sample : N5801-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-13

Quant Time: Dec 01 01:14:43 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 01 01:09:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.945	152	93058	20.000	ng	0.00
21) Naphthalene-d8	8.234	136	357385	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	201879	20.000	ng	0.00
64) Phenanthrene-d10	11.498	188	447135	20.000	ng	0.00
76) Chrysene-d12	14.151	240	303887	20.000	ng	# 0.00
86) Perylene-d12	15.686	264	247745	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	757397	154.902	ng	0.02
7) Phenol-d6	6.575	99	933705	149.669	ng	0.00
23) Nitrobenzene-d5	7.516	82	699933	98.724	ng	0.00
42) 2,4,6-Tribromophenol	10.798	330	298925	176.001	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1234823	88.986	ng	0.00
79) Terphenyl-d14	13.098	244	1675792	90.177	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF113022\
Data File : BF131477.D
Acq On : 30 Nov 2022 18:20
Operator : CG\JU
Sample : N5801-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-13

Quant Time: Dec 01 01:14:43 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 01 01:09:58 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.945 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF131477.D
Acq: 30 Nov 2022 18:20




Instrument :
BNA_F
ClientSampleId :
TP-13


Tgt Ion:152 Resp: 93058
Ion Ratio Lower Upper
152 100
150 148.4 117.8 176.8
115 61.0 47.1 70.7



#5
2-Fluorophenol
Concen: 154.902 ng
RT: 5.581 min Scan# 594
Delta R.T. 0.024 min
Lab File: BF131477.D
Acq: 30 Nov 2022 18:20

Tgt Ion:112 Resp: 757397
Ion Ratio Lower Upper
112 100
64 70.2 58.6 88.0
63 37.4 31.4 47.0









#7
Phenol-d6
Concen: 149.669 ng
RT: 6.575 min Scan# 70
Delta R.T. 0.006 min
Lab File: BF131477.D
Acq: 30 Nov 2022 18:20




Instrument :
BNA_F
ClientSampleId :
TP-13


Tgt Ion: 99 Resp: 933705
Ion Ratio Lower Upper
99 100
42 20.9 19.4 29.2
71 38.3 32.3 48.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.234 min Scan# 1045
Delta R.T. -0.006 min
Lab File: BF131477.D
Acq: 30 Nov 2022 18:20

Tgt Ion: 136 Resp: 357385
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.6
54 10.1 9.4 14.0
68 5.4 4.5 6.7









#23
 Nitrobenzene-d5
 Concen: 98.724 ng
 RT: 7.516 min Scan# 91
 Delta R.T. 0.000 min
 Lab File: BF131477.D
 Acq: 30 Nov 2022 18:20




Instrument :
 BNA_F
 ClientSampleId :
 TP-13


Tgt Ion: 82 Resp: 699933
 Ion Ratio Lower Upper
 82 100
 128 41.7 31.4 47.0
 54 56.2 49.8 74.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.998 min Scan# 1345
 Delta R.T. -0.006 min
 Lab File: BF131477.D
 Acq: 30 Nov 2022 18:20

Tgt Ion: 164 Resp: 201879
 Ion Ratio Lower Upper
 164 100
 162 101.4 80.6 120.8
 160 43.9 34.4 51.6





#42

2,4,6-Tribromophenol

Concen: 176.001 ng

RT: 10.798 min Scan# 1481

Delta R.T. 0.000 min

Lab File: BF131477.D

Acq: 30 Nov 2022 18:20

Instrument :

BNA_F

ClientSampleId :

TP-13





Tgt Ion:330 Resp: 298925

Ion Ratio Lower Upper

330 100

332 96.6 77.5 116.3

141 32.9 29.3 43.9



#45

2-Fluorobiphenyl

Concen: 88.986 ng

RT: 9.322 min Scan# 1230

Delta R.T. 0.000 min

Lab File: BF131477.D

Acq: 30 Nov 2022 18:20




Tgt Ion:172 Resp: 1234823


Ion Ratio Lower Upper

172 100

171 34.9 28.2 42.2

170 23.5 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.498 min Scan# 1600
Delta R.T. -0.006 min
Lab File: BF131477.D
Acq: 30 Nov 2022 18:20




Instrument :
BNA_F
ClientSampleId :
TP-13


Tgt Ion:188 Resp: 447135
Ion Ratio Lower Upper
188 100
94 8.7 6.3 9.5
80 9.4 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.151 min Scan# 2051
Delta R.T. -0.006 min
Lab File: BF131477.D
Acq: 30 Nov 2022 18:20


Tgt Ion:240 Resp: 303887
Ion Ratio Lower Upper
240 100
120 10.1 5.8 8.8#
236 25.3 20.3 30.5








#79
 Terphenyl-d14
 Concen: 90.177 ng
 RT: 13.098 min Scan# 1875
 Delta R.T. 0.000 min
 Lab File: BF131477.D
 Acq: 30 Nov 2022 18:20

Instrument :
 BNA_F
 ClientSampleId :
 TP-13



Tgt Ion:244 Resp: 1675792
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.9 8.9
 122 9.5 7.5 11.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.686 min Scan# 2312
 Delta R.T. -0.006 min
 Lab File: BF131477.D
 Acq: 30 Nov 2022 18:20

Tgt Ion:264 Resp: 247745
 Ion Ratio Lower Upper
 264 100
 260 22.4 19.0 28.4
 265 21.6 16.4 24.6

