

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120116\
 Data File : BF091376.D
 Acq On : 1 Dec 2016 16:48
 Operator : UM/SJ
 Sample : H5801-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PMW-2-112916

Quant Time: Dec 02 00:28:29 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF112916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 29 13:33:46 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	187975	20.00	ng	-0.02
21) Naphthalene-d8	8.14	136	687596	20.00	ng	-0.03
38) Acenaphthene-d10	9.90	164	432740	20.00	ng	-0.02
63) Phenanthrene-d10	11.38	188	666315	20.00	ng	-0.02
75) Chrysene-d12	14.01	240	474289	20.00	ng	-0.03
86) Perylene-d12	15.44	264	383339	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	606241	52.69	ng	-0.02
7) Phenol-d6	6.48	99	539504	38.09	ng	-0.02
23) Nitrobenzene-d5	7.42	82	1027988	83.78	ng	-0.03
41) 2,4,6-Tribromophenol	10.69	330	464180	113.30	ng	-0.02
44) 2-Fluorobiphenyl	9.22	172	1822106	76.24	ng	-0.02
78) Terphenyl-d14	12.97	244	1894042	86.80	ng	-0.02
Target Compounds						
10) Phenol	6.49	94	48703	2.92	ng	85
49) Dimethylphthalate	9.61	163	162181	6.19	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120116\
Data File : BF091376.D
Acq On : 1 Dec 2016 16:48
Operator : UM/SJ
Sample : H5801-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PMW-2-112916

Quant Time: Dec 02 00:28:29 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF112916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 29 13:33:46 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.86 min Scan# 400

Delta R.T. -0.02 min

Lab File: BF091376.D

Acq: 1 Dec 2016 16:48

Instrument :

BNA_F

ClientSampleId :

PMW-2-112916


Tot Ion:152 Resp: 187975

Ion Ratio Lower Upper

152 100

150 156.5 122.5 183.7




115 62.7 51.8 77.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 52.69 ng

RT: 5.45 min Scan# 277

Delta R.T. -0.02 min

Lab File: BF091376.D

Acq: 1 Dec 2016 16:48


Tgt Ion:112 Resp: 606241

Ion Ratio Lower Upper

112 100

64 75.9 61.5 92.3



63 40.6 33.3 49.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 38.09 ng

RT: 6.48 min Scan# 367

Delta R.T. -0.02 min

Lab File: BF091376.D

Acq: 1 Dec 2016 16:48

Instrument :

BNA_F

ClientSampleId :

PMW-2-112916





Tot Ion: 99 Resp: 539504

Ion Ratio Lower Upper

99 100

42 23.3 20.6 31.0

71 35.7 29.9 44.9



#10

Phenol

Concen: 2.92 ng

RT: 6.49 min Scan# 368

Delta R.T. -0.03 min

Lab File: BF091376.D

Acq: 1 Dec 2016 16:48




Tgt Ion: 94 Resp: 48703

Ion Ratio Lower Upper

94 100

65 30.4 16.9 56.9

66 38.5 30.6 70.6





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.14 min Scan# 512

Delta R.T. -0.03 min

Lab File: BF091376.D

Acq: 1 Dec 2016 16:48

Instrument :

BNA_F

ClientSampleId :

PMW-2-112916

Tot Ion:136 Resp: 687596


Ion Ratio Lower Upper

136 100

137 11.5 9.1 13.7

54 15.2 9.1 13.7#

68 6.8 5.9 8.9




Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->



#23

Nitrobenzene-d5

Concen: 83.78 ng

RT: 7.42 min Scan# 449

Delta R.T. -0.03 min

Lab File: BF091376.D

Acq: 1 Dec 2016 16:48


Tgt Ion: 82 Resp: 1027988

Ion Ratio Lower Upper

82 100

128 39.1 31.8 47.6



54 69.6 49.1 73.7




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.90 min Scan# 666
Delta R.T. -0.02 min
Lab File: BF091376.D
Acq: 1 Dec 2016 16:48

Instrument :
BNA_F
ClientSampleId :
PMW-2-112916

Tot Ion:164 Resp: 432740
Ion Ratio Lower Upper
164 100
162 96.6 82.6 124.0
160 43.4 36.7 55.1




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 113.30 ng
RT: 10.69 min Scan# 735
Delta R.T. -0.02 min
Lab File: BF091376.D
Acq: 1 Dec 2016 16:48

Tgt Ion:330 Resp: 464180
Ion Ratio Lower Upper
330 100
332 96.6 76.2 114.4
141 36.0 33.6 50.4



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 76.24 ng
RT: 9.22 min Scan# 607
Delta R.T. -0.02 min
Lab File: BF091376.D
Acq: 1 Dec 2016 16:48

Instrument :
BNA_F
ClientSampleId :
PMW-2-112916

Tot Ion:172 Resp: 1822106
Ion Ratio Lower Upper
172 100
171 36.1 29.4 44.0
170 24.7 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 6.19 ng
RT: 9.61 min Scan# 641
Delta R.T. -0.04 min
Lab File: BF091376.D
Acq: 1 Dec 2016 16:48

Tgt Ion:163 Resp: 162181
Ion Ratio Lower Upper
163 100
194 3.5 3.0 4.4
164 10.1 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.38 min Scan# 796
Delta R.T. -0.02 min
Lab File: BF091376.D
Acq: 1 Dec 2016 16:48

Instrument :
BNA_F
ClientSampleId :
PMW-2-112916

Tot Ion:188 Resp: 666315
Ion Ratio Lower Upper
188 100
94 5.2 9.2 13.8#
80 4.7 10.5 15.7#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.01 min Scan# 1026
Delta R.T. -0.03 min
Lab File: BF091376.D
Acq: 1 Dec 2016 16:48

Tgt Ion:240 Resp: 474289
Ion Ratio Lower Upper
240 100
120 7.2 12.1 18.1#
236 25.1 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 86.80 ng
 RT: 12.97 min Scan# 935
 Delta R.T. -0.02 min
 Lab File: BF091376.D
 Acq: 1 Dec 2016 16:48

Instrument :
 BNA_F
 ClientSampleId :
 PMW-2-112916

Tot Ion:244 Resp: 1894042
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.5 9.7
 122 7.8 9.5 14.3#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.44 min Scan# 1151
 Delta R.T. -0.03 min
 Lab File: BF091376.D
 Acq: 1 Dec 2016 16:48

Tgt Ion:264 Resp: 383339
 Ion Ratio Lower Upper
 264 100
 260 22.5 18.8 28.2
 265 21.1 17.0 25.6

