

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120315\
 Data File : BF083485.D
 Acq On : 4 Dec 2015 3:57
 Operator : UM/IZ
 Sample : G4588-01
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-03

Quant Time: Dec 04 04:45:10 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 01 01:17:16 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.53	152	150864m	20.00	ng	-0.01
21) Naphthalene-d8	7.81	136	560279	20.00	ng	-0.02
38) Acenaphthene-d10	9.56	164	267294	20.00	ng	-0.02
63) Phenanthrene-d10	11.09	188	406613	20.00	ng	-0.03
75) Chrysene-d12	14.71	240	333979	20.00	ng	-0.06
86) Perylene-d12	16.77	264	265108	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	695058	69.13	ng	-0.01
7) Phenol-d6	6.20	99	612763	44.53	ng	-0.02
23) Nitrobenzene-d5	7.10	82	1146379	89.94	ng	-0.02
41) 2,4,6-Tribromophenol	10.35	330	301485	112.36	ng	-0.03
44) 2-Fluorobiphenyl	8.90	172	1664311	88.73	ng	-0.02
78) Terphenyl-d14	13.19	244	1332731	95.17	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.30	163	111774	5.15	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120315\
Data File : BF083485.D
Acq On : 4 Dec 2015 3:57
Operator : UM/IZ
Sample : G4588-01
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-03

Quant Time: Dec 04 04:45:10 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 01 01:17:16 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng/ml
RT: 6.53 min Scan# 424
Delta R.T. -0.01 min
Lab File: BF083485.D
Acq: 4 Dec 2015 3:57

Instrument :
BNA_F
ClientSampleID :
MW-03

Tot Ion:152 Resp: 150864
Ion Ratio Lower Upper
152 100
150 153.4 129.8 194.8
115 53.1 59.2 88.8#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 69.13 ng
RT: 5.12 min Scan# 300
Delta R.T. -0.01 min
Lab File: BF083485.D
Acq: 4 Dec 2015 3:57

Tgt Ion:112 Resp: 695058
Ion Ratio Lower Upper
112 100
64 62.6 55.6 83.4
63 31.5 28.2 42.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 44.53 ng

RT: 6.20 min Scan# 395

Delta R.T. -0.02 min

Lab File: BF083485.D

Acq: 4 Dec 2015 3:57

Instrument :

BNA_F

ClientSampleId :

MW-03


Tot Ion: 99 Resp: 612763

Ion Ratio Lower Upper

99 100

42 17.6 14.9 22.3




71 30.8 24.7 37.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.81 min Scan# 536

Delta R.T. -0.02 min

Lab File: BF083485.D

Acq: 4 Dec 2015 3:57

Tgt Ion: 136 Resp: 560279


Ion Ratio Lower Upper

136 100

137 11.6 9.0 13.4

54 12.6 10.1 15.1

68 8.2 7.1 10.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 89.94 ng
 RT: 7.10 min Scan# 474
 Delta R.T. -0.02 min
 Lab File: BF083485.D
 Acq: 4 Dec 2015 3:57

Instrument :
 BNA_F
 ClientSampled :
 MW-03

Tot Ion: 82 Resp: 1146379
 Ion Ratio Lower Upper
 82 100
 128 38.2 30.6 46.0
 54 55.6 43.8 65.6




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.56 min Scan# 689
 Delta R.T. -0.02 min
 Lab File: BF083485.D
 Acq: 4 Dec 2015 3:57

Tgt Ion:164 Resp: 267294
 Ion Ratio Lower Upper
 164 100
 162 103.3 82.6 123.8
 160 44.6 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 112.36 ng
 RT: 10.35 min Scan# 758
 Delta R.T. -0.03 min
 Lab File: BF083485.D
 Acq: 4 Dec 2015 3:57




Instrument :
 BNA_F
 ClientSampleId :
 MW-03


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	77.8	116.6
141	41.2	29.4	44.0



#44
 2-Fluorobiphenyl
 Concen: 88.73 ng
 RT: 8.90 min Scan# 631
 Delta R.T. -0.02 min
 Lab File: BF083485.D
 Acq: 4 Dec 2015 3:57

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	29.4	44.0
170	24.9	20.4	30.6





#49

Dimethylphthalate

Concen: 5.15 ng

RT: 9.30 min Scan# 666

Delta R.T. -0.03 min

Lab File: BF083485.D

Acq: 4 Dec 2015 3:57

Instrument :

BNA_F

ClientSampleId :

MW-03


Tot Ion:163 Resp: 111774

Ion Ratio Lower Upper

163 100

194 3.4 2.7 4.1




164 10.0 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.09 min Scan# 823

Delta R.T. -0.03 min

Lab File: BF083485.D

Acq: 4 Dec 2015 3:57


Tgt Ion:188 Resp: 406613

Ion Ratio Lower Upper

188 100

94 11.0 8.7 13.1



80 12.2 10.3 15.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.71 min Scan# 1139
Delta R.T. -0.06 min
Lab File: BF083485.D
Acq: 4 Dec 2015 3:57




Instrument :
BNA_F
ClientSampleId :
MW-03




Tot Ion:240 Resp: 333979
Ion Ratio Lower Upper
240 100
120 11.5 6.9 10.3#
236 26.3 19.8 29.6



#78
Terphenyl-d14
Concen: 95.17 ng
RT: 13.19 min Scan# 1006
Delta R.T. -0.03 min
Lab File: BF083485.D
Acq: 4 Dec 2015 3:57

Tgt Ion:244 Resp: 1332731
Ion Ratio Lower Upper
244 100
212 7.5 5.8 8.8
122 11.8 11.0 16.4





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 16.77 min Scan# 1320
 Delta R.T. -0.05 min
 Lab File: BF083485.D
 Acq: 4 Dec 2015 3:57

Instrument :
 BNA_F
 ClientSampleId :
 MW-03

Tot Ion:	264	Resp:	265108
Ion Ratio	Lower	Upper	
264	100		
260	23.4	19.0	28.4
265	21.0	16.8	25.2

