

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120417\
 Data File : BF101111.D
 Acq On : 4 Dec 2017 21:09
 Operator : SJ/JU
 Sample : I6671-03
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ENV-106-1(15-20)

Quant Time: Dec 05 02:33:19 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:07:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	53204	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	208691	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	94452	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	154210	20.00	ng	0.00
75) Chrysene-d12	14.02	240	111847	20.00	ng	0.00
86) Perylene-d12	15.49	264	99445	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	426940	132.60	ng	0.01
7) Phenol-d6	6.49	99	517316	132.34	ng	0.00
23) Nitrobenzene-d5	7.42	82	310503	88.76	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	118639	104.56	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	614887	89.07	ng	0.00
78) Terphenyl-d14	12.96	244	447077	87.43	ng	0.00
Target Compounds						
10) Phenol	6.50	94	22065	5.08	ng	96
49) Dimethylphthalate	9.60	163	35960	4.72	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120417\
Data File : BF101111.D
Acq On : 4 Dec 2017 21:09
Operator : SJ/JU
Sample : I6671-03
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ENV-106-1(15-20)

Quant Time: Dec 05 02:33:19 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 04 13:07:49 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.85 min Scan# 809

Delta R.T. 0.00 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09

Instrument :

BNA_F

ClientSampleId :

ENV-106-1(15-20)


Tot Ion:152 Resp: 53204

Ion Ratio Lower Upper

152 100

150 165.4 124.6 186.8




115 59.6 50.1 75.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 132.60 ng

RT: 5.47 min Scan# 576

Delta R.T. 0.01 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09


Tgt Ion:112 Resp: 426940

Ion Ratio Lower Upper

112 100

64 62.1 47.9 71.9



63 32.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 132.34 ng

RT: 6.49 min Scan# 748

Delta R.T. 0.01 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09

Instrument :

BNA_F

ClientSampleId :

ENV-106-1(15-20)


Tot Ion: 99 Resp: 517316

Ion Ratio Lower Upper




99 100

42 20.8 14.5 21.7

71 35.1 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 5.08 ng

RT: 6.50 min Scan# 750

Delta R.T. 0.01 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09


Tgt Ion: 94 Resp: 22065

Ion Ratio Lower Upper



94 100

65 28.2 7.9 47.9

66 39.7 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.13 min Scan# 1027
Delta R.T. -0.01 min
Lab File: BF101111.D
Acq: 4 Dec 2017 21:09

Instrument :
BNA_F
ClientSampleId :
ENV-106-1(15-20)

Tot Ion:136	Resp:	208691
Ion	Ratio	Lower Upper
136	100	
137	10.9	8.9 13.3
54	8.3	6.6 9.8
68	5.1	5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23
Nitrobenzene-d5
Concen: 88.76 ng
RT: 7.42 min Scan# 906
Delta R.T. 0.00 min
Lab File: BF101111.D
Acq: 4 Dec 2017 21:09

Tgt Ion: 82	Resp:	310503
Ion	Ratio	Lower Upper
82	100	
128	45.1	36.1 54.1
54	53.8	41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.89 min Scan# 1326

Delta R.T. 0.00 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09

Instrument :

BNA_F

ClientSampleId :

ENV-106-1(15-20)


Tot Ion:164 Resp: 94452

Ion Ratio Lower Upper

164 100

162 103.1 86.1 129.1




160 44.7 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 104.56 ng

RT: 10.68 min Scan# 1461

Delta R.T. 0.00 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09


Tgt Ion:330 Resp: 118639

Ion Ratio Lower Upper

330 100

332 97.2 77.0 115.6



141 30.4 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 89.07 ng
RT: 9.21 min Scan# 1211
Delta R.T. 0.00 min
Lab File: BF101111.D
Acq: 4 Dec 2017 21:09




Instrument :
BNA_F
ClientSampleId :
ENV-106-1(15-20)


Tot Ion:172 Resp: 614887
Ion Ratio Lower Upper
172 100
171 36.4 29.7 44.5
170 23.3 19.6 29.4



#49
Dimethylphthalate
Concen: 4.72 ng
RT: 9.60 min Scan# 1277
Delta R.T. -0.01 min
Lab File: BF101111.D
Acq: 4 Dec 2017 21:09

Tgt Ion:163 Resp: 35960
Ion Ratio Lower Upper
163 100
194 4.0 2.7 4.1
164 11.0 8.2 12.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 1579
Delta R.T. 0.00 min
Lab File: BF101111.D
Acq: 4 Dec 2017 21:09




Instrument :
BNA_F
ClientSampleId :
ENV-106-1(15-20)


Tot Ion:188 Resp: 154210
Ion Ratio Lower Upper
188 100
94 7.4 8.5 12.7#
80 8.2 9.2 13.8#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.01 min
Lab File: BF101111.D
Acq: 4 Dec 2017 21:09

Tgt Ion:240 Resp: 111847
Ion Ratio Lower Upper
240 100
120 9.8 9.5 14.3
236 24.7 20.7 31.1





#78

Terphenyl-d14

Concen: 87.43 ng

RT: 12.96 min Scan# 1849

Delta R.T. 0.00 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09

Instrument :

BNA_F

ClientSampleId :

ENV-106-1(15-20)


Tot Ion:244 Resp: 447077

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0

122 9.4 11.0 16.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

12.96



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.49 min Scan# 2279

Delta R.T. 0.00 min

Lab File: BF101111.D

Acq: 4 Dec 2017 21:09


Tgt Ion:264 Resp: 99445

Ion Ratio Lower Upper

264 100

260 22.4 19.2 28.8

265 20.7 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

15.49

