

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120420\
 Data File : BF122541.D
 Acq On : 4 Dec 2020 12:16
 Operator : JU/CG
 Sample : PB133400BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB133400BL

Quant Time: Dec 04 12:56:05 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 04 12:52:10 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	204132	20.00	ng	0.00
21) Naphthalene-d8	8.134	136	807769	20.00	ng	# 0.00
39) Acenaphthene-d10	9.886	164	435120	20.00	ng	0.00
64) Phenanthrene-d10	11.375	188	838476	20.00	ng	0.00
76) Chrysene-d12	14.016	240	790027	20.00	ng	0.00
86) Perylene-d12	15.480	264	774376	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	1545727	116.27	ng	0.01
7) Phenol-d6	6.487	99	1909095	109.77	ng	0.00
23) Nitrobenzene-d5	7.410	82	1220660	92.51	ng	0.00
42) 2,4,6-Tribromophenol	10.680	330	650001	139.18	ng	0.00
45) 2-Fluorobiphenyl	9.210	172	2272162	81.59	ng	0.00
79) Terphenyl-d14	12.969	244	2634292	70.64	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120420\
Data File : BF122541.D
Acq On : 4 Dec 2020 12:16
Operator : JU/CG
Sample : PB133400BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB133400BL

Quant Time: Dec 04 12:56:05 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 04 12:52:10 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.845 min Scan# 809
 Delta R.T. -0.006 min
 Lab File: BF122541.D
 Acq: 4 Dec 2020 12:16




Instrument :
 BNA_F
 ClientSampleId :
 PB133400BL


Tgt Ion:152 Resp: 204132
 Ion Ratio Lower Upper
 152 100
 150 156.7 125.3 187.9
 115 61.9 51.9 77.9



#5
 2-Fluorophenol
 Concen: 116.27 ng
 RT: 5.481 min Scan# 577
 Delta R.T. 0.012 min
 Lab File: BF122541.D
 Acq: 4 Dec 2020 12:16

Tgt Ion:112 Resp: 1545727
 Ion Ratio Lower Upper
 112 100
 64 58.0 50.4 75.6
 63 31.0 25.8 38.6









#7
Phenol-d6
Concen: 109.77 ng
RT: 6.487 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16




Instrument :
BNA_F
ClientSampleId :
PB133400BL


Tgt Ion: 99 Resp: 1909095
Ion Ratio Lower Upper
99 100
42 17.9 15.9 23.9
71 35.4 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.134 min Scan# 1028
Delta R.T. 0.000 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16

Tgt Ion: 136 Resp: 807769
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 6.8 7.1 10.7#
68 5.7 5.0 7.4









#23
Nitrobenzene-d5
Concen: 92.51 ng
RT: 7.410 min Scan# 905
Delta R.T. -0.006 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16




Instrument :
BNA_F
ClientSampleId :
PB133400BL


Tgt Ion: 82 Resp: 1220660
Ion Ratio Lower Upper
82 100
128 45.2 35.0 52.4
54 49.3 43.9 65.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.886 min Scan# 1326
Delta R.T. -0.006 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16

Tgt Ion:164 Resp: 435120
Ion Ratio Lower Upper
164 100
162 102.2 83.2 124.8
160 44.5 37.5 56.3









#42
2,4,6-Tribromophenol
Concen: 139.18 ng
RT: 10.680 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16




Instrument :
BNA_F
ClientSampleId :
PB133400BL


Tgt Ion:330 Resp: 650001
Ion Ratio Lower Upper
330 100
332 95.5 77.3 115.9
141 28.9 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 81.59 ng
RT: 9.210 min Scan# 1211
Delta R.T. -0.006 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16

Tgt Ion:172 Resp: 2272162
Ion Ratio Lower Upper
172 100
171 36.8 29.1 43.7
170 24.6 19.8 29.6









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.375 min Scan# 1579
Delta R.T. 0.000 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16




Instrument :
BNA_F
ClientSampleId :
PB133400BL


Tgt Ion:188 Resp: 838476
Ion Ratio Lower Upper
188 100
94 9.4 8.3 12.5
80 10.2 9.1 13.7



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.016 min Scan# 2028
Delta R.T. -0.006 min
Lab File: BF122541.D
Acq: 4 Dec 2020 12:16

Tgt Ion:240 Resp: 790027
Ion Ratio Lower Upper
240 100
120 9.8 9.2 13.8
236 25.7 20.9 31.3









#79
 Terphenyl-d14
 Concen: 70.64 ng
 RT: 12.969 min Scan# 1850
 Delta R.T. 0.006 min
 Lab File: BF122541.D
 Acq: 4 Dec 2020 12:16

Instrument :
 BNA_F
 ClientSampleId :
 PB133400BL

Tgt Ion:244 Resp: 2634292
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.4 8.2
 122 10.2 8.1 12.1



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.480 min Scan# 2277
 Delta R.T. 0.000 min
 Lab File: BF122541.D
 Acq: 4 Dec 2020 12:16

Tgt Ion:264 Resp: 774376
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.7 28.1
 265 21.9 17.3 25.9

