

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120424\
 Data File : BF140734.D
 Acq On : 04 Dec 2024 18:38
 Operator : RC/JU
 Sample : P5069-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A3988-SLUDGE

Quant Time: Dec 05 00:06:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 21 15:23:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	67026	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	252309	20.000	ng	-0.01
39) Acenaphthene-d10	9.904	164	142677	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	278932	20.000	ng	0.00
76) Chrysene-d12	14.051	240	165980	20.000	ng	0.00
86) Perylene-d12	15.557	264	104564	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	576317	146.707	ng	0.02
7) Phenol-d6	6.516	99	700986	134.977	ng	0.00
23) Nitrobenzene-d5	7.434	82	524597	106.351	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	250320	164.043	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1024696	107.007	ng	-0.01
79) Terphenyl-d14	12.986	244	1221751	114.618	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120424\
Data File : BF140734.D
Acq On : 04 Dec 2024 18:38
Operator : RC/JU
Sample : P5069-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A3988-SLUDGE

Quant Time: Dec 05 00:06:22 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 21 15:23:48 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 813
Delta R.T. -0.006 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38




Instrument :
BNA_F
ClientSampleId :
A3988-SLUDGE


Tgt Ion:152 Resp: 67026
Ion Ratio Lower Upper
152 100
150 158.0 128.5 192.7
115 59.8 50.2 75.4



#5
2-Fluorophenol
Concen: 146.707 ng
RT: 5.516 min Scan# 582
Delta R.T. 0.018 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38


Tgt Ion:112 Resp: 576317
Ion Ratio Lower Upper
112 100
64 59.7 49.2 73.8
63 31.9 27.0 40.4







#7
Phenol-d6
Concen: 134.977 ng
RT: 6.516 min Scan# 70
Delta R.T. 0.000 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38

Instrument :
BNA_F
ClientSampleId :
A3988-SLUDGE






Tgt Ion: 99 Resp: 700986
Ion Ratio Lower Upper
99 100
42 18.0 15.4 23.0
71 37.1 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.012 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38

Tgt Ion: 136 Resp: 252309
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 6.9 5.8 8.8
68 5.0 4.1 6.1





#23

Nitrobenzene-d5

Concen: 106.351 ng

RT: 7.434 min Scan# 909

Delta R.T. -0.006 min

Lab File: BF140734.D

Acq: 04 Dec 2024 18:38

Instrument :

BNA_F

ClientSampleId :

A3988-SLUDGE





Tgt Ion: 82 Resp: 524597

Ion Ratio Lower Upper

82 100

128 42.6 33.0 49.4

54 47.6 39.5 59.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.904 min Scan# 1328

Delta R.T. -0.012 min

Lab File: BF140734.D

Acq: 04 Dec 2024 18:38




Tgt Ion:164 Resp: 142677


Ion Ratio Lower Upper

164 100

162 101.0 80.6 120.8

160 44.2 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 164.043 ng
RT: 10.704 min Scan# 1464
Delta R.T. 0.000 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38




Instrument :
BNA_F
ClientSampleId :
A3988-SLUDGE


Tgt Ion:330 Resp: 250320
Ion Ratio Lower Upper
330 100
332 97.3 76.9 115.3
141 33.4 26.7 40.1



#45
2-Fluorobiphenyl
Concen: 107.007 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.012 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38

Tgt Ion:172 Resp: 1024696
Ion Ratio Lower Upper
172 100
171 35.3 28.4 42.6
170 23.4 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 1582
Delta R.T. -0.006 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38




Instrument :
BNA_F
ClientSampleId :
A3988-SLUDGE


Tgt Ion:188 Resp: 278932
Ion Ratio Lower Upper
188 100
94 7.9 6.4 9.6
80 8.5 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. 0.000 min
Lab File: BF140734.D
Acq: 04 Dec 2024 18:38

Tgt Ion:240 Resp: 165980
Ion Ratio Lower Upper
240 100
120 8.8 7.3 10.9
236 25.9 20.6 31.0









#79
 Terphenyl-d14
 Concen: 114.618 ng
 RT: 12.986 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF140734.D
 Acq: 04 Dec 2024 18:38

Instrument :
 BNA_F
 ClientSampleId :
 A3988-SLUDGE

Tgt Ion:244 Resp: 1221751
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.8
 122 10.4 8.0 12.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2289
 Delta R.T. 0.018 min
 Lab File: BF140734.D
 Acq: 04 Dec 2024 18:38

Tgt Ion:264 Resp: 104564
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.0 28.6
 265 22.2 16.6 25.0

