

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF120517\
 Data File : BF101144.D
 Acq On : 6 Dec 2017 1:06
 Operator : SJ/JU
 Sample : I6702-03
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Dec 06 03:20:05 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:07:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	51215	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	206639	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	96872	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	178686	20.00	ng	0.00
75) Chrysene-d12	14.02	240	110784	20.00	ng	0.00
86) Perylene-d12	15.49	264	115488	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	336782	108.66	ng	0.01
7) Phenol-d6	6.48	99	413132	109.79	ng	0.00
23) Nitrobenzene-d5	7.41	82	252177	72.80	ng	0.00
41) 2,4,6-Tribromophenol	10.67	330	112434	96.62	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	508891	71.87	ng	0.00
78) Terphenyl-d14	12.96	244	425023	83.91	ng	0.00
Target Compounds						
10) Phenol	6.49	94	13792	3.296	ng	92
19) n-Nitroso-di-n-propylamine	7.41	70	32820	12.951	ng	# 79
25) Isophorone	7.41	82	252174	42.619	ng	# 64
49) Dimethylphthalate	9.60	163	56124	7.184	ng	# 98
56) 2,4-Dinitrotoluene	9.88	165	12073	5.475	ng	# 21
66) 4-Bromophenyl-phenylether	10.67	248	6724	3.362	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF120517\
Data File : BF101144.D
Acq On : 6 Dec 2017 1:06
Operator : SJ/JU
Sample : I6702-03
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Dec 06 03:20:05 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 04 13:07:49 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 809
Delta R.T. 0.00 min
Lab File: BF101144.D
Acq: 6 Dec 2017 1:06

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
152	100		
150	162.6	124.6	186.8
115	60.0	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.662 ng
RT: 5.47 min Scan# 576
Delta R.T. 0.01 min
Lab File: BF101144.D
Acq: 6 Dec 2017 1:06

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.3	47.9	71.9
63	29.8	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 109.791 ng

RT: 6.48 min Scan# 747

Delta R.T. 0.00 min

Lab File: BF101144.D

Acq: 6 Dec 2017 1:06

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 413132

Ion Ratio Lower Upper




99 100

42 19.5 14.5 21.7

71 35.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 3.296 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.00 min

Lab File: BF101144.D

Acq: 6 Dec 2017 1:06


Tgt Ion: 94 Resp: 13792

Ion Ratio Lower Upper



94 100


65 29.1 7.9 47.9

66 43.1 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#19
n-Nitroso-di-n-propylamine
Concen: 12.951 ng
RT: 7.41 min Scan# 905
Delta R.T. 0.15 min
Lab File: BF101144.D
Acq: 6 Dec 2017 1:06




Instrument :
BNA_F
ClientSampled :


Tot Ion: 70 Resp: 32820
Ion Ratio Lower Upper
70 100
42 50.0 47.5 71.3
101 0.0 7.4 11.2#
130 1.5 16.6 25.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.13 min Scan# 1027
Delta R.T. -0.01 min
Lab File: BF101144.D
Acq: 6 Dec 2017 1:06

Tgt Ion:136 Resp: 206639
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 7.4 6.6 9.8
68 4.4 5.0 7.4#





#23

Nitrobenzene-d5

Concen: 72.799 ng

RT: 7.41 min Scan# 905

Delta R.T. -0.01 min

Lab File: BF101144.D

Acq: 6 Dec 2017 1:06

Instrument :

BNA_F

ClientSampled :





Tot Ion: 82 Resp: 252177

Ion Ratio Lower Upper

82 100

128 44.8 36.1 54.1

54 55.0 41.4 62.2



#25

Isophorone

Concen: 42.619 ng

RT: 7.41 min Scan# 905

Delta R.T. -0.26 min

Lab File: BF101144.D

Acq: 6 Dec 2017 1:06




Tgt Ion: 82 Resp: 252174


Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1326
 Delta R.T. 0.00 min
 Lab File: BF101144.D
 Acq: 6 Dec 2017 1:06

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 96872
 Ion Ratio Lower Upper
 164 100
 162 102.0 86.1 129.1
 160 47.2 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 96.617 ng
 RT: 10.67 min Scan# 1460
 Delta R.T. -0.01 min
 Lab File: BF101144.D
 Acq: 6 Dec 2017 1:06

Tgt Ion:330 Resp: 112434
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.0 115.6
 141 29.9 29.9 44.9#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 71.875 ng
 RT: 9.20 min Scan# 1210
 Delta R.T. -0.01 min
 Lab File: BF101144.D
 Acq: 6 Dec 2017 1:06




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	23.9	19.6	29.4



#49
 Dimethylphthalate
 Concen: 7.184 ng
 RT: 9.60 min Scan# 1277
 Delta R.T. -0.01 min
 Lab File: BF101144.D
 Acq: 6 Dec 2017 1:06

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.1	2.7	4.1#
164	11.0	8.2	12.2






#56
 2,4-Dinitrotoluene
 Concen: 5.475 ng
 RT: 9.88 min Scan# 1325
 Delta R.T. -0.20 min
 Lab File: BF101144.D
 Acq: 6 Dec 2017 1:06

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165	Resp:	12073
Ion Ratio	Lower	Upper
165	100	
63	0.0	36.4 54.6#
89	0.0	57.8 86.6#
182	0.0	1.6 2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.37 min Scan# 1579
 Delta R.T. 0.00 min
 Lab File: BF101144.D
 Acq: 6 Dec 2017 1:06



Tgt Ion:188	Resp:	178686
Ion Ratio	Lower	Upper
188	100	
94	7.0	8.5 12.7#
80	8.0	9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#66
4-Bromophenyl-phenylether
Concen: 3.362 ng
RT: 10.67 min Scan# 1460
Delta R.T. -0.24 min
Lab File: BF101144.D
Acq: 6 Dec 2017 1:06

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 6724
Ion Ratio Lower Upper
248 100
250 198.1 76.9 115.3#
141 488.8 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.01 min
Lab File: BF101144.D
Acq: 6 Dec 2017 1:06

Tgt Ion:240 Resp: 110784
Ion Ratio Lower Upper
240 100
120 10.1 9.5 14.3
236 23.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 83.914 ng

RT: 12.96 min Scan# 1848

Delta R.T. -0.01 min

Lab File: BF101144.D

Acq: 6 Dec 2017 1:06

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 425023

Ion Ratio Lower Upper

244 100

212 6.4 5.4 8.0




122 10.7 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2279

Delta R.T. 0.00 min

Lab File: BF101144.D

Acq: 6 Dec 2017 1:06


Tgt Ion:264 Resp: 115488

Ion Ratio Lower Upper

264 100

260 22.3 19.2 28.8

265 20.9 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

