

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF120517\
 Data File : BF101147.D
 Acq On : 6 Dec 2017 2:26
 Operator : SJ/JU
 Sample : I6702-06
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Dec 06 03:21:11 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:07:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	53084	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	210822	20.00	ng	0.00
38) Acenaphthene-d10	9.88	164	95747	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	171567	20.00	ng	0.00
75) Chrysene-d12	14.02	240	107528	20.00	ng	0.00
86) Perylene-d12	15.49	264	111675	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	367568	114.42	ng	0.01
7) Phenol-d6	6.48	99	446830	114.56	ng	0.00
23) Nitrobenzene-d5	7.42	82	273759	77.46	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	116509	101.30	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	546673	78.12	ng	0.00
78) Terphenyl-d14	12.96	244	434237	88.33	ng	0.00
Target Compounds						
9) Benzaldehyde	6.62	77	8095	3.391	ng	86
10) Phenol	6.49	94	12160	2.804	ng	86
19) n-Nitroso-di-n-propylamine	7.42	70	36495	13.894	ng	# 78
25) Isophorone	7.42	82	273757	45.349	ng	# 64
49) Dimethylphthalate	9.60	163	50514	6.542	ng	# 97
50) 2,6-Dinitrotoluene	9.88	165	11831	7.274	ng	# 24
56) 2,4-Dinitrotoluene	9.88	165	11831	5.428	ng	# 21
66) 4-Bromophenyl-phenylether	10.67	248	7391	3.849	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF120517\
Data File : BF101147.D
Acq On : 6 Dec 2017 2:26
Operator : SJ/JU
Sample : I6702-06
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Dec 06 03:21:11 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 04 13:07:49 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 809
Delta R.T. 0.00 min
Lab File: BF101147.D
Acq: 6 Dec 2017 2:26

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 53084
Ion Ratio Lower Upper
152 100
150 161.5 124.6 186.8
115 61.4 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 114.420 ng
RT: 5.47 min Scan# 576
Delta R.T. 0.01 min
Lab File: BF101147.D
Acq: 6 Dec 2017 2:26

Tgt Ion:112 Resp: 367568
Ion Ratio Lower Upper
112 100
64 58.6 47.9 71.9
63 30.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 114.565 ng

RT: 6.48 min Scan# 747

Delta R.T. 0.00 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 446830

Ion Ratio Lower Upper




99 100

42 20.7 14.5 21.7

71 35.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#9

Benzaldehyde

Concen: 3.391 ng

RT: 6.62 min Scan# 770

Delta R.T. 0.21 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26


Tgt Ion: 77 Resp: 8095

Ion Ratio Lower Upper



77 100


105 86.6 81.1 121.1

106 81.4 74.5 114.5



Abundance Ion 77.00 (76.70 to 77.70): BF1
Ion 105.00 (104.70 to 105.70): BF1
Ion 106.00 (105.70 to 106.70): BF1





#10

Phenol

Concen: 2.804 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.00 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26





Instrument :

BNA_F

ClientSampled :

Tot Ion: 94 Resp: 12160

Ion	Ratio	Lower	Upper
94	100		
65	32.3	7.9	47.9
66	47.5	16.2	56.2



#19

n-Nitroso-di-n-propylamine

Concen: 13.894 ng

RT: 7.42 min Scan# 906




Delta R.T. 0.15 min


Lab File: BF101147.D

Acq: 6 Dec 2017 2:26

Tgt Ion: 70 Resp: 36495

Ion	Ratio	Lower	Upper
70	100		
42	47.5	47.5	71.3
101	0.0	7.4	11.2#
130	2.8	16.6	25.0#





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1027

Delta R.T. -0.01 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 210822


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 7.4 6.6 9.8

68 4.9 5.0 7.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 77.461 ng

RT: 7.42 min Scan# 906

Delta R.T. 0.00 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26


Tgt Ion: 82 Resp: 273759

Ion Ratio Lower Upper

82 100

128 47.7 36.1 54.1



54 52.9 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 45.349 ng

RT: 7.42 min Scan# 906

Delta R.T. -0.26 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 273757

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.88 min Scan# 1325

Delta R.T. -0.01 min

Lab File: BF101147.D

Acq: 6 Dec 2017 2:26


Tgt Ion:164 Resp: 95747

Ion Ratio Lower Upper

164 100

162 103.1 86.1 129.1



160 45.0 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 101.295 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. 0.00 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 116509
 Ion Ratio Lower Upper
 330 100
 332 95.5 77.0 115.6
 141 29.9 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.118 ng
 RT: 9.20 min Scan# 1210
 Delta R.T. -0.01 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Tgt Ion:172 Resp: 546673
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.7 44.5
 170 24.5 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#49
Dimethylphthalate
Concen: 6.542 ng
RT: 9.60 min Scan# 1277
Delta R.T. -0.01 min
Lab File: BF101147.D
Acq: 6 Dec 2017 2:26




Instrument :
BNA_F
ClientSampleId :


Tot Ion:163 Resp: 50514
Ion Ratio Lower Upper
163 100
194 4.4 2.7 4.1#
164 9.3 8.2 12.2



#50
2,6-Dinitrotoluene
Concen: 7.274 ng
RT: 9.88 min Scan# 1325
Delta R.T. 0.21 min
Lab File: BF101147.D
Acq: 6 Dec 2017 2:26

Tgt Ion:165 Resp: 11831
Ion Ratio Lower Upper
165 100
63 0.0 44.7 67.1#
89 0.0 44.0 66.0#






#56
 2,4-Dinitrotoluene
 Concen: 5.428 ng
 RT: 9.88 min Scan# 1325
 Delta R.T. -0.20 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#






Abundance

Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.37 min Scan# 1579
 Delta R.T. 0.00 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26




Tgt Ion	Ratio	Lower	Upper
188	100		
94	7.5	8.5	12.7#
80	7.6	9.2	13.8#


Abundance

Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#66
 4-Bromophenyl-phenylether
 Concen: 3.849 ng
 RT: 10.67 min Scan# 1460
 Delta R.T. -0.24 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:248 Resp: 7391
 Ion Ratio Lower Upper
 248 100
 250 200.5 76.9 115.3#
 141 482.3 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.02 min Scan# 2028
 Delta R.T. -0.01 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Tgt Ion:240 Resp: 107528
 Ion Ratio Lower Upper
 240 100
 120 9.3 9.5 14.3#
 236 24.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 88.330 ng
 RT: 12.96 min Scan# 1848
 Delta R.T. -0.01 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 434237
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.0
 122 10.7 11.0 16.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.49 min Scan# 2279
 Delta R.T. 0.00 min
 Lab File: BF101147.D
 Acq: 6 Dec 2017 2:26

Tgt Ion:264 Resp: 111675
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.2 28.8
 265 21.7 17.5 26.3

