

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF120616\
 Data File : BF091452.D
 Acq On : 6 Dec 2016 12:01
 Operator : UM/SJ
 Sample : H5802-08
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Quant Time: Dec 07 00:17:32 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 07 00:12:14 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	121258	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	505698	20.00	ng	0.00
38) Acenaphthene-d10	9.88	164	326689	20.00	ng	0.00
63) Phenanthrene-d10	11.35	188	511503	20.00	ng	-0.01
75) Chrysene-d12	13.99	240	449482	20.00	ng	0.00
86) Perylene-d12	15.41	264	295067	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	529534	71.34	ng	0.00
7) Phenol-d6	6.47	99	451089	49.37	ng	0.00
23) Nitrobenzene-d5	7.41	82	947951	105.05	ng	0.00
41) 2,4,6-Tribromophenol	10.66	330	417390	134.96	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	1571644	87.11	ng	0.00
78) Terphenyl-d14	12.95	244	2016530	97.51	ng	0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF120616\
Data File : BF091452.D
Acq On : 6 Dec 2016 12:01
Operator : UM/SJ
Sample : H5802-08
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Quant Time: Dec 07 00:17:32 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 07 00:12:14 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 398

Delta R.T. 0.00 min

Lab File: BF091452.D

Acq: 6 Dec 2016 12:01

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tgt Ion:152 Resp: 121258

Ion Ratio Lower Upper

152 100

150 156.5 122.5 183.7




115 66.2 51.8 77.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 71.34 ng

RT: 5.44 min Scan# 276

Delta R.T. 0.00 min

Lab File: BF091452.D

Acq: 6 Dec 2016 12:01


Tgt Ion:112 Resp: 529534

Ion Ratio Lower Upper

112 100

64 69.1 61.5 92.3



63 37.3 33.3 49.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 49.37 ng

RT: 6.47 min Scan# 366

Delta R.T. 0.00 min

Lab File: BF091452.D

Acq: 6 Dec 2016 12:01

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tgt Ion: 99 Resp: 451089

Ion Ratio Lower Upper

99 100

42 20.4 20.6 31.0#

71 35.1 29.9 44.9






Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0

6.47



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 511

Delta R.T. 0.00 min

Lab File: BF091452.D

Acq: 6 Dec 2016 12:01

Tgt Ion: 136 Resp: 505698


Ion Ratio Lower Upper

136 100

137 10.6 9.1 13.7

54 7.8 9.1 13.7#

68 3.7 5.9 8.9#





Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0

8.13









#23
 Nitrobenzene-d5
 Concen: 105.05 ng
 RT: 7.41 min Scan# 448
 Delta R.T. 0.00 min
 Lab File: BF091452.D
 Acq: 6 Dec 2016 12:01




Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK


Tgt Ion: 82 Resp: 947951
 Ion Ratio Lower Upper
 82 100
 128 43.8 31.8 47.6
 54 61.8 49.1 73.7



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.88 min Scan# 664
 Delta R.T. 0.00 min
 Lab File: BF091452.D
 Acq: 6 Dec 2016 12:01

Tgt Ion: 164 Resp: 326689
 Ion Ratio Lower Upper
 164 100
 162 96.5 82.6 124.0
 160 43.2 36.7 55.1









#41
 2,4,6-Tribromophenol
 Concen: 134.96 ng
 RT: 10.66 min Scan# 733
 Delta R.T. 0.00 min
 Lab File: BF091452.D
 Acq: 6 Dec 2016 12:01

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Tgt Ion:330 Resp: 417390
 Ion Ratio Lower Upper
 330 100
 332 96.0 76.2 114.4
 141 35.9 33.6 50.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.11 ng
 RT: 9.20 min Scan# 605
 Delta R.T. 0.00 min
 Lab File: BF091452.D
 Acq: 6 Dec 2016 12:01

Tgt Ion:172 Resp: 1571644
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.4 44.0
 170 23.9 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.35 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF091452.D
Acq: 6 Dec 2016 12:01

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Tgt Ion:188 Resp: 511503
Ion Ratio Lower Upper
188 100
94 10.3 9.2 13.8
80 11.7 10.5 15.7




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.99 min Scan# 1024
Delta R.T. 0.00 min
Lab File: BF091452.D
Acq: 6 Dec 2016 12:01

Tgt Ion:240 Resp: 449482
Ion Ratio Lower Upper
240 100
120 5.1 12.1 18.1#
236 25.2 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 97.51 ng

RT: 12.95 min Scan# 933

Delta R.T. 0.01 min

Lab File: BF091452.D

Acq: 6 Dec 2016 12:01

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tgt Ion:244 Resp: 2016530

Ion Ratio Lower Upper

244 100

212 7.0 6.5 9.7




122 6.7 9.5 14.3#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.41 min Scan# 1148

Delta R.T. 0.00 min

Lab File: BF091452.D

Acq: 6 Dec 2016 12:01


Tgt Ion:264 Resp: 295067

Ion Ratio Lower Upper

264 100

260 23.7 18.8 28.2

265 22.1 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

