

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120715\
 Data File : BF083565.D
 Acq On : 7 Dec 2015 19:29
 Operator : UM/IZ
 Sample : G4579-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP1(18-24)

Quant Time: Dec 08 01:50:26 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF120415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 05 04:12:46 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.72	152	150276	20.00	ng	-0.05
21) Naphthalene-d8	7.62	136	604957	20.00	ng	-0.06
38) Acenaphthene-d10	10.41	164	302668	20.00	ng	-0.06
63) Phenanthrene-d10	12.81	188	520890	20.00	ng	-0.05
75) Chrysene-d12	17.01	240	339306	20.00	ng	-0.03
86) Perylene-d12	18.65	264	314176	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	4.01	112	1473807	148.79	ng	-0.02
7) Phenol-d6	5.29	99	1945280	142.54	ng	-0.03
23) Nitrobenzene-d5	6.56	82	1308331	101.09	ng	-0.05
41) 2,4,6-Tribromophenol	11.71	330	373888	133.91	ng	-0.05
44) 2-Fluorobiphenyl	9.37	172	1752080	78.52	ng	-0.06
78) Terphenyl-d14	15.44	244	1256469	82.40	ng	-0.05
Target Compounds						
49) Dimethylphthalate	10.05	163	602313	25.28	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120715\
Data File : BF083565.D
Acq On : 7 Dec 2015 19:29
Operator : UM/IZ
Sample : G4579-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP1(18-24)

Quant Time: Dec 08 01:50:26 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF120415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 05 04:12:46 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 5.72 min Scan# 353

Delta R.T. -0.05 min

Lab File: BF083565.D

Acq: 7 Dec 2015 19:29

Instrument :

BNA_F

ClientSampleId :

TP1(18-24)


Tot Ion:152 Resp: 150276

Ion Ratio Lower Upper

152 100

150 159.5 126.5 189.7




115 65.5 52.3 78.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 148.79 ng

RT: 4.01 min Scan# 203

Delta R.T. -0.02 min

Lab File: BF083565.D

Acq: 7 Dec 2015 19:29


Tgt Ion:112 Resp: 1473807

Ion Ratio Lower Upper

112 100

64 61.0 50.5 75.7



63 31.4 25.8 38.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 142.54 ng

RT: 5.29 min Scan# 315

Delta R.T. -0.03 min

Lab File: BF083565.D

Acq: 7 Dec 2015 19:29

Instrument :


BNA_F

ClientSampleId :

TP1(18-24)

Tot Ion: 99 Resp: 1945280




Ion	Ratio	Lower	Upper
99	100		
42	21.3	17.3	25.9
71	34.9	26.6	40.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.62 min Scan# 519


Delta R.T. -0.06 min

Lab File: BF083565.D

Acq: 7 Dec 2015 19:29

Tgt Ion: 136 Resp: 604957

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.7	13.1
54	11.2	7.8	11.6
68	7.9	5.7	8.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 101.09 ng
 RT: 6.56 min Scan# 426
 Delta R.T. -0.05 min
 Lab File: BF083565.D
 Acq: 7 Dec 2015 19:29

Instrument :
 BNA_F
 ClientSampled :
 TP1(18-24)

Tot Ion: 82 Resp: 1308331
 Ion Ratio Lower Upper
 82 100
 128 42.6 30.7 46.1
 54 51.4 42.5 63.7




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.41 min Scan# 763
 Delta R.T. -0.06 min
 Lab File: BF083565.D
 Acq: 7 Dec 2015 19:29

Tgt Ion:164 Resp: 302668
 Ion Ratio Lower Upper
 164 100
 162 98.4 78.8 118.2
 160 43.1 33.4 50.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 133.91 ng
 RT: 11.71 min Scan# 877
 Delta R.T. -0.05 min
 Lab File: BF083565.D
 Acq: 7 Dec 2015 19:29

Instrument :
 BNA_F
 ClientSampleId :
 TP1(18-24)

Tot Ion:330 Resp: 373888
 Ion Ratio Lower Upper
 330 100
 332 97.0 0.0 0.0#
 141 38.1 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.52 ng
 RT: 9.37 min Scan# 672
 Delta R.T. -0.06 min
 Lab File: BF083565.D
 Acq: 7 Dec 2015 19:29

Tgt Ion:172 Resp: 1752080
 Ion Ratio Lower Upper
 172 100
 171 35.9 28.6 42.8
 170 24.6 19.4 29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 25.28 ng
RT: 10.05 min Scan# 732
Delta R.T. -0.06 min
Lab File: BF083565.D
Acq: 7 Dec 2015 19:29




Instrument :
BNA_F
ClientSampleId :
TP1(18-24)


Tot Ion:163 Resp: 602313
Ion Ratio Lower Upper
163 100
194 3.3 2.8 4.2
164 10.3 8.6 13.0



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.81 min Scan# 973
Delta R.T. -0.05 min
Lab File: BF083565.D
Acq: 7 Dec 2015 19:29

Tgt Ion:188 Resp: 520890
Ion Ratio Lower Upper
188 100
94 10.0 9.4 14.2
80 11.9 10.6 16.0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 17.01 min Scan# 1341

Delta R.T. -0.03 min

Lab File: BF083565.D

Acq: 7 Dec 2015 19:29

Instrument :

BNA_F

ClientSampleId :

TP1(18-24)


Tot Ion:240 Resp: 339306

Ion Ratio Lower Upper

240 100

120 10.0 8.1 12.1




236 25.2 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 82.40 ng

RT: 15.44 min Scan# 1203

Delta R.T. -0.05 min

Lab File: BF083565.D

Acq: 7 Dec 2015 19:29


Tgt Ion:244 Resp: 1256469

Ion Ratio Lower Upper

244 100

212 7.3 6.1 9.1



122 13.7 11.0 16.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 18.65 min Scan# 1484
Delta R.T. -0.02 min
Lab File: BF083565.D
Acq: 7 Dec 2015 19:29

Instrument :
BNA_F
ClientSampleId :
TP1(18-24)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.4	29.0
265	22.2	17.8	26.6

