

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF120717\
 Data File : BF101211.D
 Acq On : 7 Dec 2017 17:58
 Operator : SJ/JU
 Sample : I6765-21
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Dec 07 19:25:23 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:07:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	52970	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	201242	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	89051	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	151815	20.00	ng	0.00
75) Chrysene-d12	14.02	240	112329	20.00	ng	0.00
86) Perylene-d12	15.50	264	102974	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	340895	106.35	ng	0.00
7) Phenol-d6	6.48	99	413994	106.37	ng	0.00
23) Nitrobenzene-d5	7.41	82	248389	73.63	ng	0.00
41) 2,4,6-Tribromophenol	10.67	330	101383	94.77	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	482954	74.20	ng	-0.01
78) Terphenyl-d14	12.96	244	365825	71.23	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.61	77	7268	3.051	ng	89
10) Phenol	6.49	94	18464	4.267	ng	83
19) n-Nitroso-di-n-propylamine	7.41	70	32770	12.503	ng	# 82
25) Isophorone	7.41	82	248386	43.105	ng	# 64
49) Dimethylphthalate	9.59	163	23558	3.280	ng	100
50) 2,6-Dinitrotoluene	9.88	165	11708	7.740	ng	# 24
56) 2,4-Dinitrotoluene	9.88	165	11708	5.775	ng	# 21
66) 4-Bromophenyl-phenylether	10.67	248	6247	3.676	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF120717\
Data File : BF101211.D
Acq On : 7 Dec 2017 17:58
Operator : SJ/JU
Sample : I6765-21
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Dec 07 19:25:23 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 04 13:07:49 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.84 min Scan# 808
Delta R.T. -0.01 min
Lab File: BF101211.D
Acq: 7 Dec 2017 17:58

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 52970
Ion Ratio Lower Upper
152 100
150 153.4 124.6 186.8
115 58.5 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 106.345 ng
RT: 5.46 min Scan# 574
Delta R.T. 0.00 min
Lab File: BF101211.D
Acq: 7 Dec 2017 17:58

Tgt Ion:112 Resp: 340895
Ion Ratio Lower Upper
112 100
64 60.0 47.9 71.9
63 30.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 106.374 ng

RT: 6.48 min Scan# 747

Delta R.T. 0.00 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 413994

Ion Ratio Lower Upper




99 100

42 18.8 14.5 21.7

71 34.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#9

Benzaldehyde

Concen: 3.051 ng

RT: 6.61 min Scan# 769

Delta R.T. 0.21 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58


Tgt Ion: 77 Resp: 7268

Ion Ratio Lower Upper



77 100


105 87.4 81.1 121.1

106 86.1 74.5 114.5



Abundance Ion 77.00 (76.70 to 77.70): BF1
Ion 105.00 (104.70 to 105.70): BF1
Ion 106.00 (105.70 to 106.70): BF1





#10

Phenol

Concen: 4.267 ng

RT: 6.49 min Scan# 748

Delta R.T. -0.01 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 94 Resp: 18464

Ion Ratio Lower Upper

94 100

65 34.3 7.9 47.9




66 48.0 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF1

Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 12.503 ng

RT: 7.41 min Scan# 905

Delta R.T. 0.15 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58

Tgt Ion: 70 Resp: 32770


Ion Ratio Lower Upper

70 100

42 52.8 47.5 71.3

101 0.0 7.4 11.2#

130 2.1 16.6 25.0#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.12 min Scan# 1026
Delta R.T. -0.01 min
Lab File: BF101211.D
Acq: 7 Dec 2017 17:58

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	136	Resp:	201242
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.9	13.3
54	7.8	6.6	9.8
68	5.1	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 73.629 ng
RT: 7.41 min Scan# 905
Delta R.T. -0.01 min
Lab File: BF101211.D
Acq: 7 Dec 2017 17:58

Tgt Ion:	82	Resp:	248389
Ion	Ratio	Lower	Upper
82	100		
128	47.3	36.1	54.1
54	51.6	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 43.105 ng

RT: 7.41 min Scan# 905

Delta R.T. -0.26 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 248386

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.88 min Scan# 1325

Delta R.T. -0.01 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58


Tgt Ion:164 Resp: 89051

Ion Ratio Lower Upper

164 100

162 103.5 86.1 129.1



160 45.8 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 94.772 ng
 RT: 10.67 min Scan# 1460
 Delta R.T. -0.01 min
 Lab File: BF101211.D
 Acq: 7 Dec 2017 17:58

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 101383
 Ion Ratio Lower Upper
 330 100
 332 95.4 77.0 115.6
 141 30.3 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.202 ng
 RT: 9.20 min Scan# 1209
 Delta R.T. -0.01 min
 Lab File: BF101211.D
 Acq: 7 Dec 2017 17:58

Tgt Ion:172 Resp: 482954
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.7 44.5
 170 22.8 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.280 ng

RT: 9.59 min Scan# 1276

Delta R.T. -0.02 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 23558

Ion Ratio Lower Upper

163 100

194 3.8 2.7 4.1




164 10.1 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 7.740 ng

RT: 9.88 min Scan# 1325

Delta R.T. 0.21 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58


Tgt Ion:165 Resp: 11708

Ion Ratio Lower Upper

165 100

63 0.0 44.7 67.1#



89 0.0 44.0 66.0#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1






#56
 2,4-Dinitrotoluene
 Concen: 5.775 ng
 RT: 9.88 min Scan# 1325
 Delta R.T. -0.20 min
 Lab File: BF101211.D
 Acq: 7 Dec 2017 17:58

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.37 min Scan# 1578
 Delta R.T. -0.01 min
 Lab File: BF101211.D
 Acq: 7 Dec 2017 17:58



Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.3	8.5	12.7#
80	8.8	9.2	13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#66
 4-Bromophenyl-phenylether
 Concen: 3.676 ng
 RT: 10.67 min Scan# 1460
 Delta R.T. -0.24 min
 Lab File: BF101211.D
 Acq: 7 Dec 2017 17:58

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:248 Resp: 6247
 Ion Ratio Lower Upper
 248 100
 250 183.1 76.9 115.3#
 141 445.2 74.4 111.6#






Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E




#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.02 min Scan# 2028
 Delta R.T. -0.01 min
 Lab File: BF101211.D
 Acq: 7 Dec 2017 17:58

Tgt Ion:240 Resp: 112329
 Ion Ratio Lower Upper
 240 100
 120 10.8 9.5 14.3
 236 24.6 20.7 31.1

Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 71.233 ng

RT: 12.96 min Scan# 1848

Delta R.T. -0.01 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 365825

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0




122 10.7 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. 0.01 min

Lab File: BF101211.D

Acq: 7 Dec 2017 17:58


Tgt Ion:264 Resp: 102974

Ion Ratio Lower Upper

264 100

260 26.0 19.2 28.8

265 22.3 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

