

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120717\
 Data File : BF101230.D
 Acq On : 8 Dec 2017 3:26
 Operator : SJ/JU
 Sample : I6732-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 120117-TIDO-F-U-B

Quant Time: Dec 08 05:52:17 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:07:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	41978	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	150063	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	60326	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	101617	20.00	ng	0.00
75) Chrysene-d12	14.02	240	85195	20.00	ng	0.00
86) Perylene-d12	15.50	264	65544	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	107900	42.47	ng	0.00
7) Phenol-d6	6.47	99	78721	25.52	ng	-0.01
23) Nitrobenzene-d5	7.41	82	232101	92.26	ng	0.00
41) 2,4,6-Tribromophenol	10.67	330	53684	74.08	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	475552	107.86	ng	-0.01
78) Terphenyl-d14	12.96	244	358972	92.16	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120717\
Data File : BF101230.D
Acq On : 8 Dec 2017 3:26
Operator : SJ/JU
Sample : I6732-03
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
120117-TIDO-F-U-B

Quant Time: Dec 08 05:52:17 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 04 13:07:49 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.84 min Scan# 808
 Delta R.T. -0.01 min
 Lab File: BF101230.D
 Acq: 8 Dec 2017 3:26




Instrument :
 BNA_F
 ClientSampleId :
 120117-TIDO-F-U-B


Tot Ion:152 Resp: 41978
 Ion Ratio Lower Upper
 152 100
 150 155.9 124.6 186.8
 115 57.3 50.1 75.1



#5
 2-Fluorophenol
 Concen: 42.474 ng
 RT: 5.46 min Scan# 573
 Delta R.T. -0.01 min
 Lab File: BF101230.D
 Acq: 8 Dec 2017 3:26

Tgt Ion:112 Resp: 107900
 Ion Ratio Lower Upper
 112 100
 64 57.1 47.9 71.9
 63 28.9 23.7 35.5





#7

Phenol-d6

Concen: 25.524 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.01 min

Lab File: BF101230.D

Acq: 8 Dec 2017 3:26

Instrument :

BNA_F

ClientSampleId :

120117-TIDO-F-U-B


Tot Ion: 99 Resp: 78721

Ion Ratio Lower Upper

99 100

42 20.7 14.5 21.7




71 33.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1026

Delta R.T. -0.01 min

Lab File: BF101230.D

Acq: 8 Dec 2017 3:26

Tgt Ion: 136 Resp: 150063


Ion Ratio Lower Upper

136 100

137 10.4 8.9 13.3

54 6.8 6.6 9.8

68 4.5 5.0 7.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 92.265 ng
RT: 7.41 min Scan# 905
Delta R.T. -0.01 min
Lab File: BF101230.D
Acq: 8 Dec 2017 3:26

Instrument :
BNA_F
ClientSampleId :
120117-TIDO-F-U-B

Tot Ion: 82 Resp: 232101
Ion Ratio Lower Upper
82 100
128 46.2 36.1 54.1
54 53.5 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.88 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BF101230.D
Acq: 8 Dec 2017 3:26

Tgt Ion: 164 Resp: 60326
Ion Ratio Lower Upper
164 100
162 103.8 86.1 129.1
160 46.7 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 74.079 ng
 RT: 10.67 min Scan# 1460
 Delta R.T. -0.01 min
 Lab File: BF101230.D
 Acq: 8 Dec 2017 3:26

Instrument :
 BNA_F
 ClientSampleId :
 120117-TIDO-F-U-B

Tot Ion:330 Resp: 53684
 Ion Ratio Lower Upper
 330 100
 332 97.9 77.0 115.6
 141 31.0 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 107.856 ng
 RT: 9.20 min Scan# 1209
 Delta R.T. -0.01 min
 Lab File: BF101230.D
 Acq: 8 Dec 2017 3:26

Tgt Ion:172 Resp: 475552
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.7 44.5
 170 23.9 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.37 min Scan# 1578
Delta R.T. -0.01 min
Lab File: BF101230.D
Acq: 8 Dec 2017 3:26




Instrument :
BNA_F
ClientSampleId :
120117-TIDO-F-U-B


Tot Ion:188 Resp: 101617
Ion Ratio Lower Upper
188 100
94 7.4 8.5 12.7#
80 9.1 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.01 min
Lab File: BF101230.D
Acq: 8 Dec 2017 3:26

Tgt Ion:240 Resp: 85195
Ion Ratio Lower Upper
240 100
120 10.6 9.5 14.3
236 26.0 20.7 31.1









#78
 Terphenyl-d14
 Concen: 92.161 ng
 RT: 12.96 min Scan# 1848
 Delta R.T. -0.01 min
 Lab File: BF101230.D
 Acq: 8 Dec 2017 3:26

Instrument :
 BNA_F
 ClientSampleId :
 120117-TIDO-F-U-B

Tot Ion:244 Resp: 358972
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 11.0 11.0 16.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.50 min Scan# 2280
 Delta R.T. 0.01 min
 Lab File: BF101230.D
 Acq: 8 Dec 2017 3:26

Tgt Ion:264 Resp: 65544
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.2 28.8
 265 21.5 17.5 26.3

