

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120815\
 Data File : BF083630.D
 Acq On : 9 Dec 2015 9:09
 Operator : UM/IZ
 Sample : G4647-17
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BRIDGE14-9(0-2)

Quant Time: Dec 09 10:25:30 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF120815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 00:23:35 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.70	152	142491	20.00	ng	0.00
21) Naphthalene-d8	7.61	136	519611	20.00	ng	0.00
38) Acenaphthene-d10	10.38	164	220136	20.00	ng	0.00
63) Phenanthrene-d10	12.79	188	334997	20.00	ng	0.00
75) Chrysene-d12	17.00	240	276621	20.00	ng	0.01
86) Perylene-d12	18.64	264	174115	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	3.98	112	894877	95.25	ng	0.01
7) Phenol-d6	5.28	99	1233633	98.28	ng	0.00
23) Nitrobenzene-d5	6.53	82	703208	63.15	ng	0.00
41) 2,4,6-Tribromophenol	11.69	330	158616	80.88	ng	0.00
44) 2-Fluorobiphenyl	9.34	172	786083	50.26	ng	0.00
78) Terphenyl-d14	15.41	244	518688	44.12	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	10.03	163	264012	15.07	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF120815\
Data File : BF083630.D
Acq On : 9 Dec 2015 9:09
Operator : UM/IZ
Sample : G4647-17
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BRIDGE14-9(0-2)

Quant Time: Dec 09 10:25:30 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF120815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 00:23:35 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 5.70 min Scan# 351

Delta R.T. 0.00 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09

Instrument :

BNA_F

ClientSampleId :

BRIDGE14-9(0-2)


Tot Ion:152 Resp: 142491

Ion Ratio Lower Upper

152 100

150 163.3 126.5 189.7




115 67.3 52.3 78.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 95.25 ng

RT: 3.98 min Scan# 201

Delta R.T. 0.01 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09


Tgt Ion:112 Resp: 894877

Ion Ratio Lower Upper

112 100

64 68.2 50.5 75.7



63 35.0 25.8 38.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 98.28 ng

RT: 5.28 min Scan# 314

Delta R.T. 0.00 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09

Instrument :

BNA_F

ClientSampleId :

BRIDGE14-9(0-2)


Tot Ion: 99 Resp: 1233633

Ion Ratio Lower Upper




99 100

42 20.0 17.3 25.9

71 33.1 26.6 40.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.61 min Scan# 518

Delta R.T. 0.00 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09

Tgt Ion: 136 Resp: 519611


Ion Ratio Lower Upper

136 100



137 10.5 8.7 13.1


54 8.6 7.8 11.6

68 6.0 5.7 8.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 63.15 ng
RT: 6.53 min Scan# 424
Delta R.T. 0.00 min
Lab File: BF083630.D
Acq: 9 Dec 2015 9:09




Instrument :
BNA_F
ClientSampleId :
BRIDGE14-9(0-2)


Tot Ion	Ratio	Lower	Upper
82	100		
128	41.1	30.7	46.1
54	49.7	42.5	63.7



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.38 min Scan# 761
Delta R.T. 0.00 min
Lab File: BF083630.D
Acq: 9 Dec 2015 9:09

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.5	78.8	118.2
160	41.7	33.4	50.2









#41
 2,4,6-Tribromophenol
 Concen: 80.88 ng
 RT: 11.69 min Scan# 875
 Delta R.T. 0.00 min
 Lab File: BF083630.D
 Acq: 9 Dec 2015 9:09

Instrument :
 BNA_F
 ClientSampleId :
 BRIDGE14-9(0-2)

Tot Ion:330 Resp: 158616
 Ion Ratio Lower Upper
 330 100
 332 96.3 0.0 0.0#
 141 38.0 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 50.26 ng
 RT: 9.34 min Scan# 670
 Delta R.T. 0.00 min
 Lab File: BF083630.D
 Acq: 9 Dec 2015 9:09

Tgt Ion:172 Resp: 786083
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.6 42.8
 170 23.7 19.4 29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 15.07 ng

RT: 10.03 min Scan# 730

Delta R.T. -0.01 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09

Instrument :

BNA_F

ClientSampleId :

BRIDGE14-9(0-2)


Tot Ion:163 Resp: 264012

Ion Ratio Lower Upper




163 100

194 3.2 2.8 4.2

164 9.9 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.79 min Scan# 971

Delta R.T. 0.00 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09


Tgt Ion:188 Resp: 334997

Ion Ratio Lower Upper



188 100


94 11.6 9.4 14.2

80 13.8 10.6 16.0



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 17.00 min Scan# 1340

Delta R.T. 0.01 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09

Instrument :

BNA_F

ClientSampleId :

BRIDGE14-9(0-2)


Tot Ion:240 Resp: 276621

Ion Ratio Lower Upper

240 100

120 8.9 8.1 12.1




236 24.8 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 44.12 ng

RT: 15.41 min Scan# 1201

Delta R.T. 0.00 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09


Tgt Ion:244 Resp: 518688

Ion Ratio Lower Upper

244 100

212 7.7 6.1 9.1



122 12.8 11.0 16.6






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.00 ng

RT: 18.64 min Scan# 1483

Delta R.T. 0.00 min

Lab File: BF083630.D

Acq: 9 Dec 2015 9:09

Instrument :

BNA_F

ClientSampleId :

BRIDGE14-9(0-2)

Tot Ion:264 Resp: 174115

Ion Ratio Lower Upper

264 100

260 24.6 19.4 29.0

265 21.1 17.8 26.6

