

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF120816\
 Data File : BF091505.D
 Acq On : 8 Dec 2016 16:30
 Operator : UM/SJ
 Sample : H5867-07
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 N002-WD-A5-04-01

Quant Time: Dec 09 00:21:19 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 09 00:14:41 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	137807m	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	593277	20.00	ng	0.00
38) Acenaphthene-d10	9.85	164	290598	20.00	ng	0.00
63) Phenanthrene-d10	11.34	188	633248	20.00	ng	0.00
75) Chrysene-d12	13.97	240	528421	20.00	ng	0.00
86) Perylene-d12	15.37	264	53960	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.43	112	947785	112.35	ng	0.02
7) Phenol-d6	6.46	99	993661	95.69	ng	0.00
23) Nitrobenzene-d5	7.38	82	792411	74.85	ng	0.00
41) 2,4,6-Tribromophenol	10.64	330	398782	144.95	ng	0.00
44) 2-Fluorobiphenyl	9.18	172	1404538	87.51	ng	-0.01
78) Terphenyl-d14	12.93	244	1828651	75.22	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF120816\
Data File : BF091505.D
Acq On : 8 Dec 2016 16:30
Operator : UM/SJ
Sample : H5867-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
N002-WD-A5-04-01

Quant Time: Dec 09 00:21:19 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF112916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 09 00:14:41 2016
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng m
RT: 6.82 min Scan# 397
Delta R.T. 0.00 min
Lab File: BF091505.D
Acq: 8 Dec 2016 16:30

Instrument :
BNA_F
ClientSampleId :
N002-WD-A5-04-01




Tgt Ion:152 Resp: 137807
Ion Ratio Lower Upper
152 100
150 153.7 122.5 183.7
115 50.1 51.8 77.8#




#5

2-Fluorophenol
Concen: 112.35 ng
RT: 5.43 min Scan# 275
Delta R.T. 0.02 min
Lab File: BF091505.D
Acq: 8 Dec 2016 16:30

Tgt Ion:112 Resp: 947785
Ion Ratio Lower Upper
112 100
64 75.6 61.5 92.3
63 40.4 33.3 49.9





#7

Phenol-d6

Concen: 95.69 ng

RT: 6.46 min Scan# 365

Delta R.T. 0.00 min

Lab File: BF091505.D

Acq: 8 Dec 2016 16:30

Instrument :

BNA_F

ClientSampleId :

N002-WD-A5-04-01


Tgt Ion: 99 Resp: 993661

Ion Ratio Lower Upper

99 100

42 23.4 20.6 31.0




71 38.3 29.9 44.9



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.10 min Scan# 509

Delta R.T. -0.00 min

Lab File: BF091505.D

Acq: 8 Dec 2016 16:30

Tgt Ion: 136 Resp: 593277


Ion Ratio Lower Upper

136 100

137 10.8 9.1 13.7

54 8.9 9.1 13.7#

68 4.3 5.9 8.9#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 74.85 ng
 RT: 7.38 min Scan# 446
 Delta R.T. 0.00 min
 Lab File: BF091505.D
 Acq: 8 Dec 2016 16:30

Instrument :
 BNA_F
 ClientSampleId :
 N002-WD-A5-04-01

Tgt Ion: 82 Resp: 792411
 Ion Ratio Lower Upper
 82 100
 128 41.3 31.8 47.6
 54 64.9 49.1 73.7




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.85 min Scan# 662
 Delta R.T. 0.00 min
 Lab File: BF091505.D
 Acq: 8 Dec 2016 16:30

Tgt Ion: 164 Resp: 290598
 Ion Ratio Lower Upper
 164 100
 162 97.1 82.6 124.0
 160 45.5 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): B
 Ion 162.00 (161.70 to 162.70): B
 Ion 160.00 (159.70 to 160.70): B









#41
 2,4,6-Tribromophenol
 Concen: 144.95 ng
 RT: 10.64 min Scan# 731
 Delta R.T. 0.00 min
 Lab File: BF091505.D
 Acq: 8 Dec 2016 16:30

Instrument :
 BNA_F
 ClientSampleId :
 N002-WD-A5-04-01

Tgt Ion:330 Resp: 398782
 Ion Ratio Lower Upper
 330 100
 332 98.1 76.2 114.4
 141 33.7 33.6 50.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.51 ng
 RT: 9.18 min Scan# 603
 Delta R.T. -0.01 min
 Lab File: BF091505.D
 Acq: 8 Dec 2016 16:30

Tgt Ion:172 Resp: 1404538
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.4 44.0
 170 24.4 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.34 min Scan# 792
Delta R.T. 0.00 min
Lab File: BF091505.D
Acq: 8 Dec 2016 16:30

Instrument :
BNA_F
ClientSampleId :
N002-WD-A5-04-01

Tgt Ion:188 Resp: 633248
Ion Ratio Lower Upper
188 100
94 4.5 9.2 13.8#
80 4.8 10.5 15.7#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.97 min Scan# 1022
Delta R.T. 0.00 min
Lab File: BF091505.D
Acq: 8 Dec 2016 16:30

Tgt Ion:240 Resp: 528421
Ion Ratio Lower Upper
240 100
120 5.6 12.1 18.1#
236 26.3 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 75.22 ng
 RT: 12.93 min Scan# 931
 Delta R.T. -0.00 min
 Lab File: BF091505.D
 Acq: 8 Dec 2016 16:30

Instrument :
 BNA_F
 ClientSampleId :
 N002-WD-A5-04-01

Tgt Ion:244 Resp: 1828651
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.5 9.7
 122 10.5 9.5 14.3



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.37 min Scan# 1145
 Delta R.T. -0.01 min
 Lab File: BF091505.D
 Acq: 8 Dec 2016 16:30

Tgt Ion:264 Resp: 53960
 Ion Ratio Lower Upper
 264 100
 260 35.1 18.8 28.2#
 265 21.8 17.0 25.6

