

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120820\
 Data File : BF122591.D
 Acq On : 8 Dec 2020 16:41
 Operator : JU/CG
 Sample : L4971-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 5S1-A-D-COMP

Quant Time: Dec 08 17:13:59 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 07 12:08:49 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	159217	20.00	ng	0.00
21) Naphthalene-d8	8.122	136	635363	20.00	ng	0.00
39) Acenaphthene-d10	9.880	164	328259	20.00	ng	0.00
64) Phenanthrene-d10	11.368	188	549341	20.00	ng	0.00
76) Chrysene-d12	14.009	240	388526	20.00	ng	0.00
86) Perylene-d12	15.474	264	394727	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	891806	88.68	ng	0.00
7) Phenol-d6	6.469	99	1111023	83.30	ng	-0.01
23) Nitrobenzene-d5	7.398	82	667731	52.65	ng	-0.01
42) 2,4,6-Tribromophenol	10.669	330	307742	71.62	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	1161543	47.86	ng	0.00
79) Terphenyl-d14	12.957	244	991069	44.65	ng	0.00
Target Compounds						
10) Phenol	6.481	94	49152	3.56	ng	88
50) Dimethylphthalate	9.592	163	164062	6.26	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120820\
Data File : BF122591.D
Acq On : 8 Dec 2020 16:41
Operator : JU/CG
Sample : L4971-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP


Quant Time: Dec 08 17:13:59 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 07 12:08:49 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.839 min Scan# 808
Delta R.T. -0.001 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41


Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP





Tgt Ion:152 Resp: 159217
Ion Ratio Lower Upper
152 100
150 155.5 125.8 188.6
115 58.4 49.3 73.9



#5
2-Fluorophenol
Concen: 88.68 ng
RT: 5.457 min Scan# 573
Delta R.T. -0.000 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41



Tgt Ion:112 Resp: 891806
Ion Ratio Lower Upper
112 100
64 57.1 46.9 70.3
63 29.3 24.5 36.7









#7
Phenol-d6
Concen: 83.30 ng
RT: 6.469 min Scan# 745
Delta R.T. -0.012 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41




Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP


Tgt Ion: 99 Resp: 1111023
Ion Ratio Lower Upper
99 100
42 17.7 13.8 20.6
71 35.1 26.9 40.3



#10
Phenol
Concen: 3.56 ng
RT: 6.481 min Scan# 747
Delta R.T. -0.012 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41


Tgt Ion: 94 Resp: 49152
Ion Ratio Lower Upper
94 100
65 26.3 11.2 51.2
66 36.9 25.8 65.8








#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.122 min Scan# 1026
Delta R.T. -0.006 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP







Tgt Ion:136 Resp: 635363
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 7.3 5.5 8.3
68 6.0 4.6 6.8



#23
Nitrobenzene-d5
Concen: 52.65 ng
RT: 7.398 min Scan# 903
Delta R.T. -0.012 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Tgt Ion: 82 Resp: 667731
Ion Ratio Lower Upper
82 100
128 45.2 37.0 55.4
54 48.4 38.4 57.6









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.880 min Scan# 1325
Delta R.T. -0.001 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41




Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP


Tgt Ion:164 Resp: 328259
Ion Ratio Lower Upper
164 100
162 105.3 80.8 121.2
160 45.4 35.4 53.0



#42
2,4,6-Tribromophenol
Concen: 71.62 ng
RT: 10.669 min Scan# 1459
Delta R.T. -0.006 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Tgt Ion:330 Resp: 307742
Ion Ratio Lower Upper
330 100
332 95.9 77.5 116.3
141 30.3 23.8 35.8









#45
2-Fluorobiphenyl
Concen: 47.86 ng
RT: 9.198 min Scan# 1209
Delta R.T. -0.006 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41




Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP


Tgt Ion:172 Resp: 1161543
Ion Ratio Lower Upper
172 100
171 35.8 29.6 44.4
170 24.0 19.5 29.3



#50
Dimethylphthalate
Concen: 6.26 ng
RT: 9.592 min Scan# 1276
Delta R.T. -0.018 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Tgt Ion:163 Resp: 164062
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.0
164 10.0 8.1 12.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.368 min Scan# 1578
Delta R.T. -0.000 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41




Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP


Tgt Ion:188 Resp: 549341
Ion Ratio Lower Upper
188 100
94 8.7 7.4 11.2
80 8.9 8.2 12.4



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.009 min Scan# 2027
Delta R.T. -0.000 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Tgt Ion:240 Resp: 388526
Ion Ratio Lower Upper
240 100
120 9.7 8.6 12.8
236 25.3 20.3 30.5









#79
Terphenyl-d14
Concen: 44.65 ng
RT: 12.957 min Scan# 1848
Delta R.T. -0.000 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Instrument :
BNA_F
ClientSampleId :
5S1-A-D-COMP

Tgt Ion:244	Resp: 991069
Ion Ratio	Lower Upper
244 100	
212 7.0	5.7 8.5
122 9.6	8.3 12.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.474 min Scan# 2276
Delta R.T. 0.006 min
Lab File: BF122591.D
Acq: 8 Dec 2020 16:41

Tgt	Ion:264	Resp:	394727
Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.6	28.0
265	20.9	17.0	25.6

