

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121124\
 Data File : BF140826.D
 Acq On : 11 Dec 2024 13:50
 Operator : RC/JU
 Sample : PB165479BS
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB165479BS

Manual Integrations
 APPROVED

Reviewed By :Yogesh
 Patel

Quant Time: Dec 11 15:19:47 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 21 15:23:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
Internal Standards							12/12/2024
1) 1,4-Dichlorobenzene-d4	6.857	152	64155	20.000	ng	-0.02	Supervised By :mohammad anned
21) Naphthalene-d8	8.139	136	247154	20.000	ng	-0.02	
39) Acenaphthene-d10	9.898	164	137749	20.000	ng	-0.02	
64) Phenanthrene-d10	11.392	188	286980	20.000	ng	-0.01	
76) Chrysene-d12	14.051	240	186089	20.000	ng	0.00	
86) Perylene-d12	15.545	264	130608	20.000	ng	0.00	12/12/2024
System Monitoring Compounds							
5) 2-Fluorophenol	5.510	112	364436	96.922	ng	0.01	
7) Phenol-d6	6.516	99	469388	94.427	ng	0.00	
23) Nitrobenzene-d5	7.428	82	444588	92.011	ng	-0.01	
42) 2,4,6-Tribromophenol	10.698	330	162117	110.041	ng	0.00	
45) 2-Fluorobiphenyl	9.216	172	916110	99.090	ng	-0.02	
79) Terphenyl-d14	12.980	244	1190614	99.627	ng	-0.01	
Target Compounds							Qvalue
2) 1,4-Dioxane	2.722	88	63880	40.407	ng		99
3) Pyridine	3.516	79	147173	42.311	ng		100
4) n-Nitrosodimethylamine	3.451	42	92320	45.158	ng		100
6) Aniline	6.528	93	160995	46.014	ng	#	53
8) 2-Chlorophenol	6.657	128	205091	50.699	ng		94
9) Benzaldehyde	6.434	77	1416	0.538	ng		91
10) Phenol	6.528	94	252956	49.828	ng		92
11) bis(2-Chloroethyl)ether	6.598	93	184766	47.562	ng		99
12) 1,3-Dichlorobenzene	6.798	146	213250	46.915	ng		99
13) 1,4-Dichlorobenzene	6.875	146	217924	47.349	ng		100
14) 1,2-Dichlorobenzene	7.028	146	206575	47.899	ng		99
15) Benzyl Alcohol	7.016	79	185948	50.442	ng		98
16) 2,2'-oxybis(1-Chloropr...	7.134	45	219093	47.739	ng	#	55
17) 2-Methylphenol	7.128	107	161007	49.721	ng		93
18) Hexachloroethane	7.369	117	82303	47.879	ng		98
19) n-Nitroso-di-n-propyla...	7.281	70	147321	50.147	ng		96
20) 3+4-Methylphenols	7.281	107	210706	50.624	ng		94
22) Acetophenone	7.275	105	286061	47.475	ng		96
24) Nitrobenzene	7.445	77	220685	44.191	ng		99
25) Isophorone	7.692	82	399424	49.561	ng		99
26) 2-Nitrophenol	7.763	139	108761	49.144	ng		100
27) 2,4-Dimethylphenol	7.804	122	188338m	71.127	ng		
28) bis(2-Chloroethoxy)met...	7.892	93	234365	47.735	ng		99
29) 2,4-Dichlorophenol	8.016	162	173205	49.365	ng		98
30) 1,2,4-Trichlorobenzene	8.081	180	185720	46.359	ng		100
31) Naphthalene	8.163	128	594536	46.701	ng		99
32) Benzoic acid	7.963	122	125225	53.394	ng		99
33) 4-Chloroaniline	8.222	127	130629	34.271	ng		98
34) Hexachlorobutadiene	8.275	225	125381	47.252	ng		99
35) Caprolactam	8.610	113	53629m	49.390	ng		
36) 4-Chloro-3-methylphenol	8.716	107	195130	49.671	ng		100
37) 2-Methylnaphthalene	8.857	142	392497	48.541	ng		100
38) 1-Methylnaphthalene	8.957	142	368877	46.541	ng		100
40) 1,2,4,5-Tetrachloroben...	9.022	216	199620	49.501	ng		99
41) Hexachlorocyclopentadiene	9.004	237	94732	102.276	ng		99
43) 2,4,6-Trichlorophenol	9.145	196	127358	50.331	ng		99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121124\
 Data File : BF140826.D
 Acq On : 11 Dec 2024 13:50
 Operator : RC/JU
 Sample : PB165479BS
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB165479BS

Manual Integrations
 APPROVED

Reviewed By :Yogesh
 Patel

Quant Time: Dec 11 15:19:47 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 21 15:23:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.198	196	131765	47.980	ng	97
46) 1,1'-Biphenyl	9.322	154	497780	48.401	ng	100
47) 2-Chloronaphthalene	9.345	162	376909	48.367	ng	99
48) 2-Nitroaniline	9.451	65	125300	50.093	ng	99
49) Acenaphthylene	9.763	152	597448	50.742	ng	99
50) Dimethylphthalate	9.622	163	469434	51.745	ng	100
51) 2,6-Dinitrotoluene	9.692	165	103889	50.493	ng	98
52) Acenaphthene	9.933	154	369158	49.344	ng	100
53) 3-Nitroaniline	9.869	138	76783	38.156	ng	97
54) 2,4-Dinitrophenol	9.986	184	116534	106.490	ng	97
55) Dibenzofuran	10.110	168	571627	50.093	ng	99
56) 4-Nitrophenol	10.057	139	127790	93.114	ng	99
57) 2,4-Dinitrotoluene	10.104	165	141990	51.926	ng	# 91
58) Fluorene	10.451	166	473633	51.709	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.233	232	125036	59.243	ng	92
60) Diethylphthalate	10.322	149	483738	52.481	ng	100
61) 4-Chlorophenyl-phenyle...	10.439	204	232395	51.699	ng	99
62) 4-Nitroaniline	10.492	138	106279m	50.356	ng	
63) Azobenzene	10.604	77	436222	49.975	ng	99
65) 4,6-Dinitro-2-methylph...	10.522	198	82784	56.451	ng	93
66) n-Nitrosodiphenylamine	10.563	169	415915	49.008	ng	99
67) 4-Bromophenyl-phenylether	10.933	248	142761	48.304	ng	95
68) Hexachlorobenzene	11.004	284	160645	46.943	ng	100
69) Atrazine	11.092	200	127803	53.530	ng	98
70) Pentachlorophenol	11.210	266	135328	89.850	ng	99
71) Phenanthrene	11.422	178	692667	50.212	ng	99
72) Anthracene	11.474	178	689907	51.127	ng	100
73) Carbazole	11.633	167	661186	50.934	ng	100
74) Di-n-butylphthalate	11.945	149	774504	51.679	ng	100
75) Fluoranthene	12.610	202	780578	52.116	ng	100
77) Benzidine	12.739	184	71882	13.286	ng	100
78) Pyrene	12.845	202	791731	46.014	ng	99
80) Butylbenzylphthalate	13.451	149	304308	49.095	ng	100
81) Benzo(a)anthracene	14.039	228	626272	50.841	ng	100
82) 3,3'-Dichlorobenzidine	13.998	252	147964	40.007	ng	99
83) Chrysene	14.074	228	546406	48.510	ng	99
84) Bis(2-ethylhexyl)phtha...	14.010	149	358606	45.818	ng	99
85) Di-n-octyl phthalate	14.633	149	462427	43.233	ng	97
87) Indeno(1,2,3-cd)pyrene	17.068	276	465094	54.642	ng	100
88) Benzo(b)fluoranthene	15.110	252	466652	56.883	ng	99
89) Benzo(k)fluoranthene	15.139	252	414629	57.756	ng	100
90) Benzo(a)pyrene	15.480	252	369440	55.386	ng	100
91) Dibenzo(a,h)anthracene	17.074	278	389347	55.855	ng	100
92) Benzo(g,h,i)perylene	17.527	276	379688	53.378	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121124\
Data File : BF140826.D
Acq On : 11 Dec 2024 13:50
Operator : RC/JU
Sample : PB165479BS
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Quant Time: Dec 11 15:19:47 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 21 15:23:48 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh
Patel





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 81
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:152 Resp: 6415
Ion Ratio Lower Upper
152 100
150 158.7 128.5 192.7
115 64.7 50.2 75.4


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#2
1,4-Dioxane
Concen: 40.407 ng
RT: 2.722 min Scan# 107
Delta R.T. 0.071 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion: 88 Resp: 63880
Ion Ratio Lower Upper
88 100
58 72.2 57.4 86.2
43 30.0 24.3 36.5







#3
Pyridine
Concen: 42.311 ng
RT: 3.516 min Scan# 242
Delta R.T. 0.094 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Tgt Ion: 79 Resp: 14717
Ion Ratio Lower Upper
79 100
52 65.4 52.1 78.1
51 35.1 27.8 41.8



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#4
n-Nitrosodimethylamine
Concen: 45.158 ng
RT: 3.451 min Scan# 231
Delta R.T. 0.071 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion: 42 Resp: 92320
Ion Ratio Lower Upper
42 100
74 117.5 93.8 140.6
44 6.2 4.6 6.8





#5
2-Fluorophenol
Concen: 96.922 ng
RT: 5.510 min Scan# 51
Delta R.T. 0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:112 Resp: 364436
Ion Ratio Lower Upper
112 100
64 59.9 49.2 73.8
63 32.4 27.0 40.4



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#6
Aniline
Concen: 46.014 ng
RT: 6.528 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion: 93 Resp: 160995
Ion Ratio Lower Upper
93 100
66 111.1 56.5 84.7#
65 67.7 32.9 49.3#





#7
Phenol-d6
Concen: 94.427 ng
RT: 6.516 min Scan# 714
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion: 99 Resp: 469388
Ion Ratio Lower Upper
99 100
42 18.8 15.4 23.0
71 38.3 30.6 46.0


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#8
2-Chlorophenol
Concen: 50.699 ng
RT: 6.657 min Scan# 776
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:128 Resp: 205091
Ion Ratio Lower Upper
128 100
130 33.6 12.3 52.3
64 44.5 30.2 70.2







#9
Benzaldehyde
Concen: 0.538 ng
RT: 6.434 min Scan# 737
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Tgt Ion: 77 Resp: 1410
Ion Ratio Lower Upper
77 100
105 94.3 75.6 115.6
106 75.7 72.0 112.0



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#10
Phenol
Concen: 49.828 ng
RT: 6.528 min Scan# 754
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion: 94 Resp: 252956
Ion Ratio Lower Upper
94 100
65 40.6 17.2 57.2
66 66.6 39.2 79.2







#11
bis(2-Chloroethyl)ether
Concen: 47.562 ng
RT: 6.598 min Scan# 768
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Tgt Ion: 93 Resp: 184760
Ion Ratio Lower Upper
93 100
63 72.4 52.8 92.8
95 33.0 12.3 52.3



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#12
1,3-Dichlorobenzene
Concen: 46.915 ng
RT: 6.798 min Scan# 800
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:146 Resp: 213250
Ion Ratio Lower Upper
146 100
148 63.5 51.3 76.9
75 35.1 28.2 42.2







#13
1,4-Dichlorobenzene
Concen: 47.349 ng
RT: 6.875 min Scan# 816
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Tgt Ion:146 Resp: 217924
Ion Ratio Lower Upper
146 100
148 63.8 51.0 76.6
111 43.9 35.3 52.9



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#14
1,2-Dichlorobenzene
Concen: 47.899 ng
RT: 7.028 min Scan# 839
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion:146 Resp: 206575
Ion Ratio Lower Upper
146 100
148 64.1 50.5 75.7
111 46.7 36.7 55.1





#15
Benzyl Alcohol
Concen: 50.442 ng
RT: 7.016 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion: 79 Resp: 18594
Ion Ratio Lower Upper
79 100
108 70.4 55.0 82.6
77 63.7 50.1 75.1


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#16
2,2'-oxybis(1-Chloropropane)
Concen: 47.739 ng
RT: 7.134 min Scan# 857
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion: 45 Resp: 219093
Ion Ratio Lower Upper
45 100
77 54.7 10.7 50.7#
79 51.0 7.0 47.0#






#17
2-Methylphenol
Concen: 49.721 ng
RT: 7.128 min Scan# 810
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :


PB165479BS



Tgt Ion:107 Resp: 16100
Ion Ratio Lower Upper
107 100
108 111.1 91.7 137.5
77 69.6 49.3 73.9
79 66.1 47.1 70.7


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#18
Hexachloroethane
Concen: 47.879 ng
RT: 7.369 min Scan# 897
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:117 Resp: 82303
Ion Ratio Lower Upper
117 100
119 95.0 77.1 115.7
201 104.6 81.1 121.7






#19
n-Nitroso-di-n-propylamine
Concen: 50.147 ng
RT: 7.281 min Scan# 882
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion: 70 Resp: 14732
Ion Ratio Lower Upper
70 100
42 56.9 47.6 71.4
101 10.0 7.6 11.4
130 22.5 16.2 24.4


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024



#20
3+4-Methylphenols
Concen: 50.624 ng
RT: 7.281 min Scan# 882
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:107 Resp: 210706
Ion Ratio Lower Upper
107 100
108 89.2 69.9 109.9
77 124.2 117.7 157.7
79 32.0 13.4 53.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.139 min Scan# 1031
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:136 Resp: 247154
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 6.9 5.8 8.8
68 4.9 4.1 6.1



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#22
Acetophenone
Concen: 47.475 ng
RT: 7.275 min Scan# 881
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:105 Resp: 286061
Ion Ratio Lower Upper
105 100
71 7.5 6.2 9.2
51 32.9 29.0 43.6
120 21.2 17.4 26.0





#23

Nitrobenzene-d5

Concen: 92.011 ng

RT: 7.428 min Scan# 90

Delta R.T. -0.012 min

Lab File: BF140826.D


Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :

PB165479BS




Tgt Ion: 82 Resp: 444588

Ion	Ratio	Lower	Upper
82	100		
128	42.4	33.0	49.4
54	49.0	39.5	59.3



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel



12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#24

Nitrobenzene

Concen: 44.191 ng

RT: 7.445 min Scan# 910




Delta R.T. -0.012 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50

Tgt Ion: 77 Resp: 220685

Ion	Ratio	Lower	Upper
77	100		
123	43.7	34.3	51.5
65	14.4	11.2	16.8





#25
Isophorone
Concen: 49.561 ng
RT: 7.692 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion: 82 Resp: 399424
Ion Ratio Lower Upper
82 100
95 8.1 6.4 9.6
138 17.5 13.8 20.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#26
2-Nitrophenol
Concen: 49.144 ng
RT: 7.763 min Scan# 964
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:139 Resp: 108761
Ion Ratio Lower Upper
139 100
109 35.2 28.0 42.0
65 55.7 44.6 67.0





#27
2,4-Dimethylphenol
Concen: 71.127 ng m
RT: 7.804 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:122 Resp: 188338
Ion Ratio Lower Upper
122 100
107 120.6 96.8 145.2
121 58.2 47.4 71.0



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#28
bis(2-Chloroethoxy)methane
Concen: 47.735 ng
RT: 7.892 min Scan# 986
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion: 93 Resp: 234365
Ion Ratio Lower Upper
93 100
95 31.9 26.1 39.1
123 11.2 9.1 13.7





#29

2,4-Dichlorophenol

Concen: 49.365 ng

RT: 8.016 min Scan# 1018

Delta R.T. -0.000 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :

PB165479BS

Tgt Ion:162 Resp: 17320

Ion Ratio Lower Upper

162 100

164 64.5 44.8 84.8



98 38.6 21.2 61.2

Manual Integrations

APPROVED

Reviewed By :Yogesh



Patel



12/12/2024

Supervised By :mohammad
ahmed

12/12/2024



#30

1,2,4-Trichlorobenzene

Concen: 46.359 ng

RT: 8.081 min Scan# 1018

Delta R.T. -0.018 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50




Tgt Ion:180 Resp: 185720


Ion Ratio Lower Upper

180 100

182 95.8 76.4 114.6

145 32.1 25.9 38.9






#31
Naphthalene
Concen: 46.701 ng
RT: 8.163 min Scan# 1032
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion:128 Resp: 594530
Ion Ratio Lower Upper
128 100
129 11.2 8.6 13.0
127 13.2 10.8 16.2


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024



#32
Benzoic acid
Concen: 53.394 ng
RT: 7.963 min Scan# 998
Delta R.T. 0.024 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:122 Resp: 125225
Ion Ratio Lower Upper
122 100
105 129.1 109.3 149.3
77 100.5 82.3 122.3





#33
4-Chloroaniline
Concen: 34.271 ng
RT: 8.222 min Scan# 1042
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:127 Resp: 130629
Ion Ratio Lower Upper
127 100
129 31.6 26.0 39.0
65 30.2 26.0 39.0
92 20.9 16.7 25.1



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#34
Hexachlorobutadiene
Concen: 47.252 ng
RT: 8.275 min Scan# 1051
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion:225 Resp: 125381
Ion Ratio Lower Upper
225 100
223 61.6 49.8 74.8
227 63.5 51.3 76.9





#35
Caprolactam
Concen: 49.390 ng m
RT: 8.610 min Scan# 1108
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:113 Resp: 53629
Ion Ratio Lower Upper
113 100
55 147.1 137.7 177.7
56 125.5 106.4 146.4


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#36
4-Chloro-3-methylphenol
Concen: 49.671 ng
RT: 8.716 min Scan# 1126
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:107 Resp: 195130
Ion Ratio Lower Upper
107 100
144 23.3 18.7 28.1
142 73.0 58.3 87.5





#37
2-Methylnaphthalene
Concen: 48.541 ng
RT: 8.857 min Scan# 1152
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:142 Resp: 392497
Ion Ratio Lower Upper
142 100
141 89.0 71.0 106.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#38
1-Methylnaphthalene
Concen: 46.541 ng
RT: 8.957 min Scan# 1167
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:142 Resp: 368877
Ion Ratio Lower Upper
142 100
141 91.5 73.3 109.9






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1177
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion:164 Resp: 137749
Ion Ratio Lower Upper
164 100
162 99.3 80.6 120.8
160 44.9 36.2 54.4


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024



#40
1,2,4,5-Tetrachlorobenzene
Concen: 49.501 ng
RT: 9.022 min Scan# 1178
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:216 Resp: 199620
Ion Ratio Lower Upper
216 100
214 78.6 63.0 94.4
179 21.1 17.5 26.3
108 18.6 14.7 22.1





#41
Hexachlorocyclopentadiene
Concen: 102.276 ng
RT: 9.004 min Scan# 1175
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:237 Resp: 94732
Ion Ratio Lower Upper
237 100
235 59.9 41.1 81.1
272 13.0 0.0 32.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#42
2,4,6-Tribromophenol
Concen: 110.041 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:330 Resp: 162117
Ion Ratio Lower Upper
330 100
332 95.0 76.9 115.3
141 32.1 26.7 40.1





#43
2,4,6-Trichlorophenol
Concen: 50.331 ng
RT: 9.145 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:196 Resp: 127358
Ion Ratio Lower Upper
196 100
198 95.0 76.8 115.2
200 29.9 24.3 36.5



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#44
2,4,5-Trichlorophenol
Concen: 47.980 ng
RT: 9.198 min Scan# 1208
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:196 Resp: 131765
Ion Ratio Lower Upper
196 100
198 95.0 77.2 115.8
97 55.4 47.1 70.7
132 28.5 24.1 36.1






#45
2-Fluorobiphenyl
Concen: 99.090 ng
RT: 9.216 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion:172 Resp: 916110
Ion Ratio Lower Upper
172 100
171 35.7 28.4 42.6
170 23.5 19.0 28.6


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#46
1,1'-Biphenyl
Concen: 48.401 ng
RT: 9.322 min Scan# 1229
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:154 Resp: 497780
Ion Ratio Lower Upper
154 100
153 40.5 20.4 60.4
76 10.9 0.0 31.2





#47
2-Chloronaphthalene
Concen: 48.367 ng
RT: 9.345 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:162 Resp: 376909
Ion Ratio Lower Upper
162 100
127 44.0 35.7 53.5
164 32.6 26.1 39.1



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#48
2-Nitroaniline
Concen: 50.093 ng
RT: 9.451 min Scan# 1251
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion: 65 Resp: 125300
Ion Ratio Lower Upper
65 100
92 71.8 56.1 84.1
138 101.3 81.0 121.6





#49
Acenaphthylene
Concen: 50.742 ng
RT: 9.763 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:152 Resp: 59744
Ion Ratio Lower Upper
152 100
151 20.5 15.9 23.9
153 13.4 10.6 16.0



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#50
Dimethylphthalate
Concen: 51.745 ng
RT: 9.622 min Scan# 1280
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:163 Resp: 469434
Ion Ratio Lower Upper
163 100
194 3.9 3.1 4.7
164 10.1 8.2 12.2






#51
2,6-Dinitrotoluene
Concen: 50.493 ng
RT: 9.692 min Scan# 1293
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion:165 Resp: 103889
Ion Ratio Lower Upper
165 100
63 63.6 49.9 74.9
89 61.6 50.9 76.3


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#52
Acenaphthene
Concen: 49.344 ng
RT: 9.933 min Scan# 1333
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:154 Resp: 369158
Ion Ratio Lower Upper
154 100
153 112.7 89.7 134.5
152 53.0 42.5 63.7





#53
3-Nitroaniline
Concen: 38.156 ng
RT: 9.869 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:138 Resp: 7678
Ion Ratio Lower Upper
138 100
108 12.0 9.2 13.8
92 122.0 100.6 150.8



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#54
2,4-Dinitrophenol
Concen: 106.490 ng
RT: 9.986 min Scan# 1342
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion:184 Resp: 116534
Ion Ratio Lower Upper
184 100
63 64.9 54.1 81.1
154 69.1 57.4 86.0





#55
Dibenzenofuran
Concen: 50.093 ng
RT: 10.110 min Scan# 1363
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:168 Resp: 57162
Ion Ratio Lower Upper
168 100
139 39.9 31.3 46.9
169 13.4 10.5 15.7


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#56
4-Nitrophenol
Concen: 93.114 ng
RT: 10.057 min Scan# 1354
Delta R.T. 0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:139 Resp: 127790
Ion Ratio Lower Upper
139 100
109 87.5 68.4 108.4
65 109.4 88.6 128.6






#57
2,4-Dinitrotoluene
Concen: 51.926 ng
RT: 10.104 min Scan# 141990
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion:165 Resp: 141990
Ion Ratio Lower Upper
165 100
63 64.2 41.7 62.5
89 85.4 65.8 98.8
182 2.8 2.1 3.1


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024



#58
Fluorene
Concen: 51.709 ng
RT: 10.451 min Scan# 1421
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50




Tgt Ion:166 Resp: 473633
Ion Ratio Lower Upper
166 100
165 94.2 74.6 111.8
167 13.5 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 59.243 ng
RT: 10.233 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:232 Resp: 125030
Ion Ratio Lower Upper
232 100
131 43.4 39.6 59.4
130 2.4 1.9 2.9
166 27.3 25.3 37.9


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#60
Diethylphthalate
Concen: 52.481 ng
RT: 10.322 min Scan# 1399
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion:149 Resp: 483738
Ion Ratio Lower Upper
149 100
177 21.3 17.1 25.7
150 12.9 10.1 15.1





#61
4-Chlorophenyl-phenylether
Concen: 51.699 ng
RT: 10.439 min Scan# 1419
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:204 Resp: 23239
Ion Ratio Lower Upper
204 100
206 33.3 26.6 40.0
141 62.9 51.1 76.7


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#62
4-Nitroaniline
Concen: 50.356 ng m
RT: 10.492 min Scan# 1428
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:138 Resp: 106279
Ion Ratio Lower Upper
138 100
92 52.4 34.5 74.5
108 90.9 70.6 110.6






#63
Azobenzene
Concen: 49.975 ng
RT: 10.604 min Scan# 1449
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion: 77 Resp: 436222
Ion Ratio Lower Upper
77 100
182 26.5 5.3 45.3
105 21.0 0.3 40.3
51 29.6 9.4 49.4


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 1581
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:188 Resp: 286980
Ion Ratio Lower Upper
188 100
94 7.7 6.4 9.6
80 8.5 6.9 10.3







#65
4,6-Dinitro-2-methylphenol
Concen: 56.451 ng
RT: 10.522 min Scan# 1432
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Tgt Ion:198 Resp: 82784
Ion Ratio Lower Upper
198 100
51 43.6 29.4 69.4
105 41.3 25.4 65.4



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#66
n-Nitrosodiphenylamine
Concen: 49.008 ng
RT: 10.563 min Scan# 1440
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion:169 Resp: 415915
Ion Ratio Lower Upper
169 100
168 65.3 53.2 79.8
167 36.1 29.0 43.6





#67
4-Bromophenyl-phenylether
Concen: 48.304 ng
RT: 10.933 min Scan# 1503
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:248 Resp: 14276
Ion Ratio Lower Upper
248 100
250 96.9 79.8 119.8
141 74.5 64.7 97.1


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#68
Hexachlorobenzene
Concen: 46.943 ng
RT: 11.004 min Scan# 1515
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:284 Resp: 160645
Ion Ratio Lower Upper
284 100
142 31.4 25.3 37.9
249 31.1 24.8 37.2





#69

Atrazine

Concen: 53.530 ng

RT: 11.092 min Scan# 1530

Delta R.T. -0.006 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :

PB165479BS

Tgt Ion:200 Resp: 12780

Ion Ratio Lower Upper

200 100

173 27.5 7.0 47.0



215 48.0 26.7 66.7

Manual Integrations

APPROVED

Reviewed By :Yogesh



Patel



12/12/2024

Supervised By :mohammad
ahmed

12/12/2024



#70

Pentachlorophenol

Concen: 89.850 ng

RT: 11.210 min Scan# 1550

Delta R.T. -0.000 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50




Tgt Ion:266 Resp: 135328


Ion Ratio Lower Upper

266 100

268 67.9 53.7 80.5

264 62.8 49.8 74.8







#71
Phenanthrene
Concen: 50.212 ng
RT: 11.422 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :
BNA_F
ClientSampleId :
PB165479BS

Tgt Ion:178 Resp: 69266
Ion Ratio Lower Upper
178 100
176 19.2 15.8 23.6
179 15.2 12.4 18.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#72
Anthracene
Concen: 51.127 ng
RT: 11.474 min Scan# 1595
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50


Tgt Ion:178 Resp: 689907
Ion Ratio Lower Upper
178 100
176 18.9 15.0 22.4
179 15.2 12.2 18.4





#73
Carbazole
Concen: 50.934 ng
RT: 11.633 min Scan# 1622
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:167 Resp: 661180
Ion Ratio Lower Upper
167 100
166 21.6 17.2 25.8
139 13.2 10.6 15.8


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#74
Di-n-butylphthalate
Concen: 51.679 ng
RT: 11.945 min Scan# 1675
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50




Tgt Ion:149 Resp: 774504
Ion Ratio Lower Upper
149 100
150 9.4 7.5 11.3
104 5.1 4.1 6.1





#75
Fluoranthene
Concen: 52.116 ng
RT: 12.610 min Scan# 1788
Delta R.T. -0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:202 Resp: 780578
Ion Ratio Lower Upper
202 100
101 9.3 0.0 28.9
203 17.6 0.0 37.6


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50




Tgt Ion:240 Resp: 186089
Ion Ratio Lower Upper
240 100
120 8.3 7.3 10.9
236 25.8 20.6 31.0





#77
Benzidine
Concen: 13.286 ng
RT: 12.739 min Scan# 1810
Delta R.T. 0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:184 Resp: 7188
Ion Ratio Lower Upper
184 100
185 14.6 11.7 17.5
183 11.1 8.8 13.2


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#78
Pyrene
Concen: 46.014 ng
RT: 12.845 min Scan# 1828
Delta R.T. -0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:202 Resp: 791731
Ion Ratio Lower Upper
202 100
200 19.9 16.5 24.7
203 17.6 14.2 21.4





#79

Terphenyl-d14

Concen: 99.627 ng

RT: 12.980 min Scan# 1851

Delta R.T. -0.012 min

Lab File: BF140826.D


Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :

PB165479BS



Tgt Ion:244 Resp: 1190614

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8



122 9.9 8.0 12.0

Manual Integrations

APPROVED

Reviewed By :Yogesh


Patel



12/12/2024

Supervised By :mohammad
ahmed

12/12/2024



#80

Butylbenzylphthalate

Concen: 49.095 ng

RT: 13.451 min Scan# 1931

Delta R.T. -0.012 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50




Tgt Ion:149 Resp: 304308


Ion Ratio Lower Upper

149 100

91 69.8 56.2 84.2


206 20.6 16.4 24.6





#81
Benzo(a)anthracene
Concen: 50.841 ng
RT: 14.039 min Scan# 2031
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:228 Resp: 626272
Ion Ratio Lower Upper
228 100
226 27.3 21.8 32.8
229 19.5 15.8 23.6


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024



#82
3,3'-Dichlorobenzidine
Concen: 40.007 ng
RT: 13.998 min Scan# 2024
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:252 Resp: 147964
Ion Ratio Lower Upper
252 100
254 63.7 50.8 76.2
126 9.8 8.6 13.0





#83

Chrysene

Concen: 48.510 ng

RT: 14.074 min Scan# 2038

Delta R.T. -0.006 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:	228	Resp:	546400
Ion Ratio	Lower	Upper	
228	100		
226	30.0	24.4	36.6
229	19.6	15.8	23.6



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel



12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#84

Bis(2-ethylhexyl)phthalate

Concen: 45.818 ng




RT: 14.010 min Scan# 2026


Delta R.T. -0.006 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50


Tgt Ion:	149	Resp:	358606
Ion Ratio	Lower	Upper	
149	100		
167	27.1	21.2	31.8
279	4.4	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 43.233 ng
RT: 14.633 min Scan# 2132
Delta R.T. -0.000 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Instrument :
BNA_F
ClientSampleId :
PB165479BS



Tgt Ion:149 Resp: 46242
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 8.5 7.7 11.5


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel






12/12/2024
Supervised By :mohammad
ahmed


12/12/2024



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.545 min Scan# 2287
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:264 Resp: 130608
Ion Ratio Lower Upper
264 100
260 24.0 19.0 28.6
265 21.8 16.6 25.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 54.642 ng

RT: 17.068 min Scan# 2110

Delta R.T. 0.018 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:276 Resp: 465094
 Ion Ratio Lower Upper
 276 100
 138 19.4 15.5 23.3
 277 25.3 20.1 30.1



Manual Integrations
 APPROVED

Reviewed By :Yogesh
 Patel



12/12/2024
 Supervised By :mohammad
 ahmed

12/12/2024



#88

Benzo(b)fluoranthene

Concen: 56.883 ng




RT: 15.110 min Scan# 2213


Delta R.T. 0.006 min

Lab File: BF140826.D

Acq: 11 Dec 2024 13:50

Tgt Ion:252 Resp: 466652
 Ion Ratio Lower Upper
 252 100
 253 22.0 17.2 25.8
 125 7.9 6.7 10.1






#89
Benzo(k)fluoranthene
Concen: 57.756 ng
RT: 15.139 min Scan# 2217
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F

ClientSampleId :



PB165479BS



Tgt Ion:252 Resp: 414629
Ion Ratio Lower Upper
252 100
253 22.0 17.5 26.3
125 7.9 6.5 9.7


Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel




12/12/2024
Supervised By :mohammad
ahmed



12/12/2024




#90
Benzo(a)pyrene
Concen: 55.386 ng
RT: 15.480 min Scan# 2276
Delta R.T. 0.006 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50



Tgt Ion:252 Resp: 369440
Ion Ratio Lower Upper
252 100
253 21.7 17.3 25.9
125 9.2 7.0 10.6





#91
Dibenzo(a,h)anthracene
Concen: 55.855 ng
RT: 17.074 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Instrument :

BNA_F



ClientSampleId :

PB165479BS

Tgt Ion:278 Resp: 38934
Ion Ratio Lower Upper
278 100
139 12.8 10.2 15.4
279 23.8 18.9 28.3



Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel



12/12/2024
Supervised By :mohammad
ahmed

12/12/2024



#92
Benzo(g,h,i)perylene
Concen: 53.378 ng
RT: 17.527 min Scan# 2624
Delta R.T. 0.018 min
Lab File: BF140826.D
Acq: 11 Dec 2024 13:50

Tgt Ion:276 Resp: 379688
Ion Ratio Lower Upper
276 100
277 23.2 18.9 28.3
138 15.3 13.2 19.8

