

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121322\
 Data File : BF131623.D
 Acq On : 13 Dec 2022 20:56
 Operator : CG\JU
 Sample : N5999-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-20

Quant Time: Dec 14 03:35:43 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 14 03:22:29 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	54801	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	198875	20.000	ng	# 0.00
39) Acenaphthene-d10	9.933	164	110082	20.000	ng	0.00
64) Phenanthrene-d10	11.428	188	217813	20.000	ng	0.00
76) Chrysene-d12	14.080	240	146801	20.000	ng	# 0.00
86) Perylene-d12	15.586	264	113828	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	220102	67.005	ng	0.01
7) Phenol-d6	6.510	99	273712	63.586	ng	-0.01
23) Nitrobenzene-d5	7.451	82	424719	80.740	ng	0.00
42) 2,4,6-Tribromophenol	10.728	330	94831	77.537	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	707971	81.091	ng	0.00
79) Terphenyl-d14	13.027	244	946658	88.436	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121322\
Data File : BF131623.D
Acq On : 13 Dec 2022 20:56
Operator : CG\JU
Sample : N5999-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-20

Quant Time: Dec 14 03:35:43 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 14 03:22:29 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.881 min Scan# 81
 Delta R.T. -0.005 min
 Lab File: BF131623.D
 Acq: 13 Dec 2022 20:56




Instrument :
 BNA_F
 ClientSampleId :
 MH-20


Tgt Ion:152 Resp: 54801
 Ion Ratio Lower Upper
 152 100
 150 153.0 116.7 175.1
 115 69.3 54.6 82.0



#5
 2-Fluorophenol
 Concen: 67.005 ng
 RT: 5.510 min Scan# 582
 Delta R.T. 0.012 min
 Lab File: BF131623.D
 Acq: 13 Dec 2022 20:56

Tgt Ion:112 Resp: 220102
 Ion Ratio Lower Upper
 112 100
 64 62.9 54.5 81.7
 63 36.5 31.9 47.9









#7
Phenol-d6
Concen: 63.586 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF131623.D
Acq: 13 Dec 2022 20:56




Instrument :
BNA_F
ClientSampleId :
MH-20


Tgt Ion: 99 Resp: 273712
Ion Ratio Lower Upper
99 100
42 20.1 17.9 26.9
71 43.5 37.2 55.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF131623.D
Acq: 13 Dec 2022 20:56

Tgt Ion: 136 Resp: 198875
Ion Ratio Lower Upper
136 100
137 10.7 8.1 12.1
54 8.3 6.0 9.0
68 5.8 3.8 5.8









#23
 Nitrobenzene-d5
 Concen: 80.740 ng
 RT: 7.451 min Scan# 91
 Delta R.T. -0.006 min
 Lab File: BF131623.D
 Acq: 13 Dec 2022 20:56




Instrument :
 BNA_F
 ClientSampleId :
 MH-20


Tgt Ion: 82 Resp: 424719
 Ion Ratio Lower Upper
 82 100
 128 37.4 26.1 39.1
 54 47.9 40.6 60.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.933 min Scan# 1334
 Delta R.T. -0.006 min
 Lab File: BF131623.D
 Acq: 13 Dec 2022 20:56

Tgt Ion:164 Resp: 110082
 Ion Ratio Lower Upper
 164 100
 162 101.9 81.0 121.6
 160 45.7 35.0 52.6









#42
2,4,6-Tribromophenol
Concen: 77.537 ng
RT: 10.728 min Scan# 1474
Delta R.T. -0.006 min
Lab File: BF131623.D
Acq: 13 Dec 2022 20:56




Instrument :
BNA_F
ClientSampleId :
MH-20


Tgt Ion:330 Resp: 94831
Ion Ratio Lower Upper
330 100
332 96.7 78.3 117.5
141 39.0 32.6 49.0



#45
2-Fluorobiphenyl
Concen: 81.091 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.006 min
Lab File: BF131623.D
Acq: 13 Dec 2022 20:56

Tgt Ion:172 Resp: 707971
Ion Ratio Lower Upper
172 100
171 34.7 28.3 42.5
170 23.3 19.3 28.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.428 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF131623.D
Acq: 13 Dec 2022 20:56




Instrument :
BNA_F
ClientSampleId :
MH-20


Tgt Ion:188 Resp: 217813
Ion Ratio Lower Upper
188 100
94 7.7 5.5 8.3
80 8.5 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.080 min Scan# 2039
Delta R.T. -0.006 min
Lab File: BF131623.D
Acq: 13 Dec 2022 20:56

Tgt Ion:240 Resp: 146801
Ion Ratio Lower Upper
240 100
120 7.1 4.6 7.0#
236 25.6 20.2 30.2









#79
 Terphenyl-d14
 Concen: 88.436 ng
 RT: 13.027 min Scan# 1860
 Delta R.T. 0.000 min
 Lab File: BF131623.D
 Acq: 13 Dec 2022 20:56

Instrument :
 BNA_F
 ClientSampleId :
 MH-20

Tgt Ion:244 Resp: 946658
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.5 9.7
 122 7.6 7.1 10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.586 min Scan# 2295
 Delta R.T. -0.006 min
 Lab File: BF131623.D
 Acq: 13 Dec 2022 20:56

Tgt Ion:264 Resp: 113828
 Ion Ratio Lower Upper
 264 100
 260 23.4 20.6 30.8
 265 22.0 16.8 25.2

