

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF121417\
 Data File : BF101403.D
 Acq On : 14 Dec 2017 19:50
 Operator : SJ/JU
 Sample : I6837-01 100X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Dec 14 23:46:55 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 14 15:42:32 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	183103	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	740575	20.00	ng	0.00
38) Acenaphthene-d10	9.85	164	336011	20.00	ng	0.00
63) Phenanthrene-d10	11.34	188	624203	20.00	ng	0.00
75) Chrysene-d12	13.99	240	446460	20.00	ng	-0.01
86) Perylene-d12	15.46	264	340169	20.00	ng	0.00

System Monitoring Compounds

5) 2-Fluorophenol	5.50	112	295	0.02	ng	0.06
7) Phenol-d6	6.47	99	1460	0.10	ng	0.01
23) Nitrobenzene-d5	7.40	82	738	0.06	ng	0.02
41) 2,4,6-Tribromophenol	10.66	330	286	0.09	ng	0.01
44) 2-Fluorobiphenyl	9.17	172	1913	0.09	ng	0.00
78) Terphenyl-d14	12.93	244	3623	0.20	ng	0.00

Target Compounds


						Qvalue
3) Pyridine	3.43	79	36612	2.086	ng	95
10) Phenol	6.48	94	62648	3.593	ng	98
20) 3+4-Methylphenols	7.25	107	34317	2.723	ng	87
31) Naphthalene	8.12	128	248460	6.664	ng	98
32) Benzoic acid	7.91	122	8096	8.893	ng	# 23
50) 2,6-Dinitrotoluene	9.85	165	43912	7.994	ng	# 26
54) Dibenzofuran	10.06	168	66465	2.417	ng	98
55) 4-Nitrophenol	10.06	139	26054	8.725	ng	# 11
56) 2,4-Dinitrotoluene	9.85	165	43912	7.095	ng	# 23
57) Fluorene	10.40	166	130590	5.614	ng	99
70) Phenanthrene	11.37	178	992642	28.596	ng	99
71) Anthracene	11.42	178	429040	12.100	ng	99
72) Carbazole	11.58	167	163794	4.934	ng	97
74) Fluoranthene	12.56	202	875170	24.019	ng	98
77) Pyrene	12.79	202	650790	19.423	ng	99
80) Benzo(a)anthracene	13.98	228	287554	9.754	ng	99
82) Chrysene	14.02	228	223659	8.035	ng	98
85) Indeno(1,2,3-cd)pyrene	16.94	276	71407	2.881	ng	94
87) Benzo(b)fluoranthene	15.04	252	251463	12.128	ng	99
88) Benzo(k)fluoranthene	15.04	252	251463	12.474	ng	98
89) Benzo(a)pyrene	15.40	252	137384	7.188	ng	99
91) Benzo(g,h,i)perylene	17.39	276	62512	3.847	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF121417\
Data File : BF101403.D
Acq On : 14 Dec 2017 19:50
Operator : SJ/JU
Sample : I6837-01 100X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Dec 14 23:46:55 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 14 15:42:32 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 804
Delta R.T. -0.00 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 183103
Ion Ratio Lower Upper
152 100
150 152.4 124.6 186.8
115 58.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#3


Pyridine
Concen: 2.086 ng
RT: 3.43 min Scan# 229
Delta R.T. 0.12 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion: 79 Resp: 36612
Ion Ratio Lower Upper
79 100
52 80.1 59.8 89.6
51 38.6 29.8 44.8



Abundance Ion 79.00 (78.70 to 79.70): BF1
Ion 52.00 (51.70 to 52.70): BF1
Ion 51.00 (50.70 to 51.70): BF1





#5

2-Fluorophenol

Concen: 0.024 ng

RT: 5.50 min Scan# 580

Delta R.T. 0.06 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampleId :


Tot Ion:112 Resp: 295

Ion Ratio Lower Upper

112 100

64 76.9 47.9 71.9#


63 0.0 23.7 35.5#





Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1



Time-->



#7

Phenol-d6

Concen: 0.095 ng

RT: 6.47 min Scan# 745

Delta R.T. 0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50


Tgt Ion: 99 Resp: 1460

Ion Ratio Lower Upper

99 100

42 40.0 14.5 21.7#


71 27.9 25.4 38.0




Abundance Ion 99.00 (98.70 to 99.70): BF1


Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



Time-->





#10

Phenol

Concen: 3.593 ng

RT: 6.48 min Scan# 747

Delta R.T. 0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 94 Resp: 62648

Ion Ratio Lower Upper

94 100

65 29.4 7.9 47.9




66 34.9 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF1

Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1



#20

3+4-Methylphenols

Concen: 2.723 ng

RT: 7.25 min Scan# 878

Delta R.T. 0.02 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Tgt Ion:107 Resp: 34317


Ion Ratio Lower Upper

107 100

108 99.8 68.2 108.2

77 35.4 26.7 66.7

79 30.7 6.3 46.3






Abundance Ion 107.00 (106.70 to 107.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BF1

Ion 79.00 (78.70 to 79.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.10 min Scan# 1022
Delta R.T. -0.00 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Instrument :
BNA_F
ClientSampled :

Tot Ion:	136	Resp:	740575
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	9.1	6.6	9.8
68	6.4	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 0.055 ng
RT: 7.40 min Scan# 904
Delta R.T. 0.02 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion:	82	Resp:	738
Ion	Ratio	Lower	Upper
82	100		
128	42.2	36.1	54.1
54	66.2	41.4	62.2#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#31

Naphthalene

Concen: 6.664 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampleId :





Tot Ion:128 Resp: 248460

Ion Ratio Lower Upper

128 100

129 10.8 8.8 13.2

127 12.7 10.9 16.3



#32

Benzoic acid

Concen: 8.893 ng

RT: 7.91 min Scan# 990

Delta R.T. -0.00 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50




Tgt Ion:122 Resp: 8096


Ion Ratio Lower Upper

122 100

105 21.9 101.1 141.1#

77 31.9 70.7 110.7#









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.85 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50




Instrument :
BNA_F
ClientSampleId :


Tot Ion:164 Resp: 336011
Ion Ratio Lower Upper
164 100
162 101.4 86.1 129.1
160 45.4 38.3 57.5



#41
2,4,6-Tribromophenol
Concen: 0.088 ng
RT: 10.66 min Scan# 1458
Delta R.T. 0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion:330 Resp: 286
Ion Ratio Lower Upper
330 100
332 112.6 77.0 115.6
141 338.5 29.9 44.9#









#44
2-Fluorobiphenyl
Concen: 0.088 ng
RT: 9.17 min Scan# 1205
Delta R.T. -0.00 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50




Instrument :
BNA_F
ClientSampled :


Tot Ion:172 Resp: 1913
Ion Ratio Lower Upper
172 100
171 39.2 29.7 44.5
170 33.8 19.6 29.4#



#50
2,6-Dinitrotoluene
Concen: 7.994 ng
RT: 9.85 min Scan# 1320
Delta R.T. 0.20 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion:165 Resp: 43912
Ion Ratio Lower Upper
165 100
63 1.5 44.7 67.1#
89 1.6 44.0 66.0#









#54
Dibenzofuran
Concen: 2.417 ng
RT: 10.06 min Scan# 1356
Delta R.T. -0.00 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
168	100		
139	39.0	30.1	45.1
169	14.7	10.9	16.3



#55
4-Nitrophenol
Concen: 8.725 ng
RT: 10.06 min Scan# 1356
Delta R.T. 0.06 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion	Ratio	Lower	Upper
139	100		
109	2.2	48.4	88.4#
65	2.0	72.6	112.6#






#56
2,4-Dinitrotoluene
Concen: 7.095 ng
RT: 9.85 min Scan# 1320
Delta R.T. -0.21 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.5	36.4	54.6#
89	1.6	57.8	86.6#
182	0.7	1.6	2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#57
Fluorene
Concen: 5.614 ng
RT: 10.40 min Scan# 1414
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50



Tgt Ion	Ratio	Lower	Upper
166	100		
165	100.3	79.8	119.8
167	14.0	10.6	16.0




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.34 min Scan# 1574
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 624203
Ion Ratio Lower Upper
188 100
94 10.3 8.5 12.7
80 11.8 9.2 13.8



#70
Phenanthrene
Concen: 28.596 ng
RT: 11.37 min Scan# 1578
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion:178 Resp: 992642
Ion Ratio Lower Upper
178 100
176 19.9 15.8 23.8
179 15.5 13.0 19.6





#71

Anthracene

Concen: 12.100 ng

RT: 11.42 min Scan# 1587

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampleId :


Tot Ion:178 Resp: 429040

Ion Ratio Lower Upper

178 100

176 18.4 15.4 23.2




179 16.0 12.6 19.0



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#72

Carbazole

Concen: 4.934 ng

RT: 11.58 min Scan# 1614

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50


Tgt Ion:167 Resp: 163794

Ion Ratio Lower Upper

167 100

166 20.7 17.6 26.4



139 12.6 10.9 16.3




Abundance Ion 167.00 (166.70 to 167.70): E

Ion 166.00 (165.70 to 166.70): E

Ion 139.00 (138.70 to 139.70): E





#74

Fluoranthene

Concen: 24.019 ng

RT: 12.56 min Scan# 1781

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampled :


Tot Ion:202 Resp: 875170

Ion Ratio Lower Upper

202 100

101 12.5 0.0 34.1




203 17.8 0.0 38.1



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.99 min Scan# 2024

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50


Tgt Ion:240 Resp: 446460

Ion Ratio Lower Upper

240 100

120 12.9 9.5 14.3



236 26.5 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#77
Pvrene
Concen: 19.423 ng
RT: 12.79 min Scan# 1820
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
202	100		
200	21.6	17.4	26.2
203	17.1	14.3	21.5



#78
Terphenyl-d14
Concen: 0.196 ng
RT: 12.93 min Scan# 1843
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.1	5.4	8.0#
122	12.9	11.0	16.4









#80
Benzo(a)anthracene
Concen: 9.754 ng
RT: 13.98 min Scan# 2022
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
228	100		
226	27.8	22.6	33.8
229	19.8	15.8	23.6



#82
Chrysene
Concen: 8.035 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF101403.D
Acq: 14 Dec 2017 19:50

Tgt Ion	Ratio	Lower	Upper
228	100		
226	31.1	25.0	37.6
229	22.4	16.2	24.4









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 2.881 ng
 RT: 16.94 min Scan# 2526
 Delta R.T. -0.02 min
 Lab File: BF101403.D
 Acq: 14 Dec 2017 19:50




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:276 Resp: 71407
 Ion Ratio Lower Upper
 276 100
 138 26.6 25.0 37.6
 277 26.8 20.1 30.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.46 min Scan# 2274
 Delta R.T. -0.01 min
 Lab File: BF101403.D
 Acq: 14 Dec 2017 19:50

Tgt Ion:264 Resp: 340169
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.2 28.8
 265 22.2 17.5 26.3





#87

Benzo(b)fluoranthene

Concen: 12.128 ng

RT: 15.04 min Scan# 2202

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampleId :


Tot Ion:252 Resp: 251463

Ion Ratio Lower Upper

252 100

253 22.0 17.0 25.6




125 11.5 9.0 13.6



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 12.474 ng

RT: 15.04 min Scan# 2202

Delta R.T. -0.04 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50


Tgt Ion:252 Resp: 251463

Ion Ratio Lower Upper

252 100

253 22.0 17.9 26.9



125 11.5 10.2 15.2




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#89

Benzo(a)pyrene

Concen: 7.188 ng

RT: 15.40 min Scan# 2264

Delta R.T. -0.01 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50

Instrument :

BNA_F

ClientSampleId :


Tot Ion:252 Resp: 137384

Ion Ratio Lower Upper

252 100

253 21.7 17.1 25.7




125 12.5 9.8 14.6



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#91

Benzo(g,h,i)perylene

Concen: 3.847 ng

RT: 17.39 min Scan# 2602

Delta R.T. -0.02 min

Lab File: BF101403.D

Acq: 14 Dec 2017 19:50


Tgt Ion:276 Resp: 62512

Ion Ratio Lower Upper

276 100

277 24.1 17.9 26.9

138 24.8 21.8 32.8



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

