

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121615\
 Data File : BG020206.D
 Acq On : 16 Dec 2015 1:56
 Operator : UM/SJ
 Sample : G4786-17
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 G9C90

Quant Time: Dec 16 03:49:50 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 16 03:45:51 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	21595	20.00	ng/ul	0.00
18) Naphthalene-d8	10.91	136	99555	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.73	164	77343	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.47	188	176968	20.00	ng/ul	0.00
78) Chrysene-d12	21.74	240	191967	20.00	ng/ul	0.00
86) Perylene-d12	25.01	264	182953	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.47	96	559	1.43	ng/uL	0.00
5) Phenol-d5	7.25	99	15987	8.40	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.42	67	36635	32.24	ng/ul	0.00
9) 2-Chlorophenol-d4	7.62	132	40360	29.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.80	113	31858	19.56	ng/ul	0.00
19) Nitrobenzene-d5	9.27	128	28788	37.10	ng/ul	0.00
22) 2-Nitrophenol-d4	9.99	143	31937	36.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.53	165	56740	32.44	ng/ul	0.00
29) 4-Chloroaniline-d4	11.02	131	19502	9.93	ng/ul	-0.02
44) Dimethylphthalate-d6	14.13	166	193166	30.88	ng/ul	0.00
47) Acenaphthylene-d8	14.42	160	230385	31.65	ng/ul	0.00
52) 4-Nitrophenol-d4	14.91	143	8223	7.33	ng/ul	0.00
58) Fluorene-d10	15.72	176	175426	30.92	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.83	200	37292	35.55	ng/ul	0.00
71) Anthracene-d10	17.57	188	273469	33.54	ng/ul	0.00
79) Pyrene-d10	19.85	212	298340	33.34	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.79	264	316132	34.64	ng/ul	0.00


Target Compounds				Qvalue		
4) Benzaldehyde	7.24	77	2277	1.85	ng/ul#	1
15) N-Nitroso-di-n-propylamine	8.80	70	1359	1.01	ng/ul#	1
17) Hexachloroethane	9.21	117	21608	35.45	ng/ul#	1
20) Nitrobenzene	9.29	77	5131	2.49	ng/ul#	15
24) 2,4-Dimethylphenol	10.07	107	68807	32.72	ng/ul	99
25) Bis(2-Chloroethoxy)methane	10.31	93	2365	1.11	ng/ul#	35
28) Naphthalene	10.97	128	431225	82.94	ng/ul	98
34) 2-Methylnaphthalene	12.56	142	126184	31.78	ng/ul	97
35) 1-Methylnaphthalene	12.78	142	140386	36.77	ng/ul	96
50) Acenaphthene	14.79	153	33342	6.41	ng/ul	97
59) Fluorene	15.77	166	13902	2.24	ng/ul	96
70) Phenanthrene	17.51	178	18636	1.93	ng/ul	97
72) Anthracene	17.51	178	19095	1.94	ng/ul	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121615\
Data File : BG020206.D
Acq On : 16 Dec 2015 1:56
Operator : UM/SJ
Sample : G4786-17
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
G9C90

Quant Time: Dec 16 03:49:50 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG121415.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 16 03:45:51 2015
Response via : Initial Calibration





#4

Benzaldehyde

Concen: 1.85 ng/ul

RT: 7.24 min Scan# 748

Delta R.T. 0.01 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56

Instrument :

BNA_F

ClientSampleId :

G9C90


Tgt Ion: 77 Resp: 2277

Ion Ratio Lower Upper

77 100

105 647.4 77.8 116.6#




106 61.9 72.6 109.0#



Abundance Ion 77.00 (76.70 to 77.70): BGC

Ion 105.00 (104.70 to 105.70): BGC

Ion 106.00 (105.70 to 106.70): BGC



#15

N-Nitroso-di-n-propylamine

Concen: 1.01 ng/ul

RT: 8.80 min Scan# 1014

Delta R.T. -0.10 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56

Tgt Ion: 70 Resp: 1359


Ion Ratio Lower Upper

70 100

42 300.7 44.3 66.5#

101 0.0 7.6 11.4#

130 0.0 17.0 25.4#






Abundance Ion 70.00 (69.70 to 70.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 101.00 (100.70 to 101.70): BGC

Ion 130.00 (129.70 to 130.70): BGC









#17
Hexachloroethane
Concen: 35.45 ng/ul
RT: 9.21 min Scan# 1084
Delta R.T. 0.02 min
Lab File: BG020206.D
Acq: 16 Dec 2015 1:56




Instrument :
BNA_F
ClientSampleId :
G9C90


Tgt Ion: 117 Resp: 21608
Ion Ratio Lower Upper
117 100
201 0.0 102.7 154.1#
199 0.0 65.8 98.8#



#20
Nitrobenzene
Concen: 2.49 ng/ul
RT: 9.29 min Scan# 1097
Delta R.T. -0.02 min
Lab File: BG020206.D
Acq: 16 Dec 2015 1:56

Tgt Ion: 77 Resp: 5131
Ion Ratio Lower Upper
77 100
123 0.0 33.4 50.0#
65 71.1 11.7 17.5#









#24
 2,4-Dimethylphenol
 Concen: 32.72 ng/ul
 RT: 10.07 min Scan# 1231
 Delta R.T. 0.00 min
 Lab File: BG020206.D
 Acq: 16 Dec 2015 1:56




Instrument :
 BNA_F
 ClientSampled :
 G9C90


Tgt Ion:107 Resp: 68807
 Ion Ratio Lower Upper
 107 100
 121 48.7 39.0 58.4
 122 79.1 62.1 93.1



#25
 Bis(2-Chloroethoxy)methane
 Concen: 1.11 ng/ul
 RT: 10.31 min Scan# 1272
 Delta R.T. 0.01 min
 Lab File: BG020206.D
 Acq: 16 Dec 2015 1:56

Tgt Ion: 93 Resp: 2365
 Ion Ratio Lower Upper
 93 100
 95 78.7 27.4 41.2#
 123 0.0 9.4 14.0#





#28

Naphthalene

Concen: 82.94 ng/ul

RT: 10.97 min Scan# 1384

Delta R.T. 0.01 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56

Instrument :

BNA_F

ClientSampleId :

G9C90


Tgt Ion:128 Resp: 431225

Ion Ratio Lower Upper

128 100

129 11.3 8.6 12.8




127 13.7 10.1 15.1



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#34

2-Methylnaphthalene

Concen: 31.78 ng/ul

RT: 12.56 min Scan# 1655

Delta R.T. 0.00 min

Lab File: BG020206.D


Acq: 16 Dec 2015 1:56

Tgt Ion:142 Resp: 126184

Ion Ratio Lower Upper



142 100


141 91.1 74.9 112.3



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#35

1-Methylnaphthalene

Concen: 36.77 ng/ul

RT: 12.78 min Scan# 1692

Delta R.T. 0.00 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56

Instrument :

BNA_F

ClientSampleID :

G9C90


Tgt Ion:142 Resp: 140386

Ion Ratio Lower Upper

142 100

141 95.2 73.0 109.6




116 4.4 3.0 4.6



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 116.00 (115.70 to 116.70): E



#50

Acenaphthene

Concen: 6.41 ng/ul

RT: 14.79 min Scan# 2034

Delta R.T. 0.00 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56


Tgt Ion:153 Resp: 33342

Ion Ratio Lower Upper

153 100

152 49.5 37.6 56.4



154 87.5 67.9 101.9




Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#59

Fluorene

Concen: 2.24 ng/ul

RT: 15.77 min Scan# 2201

Delta R.T. 0.00 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56

Instrument :

BNA_F

ClientSampleId :

G9C90


Tgt Ion:166 Resp: 13902

Ion Ratio Lower Upper

166 100

165 98.4 81.4 122.0

167 16.5 11.2 16.8






Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E

Time-->



#70

Phenanthrene

Concen: 1.93 ng/ul

RT: 17.51 min Scan# 2497

Delta R.T. 0.00 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56


Tgt Ion:178 Resp: 18636

Ion Ratio Lower Upper

178 100

179 17.8 12.9 19.3

176 20.1 15.3 22.9






Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E

Time-->





#72

Anthracene

Concen: 1.94 ng/ul

RT: 17.51 min Scan# 2497

Delta R.T. -0.09 min

Lab File: BG020206.D

Acq: 16 Dec 2015 1:56

Instrument :

BNA_F

ClientSampleId :

G9C90


Tgt Ion:178 Resp: 19095

Ion Ratio Lower Upper

178 100

179 17.8 12.3 18.5

176 20.1 14.3 21.5



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E

