

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121523\
 Data File : BF136593.D
 Acq On : 15 Dec 2023 15:21
 Operator : CG\JU
 Sample : 05758-19
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP-3

Quant Time: Dec 15 16:41:49 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 15 00:33:23 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	101224	20.000	ng	0.00
21) Naphthalene-d8	8.063	136	360802	20.000	ng	0.00
39) Acenaphthene-d10	9.816	164	154383	20.000	ng	-0.01
64) Phenanthrene-d10	11.310	188	246970	20.000	ng	0.00
76) Chrysene-d12	13.957	240	233738	20.000	ng	#-0.01
86) Perylene-d12	15.439	264	228577	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	560945	81.840	ng	0.00
7) Phenol-d6	6.434	99	650080	76.018	ng	0.00
23) Nitrobenzene-d5	7.345	82	375909	56.324	ng	-0.01
42) 2,4,6-Tribromophenol	10.610	330	133388	70.073	ng	-0.01
45) 2-Fluorobiphenyl	9.139	172	656574	58.031	ng	0.00
79) Terphenyl-d14	12.904	244	591531	33.356	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121523\
Data File : BF136593.D
Acq On : 15 Dec 2023 15:21
Operator : CG\JU
Sample : 05758-19
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-COMP-3

Quant Time: Dec 15 16:41:49 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120523.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 15 00:33:23 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.787 min Scan# 79
Delta R.T. -0.000 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21




Instrument :
BNA_F
ClientSampleId :
SP-COMP-3


Tgt Ion:152 Resp: 101224
Ion Ratio Lower Upper
152 100
150 155.8 126.4 189.6
115 60.3 48.2 72.4



#5
2-Fluorophenol
Concen: 81.840 ng
RT: 5.428 min Scan# 568
Delta R.T. 0.006 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21

Tgt Ion:112 Resp: 560945
Ion Ratio Lower Upper
112 100
64 54.7 46.5 69.7
63 28.9 23.9 35.9









#7
Phenol-d6
Concen: 76.018 ng
RT: 6.434 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21




Instrument :
BNA_F
ClientSampleId :
SP-COMP-3


Tgt Ion: 99 Resp: 650080
Ion Ratio Lower Upper
99 100
42 14.1 12.8 19.2
71 32.1 27.0 40.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21

Tgt Ion: 136 Resp: 360802
Ion Ratio Lower Upper
136 100
137 10.3 8.6 12.8
54 6.6 5.7 8.5
68 4.7 4.0 6.0





#23

Nitrobenzene-d5

Concen: 56.324 ng

RT: 7.345 min Scan# 89

Delta R.T. -0.012 min

Lab File: BF136593.D

Acq: 15 Dec 2023 15:21

Instrument :

BNA_F

ClientSampleId :

SP-COMP-3





Tgt Ion: 82 Resp: 375909

Ion Ratio Lower Upper

82 100

128 47.7 36.3 54.5

54 48.5 39.0 58.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.816 min Scan# 1314

Delta R.T. -0.012 min

Lab File: BF136593.D

Acq: 15 Dec 2023 15:21




Tgt Ion:164 Resp: 154383


Ion Ratio Lower Upper

164 100

162 101.1 84.4 126.6

160 45.0 37.6 56.4









#42
2,4,6-Tribromophenol
Concen: 70.073 ng
RT: 10.610 min Scan# 1453
Delta R.T. -0.012 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21




Instrument :
BNA_F
ClientSampleId :
SP-COMP-3


Tgt Ion:330 Resp: 133388
Ion Ratio Lower Upper
330 100
332 95.0 76.4 114.6
141 29.0 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 58.031 ng
RT: 9.139 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21

Tgt Ion:172 Resp: 656574
Ion Ratio Lower Upper
172 100
171 35.9 30.5 45.7
170 24.0 19.9 29.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21




Instrument :
BNA_F
ClientSampleId :
SP-COMP-3


Tgt Ion:188 Resp: 246970
Ion Ratio Lower Upper
188 100
94 8.0 7.2 10.8
80 7.8 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.957 min Scan# 2018
Delta R.T. -0.012 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21


Tgt Ion:240 Resp: 233738
Ion Ratio Lower Upper
240 100
120 12.0 7.3 10.9#
236 25.1 21.3 31.9








#79
Terphenyl-d14
Concen: 33.356 ng
RT: 12.904 min Scan# 1842
Delta R.T. -0.006 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21

Instrument :
BNA_F
ClientSampleId :
SP-COMP-3



Tgt Ion:244 Resp: 591531
Ion Ratio Lower Upper
244 100
212 6.2 5.0 7.4
122 10.7 8.3 12.5



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.439 min Scan# 2270
Delta R.T. 0.000 min
Lab File: BF136593.D
Acq: 15 Dec 2023 15:21

Tgt Ion:264 Resp: 228577
Ion Ratio Lower Upper
264 100
260 23.8 19.2 28.8
265 21.2 15.9 23.9

