

Data Path : Z:\HPCHEM1\BNA F\DATA\BF121615\
 Data File : BF083852.D
 Acq On : 16 Dec 2015 17:04
 Operator : UM/SJ
 Sample : G4793-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-03-121115

Quant Time: Dec 17 04:00:16 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 14 01:30:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	91733	20.00	ng	-0.03
21) Naphthalene-d8	8.18	136	360422	20.00	ng	-0.03
38) Acenaphthene-d10	9.93	164	184836	20.00	ng	-0.03
63) Phenanthrene-d10	11.41	188	315023	20.00	ng	-0.03
75) Chrysene-d12	14.04	240	246966	20.00	ng	-0.03
86) Perylene-d12	15.48	264	176090	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	323683	56.92	ng	-0.03
7) Phenol-d6	6.52	99	299878	41.64	ng	-0.02
23) Nitrobenzene-d5	7.46	82	580987	90.18	ng	-0.02
41) 2,4,6-Tribromophenol	10.72	330	237553	126.13	ng	-0.03
44) 2-Fluorobiphenyl	9.25	172	1013651	78.51	ng	-0.03
78) Terphenyl-d14	12.99	244	937486	81.65	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF121615\
Data File : BF083852.D
Acq On : 16 Dec 2015 17:04
Operator : UM/SJ
Sample : G4793-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-03-121115

Quant Time: Dec 17 04:00:16 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 14 01:30:12 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 420

Delta R.T. -0.03 min

Lab File: BF083852.D

Acq: 16 Dec 2015 17:04

Instrument :

BNA_F

ClientSampleId :

MW-03-121115


Tot Ion:152 Resp: 91733

Ion Ratio Lower Upper

152 100

150 158.7 126.5 189.7




115 68.1 52.3 78.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 56.92 ng

RT: 5.49 min Scan# 298

Delta R.T. -0.03 min

Lab File: BF083852.D

Acq: 16 Dec 2015 17:04


Tgt Ion:112 Resp: 323683

Ion Ratio Lower Upper

112 100

64 59.6 50.5 75.7



63 31.0 25.8 38.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 41.64 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.02 min

Lab File: BF083852.D

Acq: 16 Dec 2015 17:04

Instrument :

BNA_F

ClientSampleId :

MW-03-121115


Tot Ion: 99 Resp: 299878

Ion Ratio Lower Upper

99 100

42 11.9 17.3 25.9#




71 31.6 26.6 40.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 533

Delta R.T. -0.03 min

Lab File: BF083852.D

Acq: 16 Dec 2015 17:04

Tgt Ion: 136 Resp: 360422


Ion Ratio Lower Upper

136 100

137 10.2 8.7 13.1

54 4.5 7.8 11.6#

68 3.9 5.7 8.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.18 ng
 RT: 7.46 min Scan# 470
 Delta R.T. -0.02 min
 Lab File: BF083852.D
 Acq: 16 Dec 2015 17:04




Instrument :
 BNA_F
 ClientSampleId :
 MW-03-121115


Tot Ion: 82 Resp: 580987
 Ion Ratio Lower Upper
 82 100
 128 58.1 30.7 46.1#
 54 38.9 42.5 63.7#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 686
 Delta R.T. -0.03 min
 Lab File: BF083852.D
 Acq: 16 Dec 2015 17:04

Tgt Ion:164 Resp: 184836
 Ion Ratio Lower Upper
 164 100
 162 104.1 78.8 118.2
 160 47.0 33.4 50.2









#41
 2,4,6-Tribromophenol
 Concen: 126.13 ng
 RT: 10.72 min Scan# 755
 Delta R.T. -0.03 min
 Lab File: BF083852.D
 Acq: 16 Dec 2015 17:04

Instrument :
 BNA_F
 ClientSampleId :
 MW-03-121115

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.6	0.0	0.0#
141	39.1	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.51 ng
 RT: 9.25 min Scan# 627
 Delta R.T. -0.03 min
 Lab File: BF083852.D
 Acq: 16 Dec 2015 17:04

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	28.6	42.8
170	24.8	19.4	29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.41 min Scan# 816
Delta R.T. -0.03 min
Lab File: BF083852.D
Acq: 16 Dec 2015 17:04

Instrument :
BNA_F
ClientSampleId :
MW-03-121115

Tot Ion:188 Resp: 315023
Ion Ratio Lower Upper
188 100
94 6.2 9.4 14.2#
80 6.2 10.6 16.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.04 min Scan# 1046
Delta R.T. -0.03 min
Lab File: BF083852.D
Acq: 16 Dec 2015 17:04

Tgt Ion:240 Resp: 246966
Ion Ratio Lower Upper
240 100
120 10.4 8.1 12.1
236 25.5 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 81.65 ng
 RT: 12.99 min Scan# 954
 Delta R.T. -0.03 min
 Lab File: BF083852.D
 Acq: 16 Dec 2015 17:04

Instrument :
 BNA_F
 ClientSampleId :
 MW-03-121115

Tot Ion:244 Resp: 937486
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.1 9.1
 122 13.9 11.0 16.6



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.48 min Scan# 1172
 Delta R.T. -0.02 min
 Lab File: BF083852.D
 Acq: 16 Dec 2015 17:04

Tgt Ion:264 Resp: 176090
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.4 29.0
 265 20.8 17.8 26.6

