

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF121719\
 Data File : BF118239.D
 Acq On : 17 Dec 2019 21:16
 Operator : JU
 Sample : K6324-05
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP-13

Quant Time: Dec 18 06:17:02 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF120619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 06 17:34:43 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	122106	20.00	ng	-0.01
21) Naphthalene-d8	8.15	136	457813	20.00	ng	-0.01
39) Acenaphthene-d10	9.91	164	214855	20.00	ng	-0.01
64) Phenanthrene-d10	11.40	188	341830	20.00	ng	0.00
76) Chrysene-d12	14.06	240	266482	20.00	ng	-0.01
87) Perylene-d12	15.54	264	224338	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	710714	101.94	ng	0.00
7) Phenol-d6	6.49	99	895518	106.20	ng	0.00
23) Nitrobenzene-d5	7.42	82	515054	63.29	ng	-0.02
42) 2,4,6-Tribromophenol	10.70	330	224386	85.97	ng	-0.01
45) 2-Fluorobiphenyl	9.23	172	1015004	71.88	ng	-0.01
79) Terphenyl-d14	12.99	244	916285	59.13	ng	-0.01
Target Compounds						
50) Dimethylphthalate	9.62	163	51240	3.229	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF121719\
Data File : BF118239.D
Acq On : 17 Dec 2019 21:16
Operator : JU
Sample : K6324-05
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP-13

Quant Time: Dec 18 06:17:02 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF120619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 06 17:34:43 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 811
Delta R.T. -0.01 min
Lab File: BF118239.D
Acq: 17 Dec 2019 21:16

Instrument :
BNA_F
ClientSampleId :
EP-13

Tot Ion:152 Resp: 122106
Ion Ratio Lower Upper
152 100
150 157.9 128.3 192.5
115 62.6 51.1 76.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 101.943 ng
RT: 5.48 min Scan# 577
Delta R.T. -0.00 min
Lab File: BF118239.D
Acq: 17 Dec 2019 21:16

Tgt Ion:112 Resp: 710714
Ion Ratio Lower Upper
112 100
64 51.6 41.3 61.9
63 28.1 22.4 33.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 106.199 ng

RT: 6.49 min Scan# 749

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16

Instrument :

BNA_F

ClientSampled :

EP-13


Tot Ion: 99 Resp: 895518

Ion Ratio Lower Upper

99 100

42 17.8 14.1 21.1




71 37.8 29.7 44.5



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16

Tgt Ion: 136 Resp: 457813


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.6

54 5.9 5.0 7.6

68 4.8 3.8 5.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 63.292 ng

RT: 7.42 min Scan# 907

Delta R.T. -0.02 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16

Instrument :

BNA_F

ClientSampleId :

EP-13





Tot Ion: 82 Resp: 515054

Ion Ratio Lower Upper

82 100

128 45.9 39.1 58.7

54 47.9 38.2 57.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.91 min Scan# 1330

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16




Tgt Ion: 164 Resp: 214855


Ion Ratio Lower Upper

164 100

162 101.3 83.4 125.0

160 45.3 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 85.968 ng

RT: 10.70 min Scan# 1465

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16

Instrument :

BNA_F

ClientSampleId :

EP-13


Tot Ion:330 Resp: 224386

Ion Ratio Lower Upper




330 100

332 96.0 78.1 117.1

141 32.7 26.9 40.3



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 71.885 ng

RT: 9.23 min Scan# 1214

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16


Tgt Ion:172 Resp: 1015004

Ion Ratio Lower Upper



172 100


171 35.7 29.2 43.8

170 23.5 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.229 ng

RT: 9.62 min Scan# 1281

Delta R.T. -0.02 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16

Instrument :

BNA_F

ClientSampleId :

EP-13


Tot Ion:163 Resp: 51240

Ion Ratio Lower Upper




163 100

194 4.6 3.1 4.7

164 10.0 7.7 11.5



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.40 min Scan# 1584

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16


Tgt Ion:188 Resp: 341830

Ion Ratio Lower Upper



188 100


94 7.4 7.1 10.7

80 8.2 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.06 min Scan# 2035

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16

Instrument :

BNA_F

ClientSampleId :

EP-13


Tot Ion:240 Resp: 266482

Ion Ratio Lower Upper

240 100

120 9.0 7.1 10.7




236 26.4 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 59.129 ng

RT: 12.99 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BF118239.D

Acq: 17 Dec 2019 21:16


Tgt Ion:244 Resp: 916285

Ion Ratio Lower Upper

244 100

212 7.0 5.9 8.9



122 11.0 9.0 13.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.54 min Scan# 2288
Delta R.T. -0.01 min
Lab File: BF118239.D
Acq: 17 Dec 2019 21:16

Instrument :
BNA_F
ClientSampleId :
EP-13

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	18.6	28.0
265	22.2	16.8	25.2

