

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122017\
 Data File : BF101593.D
 Acq On : 21 Dec 2017 6:59
 Operator : SJ/JU
 Sample : I6971-04
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 121517-TIDO-F-U-S

Quant Time: Dec 21 08:01:30 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 20 14:25:04 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	143166	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	546526	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	216419	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	339102	20.00	ng	0.00
75) Chrysene-d12	13.97	240	278279	20.00	ng	0.00
86) Perylene-d12	15.43	264	304797	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	434906	45.25	ng	0.00
7) Phenol-d6	6.43	99	335803	28.07	ng	0.00
23) Nitrobenzene-d5	7.36	82	845067	86.07	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	146257	70.13	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	1255425	89.99	ng	0.00
78) Terphenyl-d14	12.90	244	860574	74.55	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.36	70	111346	14.175	ng	# 84
25) Isophorone	7.36	82	845067	42.907	ng	# 64
50) 2,6-Dinitrotoluene	9.83	165	28181	7.965	ng	# 25
56) 2,4-Dinitrotoluene	9.83	165	28181	7.070	ng	# 23
66) 4-Bromophenyl-phenylether	10.63	248	9504	2.494	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122017\
Data File : BF101593.D
Acq On : 21 Dec 2017 6:59
Operator : SJ/JU
Sample : I6971-04
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
121517-TIDO-F-U-S

Quant Time: Dec 21 08:01:30 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 20 14:25:04 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 800
Delta R.T. -0.00 min
Lab File: BF101593.D
Acq: 21 Dec 2017 6:59

Instrument :
BNA_F
ClientSampleId :
121517-TIDO-F-U-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.0	124.6	186.8
115	62.9	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 45.250 ng
RT: 5.42 min Scan# 566
Delta R.T. 0.01 min
Lab File: BF101593.D
Acq: 21 Dec 2017 6:59

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.2	47.9	71.9
63	31.9	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 28.074 ng

RT: 6.43 min Scan# 739

Delta R.T. -0.01 min

Lab File: BF101593.D

Acq: 21 Dec 2017 6:59

Instrument :

BNA_F

ClientSampleId :

121517-TIDO-F-U-S





Tot Ion: 99 Resp: 335803

Ion Ratio Lower Upper

99 100

42 21.2 14.5 21.7

71 32.8 25.4 38.0



#19

n-Nitroso-di-n-propylamine

Concen: 14.175 ng

RT: 7.36 min Scan# 897

Delta R.T. 0.15 min

Lab File: BF101593.D

Acq: 21 Dec 2017 6:59

Tgt Ion: 70 Resp: 111346




Ion Ratio Lower Upper


70 100

42 54.7 47.5 71.3

101 0.0 7.4 11.2#

130 2.3 16.6 25.0#








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.07 min Scan# 1018
Delta R.T. -0.01 min
Lab File: BF101593.D
Acq: 21 Dec 2017 6:59

Instrument :
BNA_F
ClientSampleId :
121517-TIDO-F-U-S

Tot Ion:136	Resp:	546526
Ion Ratio	Lower	Upper
136	100	
137	11.3	8.9 13.3
54	9.8	6.6 9.8
68	7.0	5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 86.073 ng
RT: 7.36 min Scan# 897
Delta R.T. -0.01 min
Lab File: BF101593.D
Acq: 21 Dec 2017 6:59

Tgt Ion: 82	Resp:	845067
Ion Ratio	Lower	Upper
82	100	
128	41.8	36.1 54.1
54	55.8	41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 42.907 ng

RT: 7.36 min Scan# 897

Delta R.T. -0.26 min

Lab File: BF101593.D

Acq: 21 Dec 2017 6:59

Instrument :

BNA_F

ClientSampleId :

121517-TIDO-F-U-S





Tot Ion: 82 Resp: 845067

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.83 min Scan# 1317

Delta R.T. -0.00 min

Lab File: BF101593.D

Acq: 21 Dec 2017 6:59




Tgt Ion: 164 Resp: 216419


Ion Ratio Lower Upper

164 100

162 103.3 86.1 129.1

160 48.7 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 70.135 ng
 RT: 10.63 min Scan# 1452
 Delta R.T. -0.01 min
 Lab File: BF101593.D
 Acq: 21 Dec 2017 6:59

Instrument :
 BNA_F
 ClientSampleId :
 121517-TIDO-F-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.0	115.6
141	36.1	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.986 ng
 RT: 9.15 min Scan# 1201
 Delta R.T. -0.00 min
 Lab File: BF101593.D
 Acq: 21 Dec 2017 6:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.7	44.5
170	24.3	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 7.965 ng
 RT: 9.83 min Scan# 1317
 Delta R.T. 0.20 min
 Lab File: BF101593.D
 Acq: 21 Dec 2017 6:59

Instrument :
 BNA_F
 ClientSampleId :
 121517-TIDO-F-U-S




Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.7	67.1#
89	2.2	44.0	66.0#



Abundance Ion 165.00 (164.70 to 165.70): E


Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1



#56
 2,4-Dinitrotoluene
 Concen: 7.070 ng
 RT: 9.83 min Scan# 1317
 Delta R.T. -0.21 min
 Lab File: BF101593.D
 Acq: 21 Dec 2017 6:59

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	2.2	57.8	86.6#
182	0.0	1.6	2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. -0.01 min
Lab File: BF101593.D
Acq: 21 Dec 2017 6:59




Instrument :
BNA_F
ClientSampleId :
121517-TIDO-F-U-S


Tot Ion:188 Resp: 339102
Ion Ratio Lower Upper
188 100
94 10.1 8.5 12.7
80 11.6 9.2 13.8



#66
4-Bromophenyl-phenylether
Concen: 2.494 ng
RT: 10.63 min Scan# 1452
Delta R.T. -0.24 min
Lab File: BF101593.D
Acq: 21 Dec 2017 6:59

Tgt Ion:248 Resp: 9504
Ion Ratio Lower Upper
248 100
250 210.1 76.9 115.3#
141 496.2 74.4 111.6#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.97 min Scan# 2020

Delta R.T. -0.01 min

Lab File: BF101593.D

Acq: 21 Dec 2017 6:59

Instrument :

BNA_F

ClientSampleId :

121517-TIDO-F-U-S


Tot Ion:240 Resp: 278279

Ion Ratio Lower Upper

240 100

120 12.5 9.5 14.3




236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 74.553 ng

RT: 12.90 min Scan# 1839

Delta R.T. -0.01 min

Lab File: BF101593.D

Acq: 21 Dec 2017 6:59


Tgt Ion:244 Resp: 860574

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0



122 11.7 11.0 16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.43 min Scan# 2269
 Delta R.T. -0.00 min
 Lab File: BF101593.D
 Acq: 21 Dec 2017 6:59

Instrument :
 BNA_F
 ClientSampleId :
 121517-TIDO-F-U-S

Tot Ion:	264	Resp:	304797
Ion	Ratio	Lower	Upper
264	100		
260	25.1	19.2	28.8
265	22.2	17.5	26.3

