

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122117\
 Data File : BF101600.D
 Acq On : 21 Dec 2017 12:13
 Operator : SJ/JU
 Sample : PB105170BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB105170BL

Quant Time: Dec 21 13:38:31 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 20 14:25:04 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	138643	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	558408	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	256619	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	498208	20.00	ng	0.00
75) Chrysene-d12	13.97	240	311877	20.00	ng	0.00
86) Perylene-d12	15.43	264	265573	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	962603	103.42	ng	0.01
7) Phenol-d6	6.44	99	1158893	100.05	ng	0.00
23) Nitrobenzene-d5	7.36	82	738390	73.61	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	221208	89.46	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	1242127	75.09	ng	0.00
78) Terphenyl-d14	12.90	244	1172148	90.61	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122117\
Data File : BF101600.D
Acq On : 21 Dec 2017 12:13
Operator : SJ/JU
Sample : PB105170BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB105170BL

Quant Time: Dec 21 13:38:31 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 20 14:25:04 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 800
Delta R.T. -0.00 min
Lab File: BF101600.D
Acq: 21 Dec 2017 12:13

Instrument :
BNA_F
ClientSampleId :
PB105170BL

Tot Ion:152 Resp: 138643
Ion Ratio Lower Upper
152 100
150 153.9 124.6 186.8
115 63.8 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 103.422 ng
RT: 5.42 min Scan# 567
Delta R.T. 0.01 min
Lab File: BF101600.D
Acq: 21 Dec 2017 12:13

Tgt Ion:112 Resp: 962603
Ion Ratio Lower Upper
112 100
64 62.0 47.9 71.9
63 32.5 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 100.046 ng

RT: 6.44 min Scan# 740

Delta R.T. -0.00 min

Lab File: BF101600.D

Acq: 21 Dec 2017 12:13

Instrument :

BNA_F

ClientSampleId :

PB105170BL


Tot Ion: 99 Resp: 1158893

Ion Ratio Lower Upper

99 100

42 20.0 14.5 21.7




71 32.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1018

Delta R.T. -0.01 min

Lab File: BF101600.D

Acq: 21 Dec 2017 12:13

Tgt Ion: 136 Resp: 558408


Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 9.1 6.6 9.8

68 6.7 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 73.608 ng
RT: 7.36 min Scan# 897
Delta R.T. -0.01 min
Lab File: BF101600.D
Acq: 21 Dec 2017 12:13

Instrument :
BNA_F
ClientSampleId :
PB105170BL

Tot Ion: 82 Resp: 738390
Ion Ratio Lower Upper
82 100
128 41.8 36.1 54.1
54 55.7 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.83 min Scan# 1316
Delta R.T. -0.01 min
Lab File: BF101600.D
Acq: 21 Dec 2017 12:13

Tgt Ion:164 Resp: 256619
Ion Ratio Lower Upper
164 100
162 103.1 86.1 129.1
160 46.2 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 89.459 ng
 RT: 10.63 min Scan# 1452
 Delta R.T. -0.01 min
 Lab File: BF101600.D
 Acq: 21 Dec 2017 12:13




Instrument :
 BNA_F
 ClientSampleId :
 PB105170BL


Tot Ion	Ratio	Lower	Upper
330	100		
332	98.0	77.0	115.6
141	34.6	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 75.086 ng
 RT: 9.15 min Scan# 1201
 Delta R.T. -0.00 min
 Lab File: BF101600.D
 Acq: 21 Dec 2017 12:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.7	44.5
170	24.0	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. -0.01 min
Lab File: BF101600.D
Acq: 21 Dec 2017 12:13




Instrument :
BNA_F
ClientSampleId :
PB105170BL


Tot Ion:188 Resp: 498208
Ion Ratio Lower Upper
188 100
94 10.5 8.5 12.7
80 11.5 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF101600.D
Acq: 21 Dec 2017 12:13

Tgt Ion:240 Resp: 311877
Ion Ratio Lower Upper
240 100
120 12.8 9.5 14.3
236 25.8 20.7 31.1





#78

Terphenyl-d14

Concen: 90.606 ng

RT: 12.90 min Scan# 1839

Delta R.T. -0.01 min

Lab File: BF101600.D

Acq: 21 Dec 2017 12:13

Instrument :

BNA_F

ClientSampleId :

PB105170BL


Tot Ion:244 Resp: 1172148

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0




122 11.6 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.43 min Scan# 2269

Delta R.T. -0.00 min

Lab File: BF101600.D

Acq: 21 Dec 2017 12:13


Tgt Ion:264 Resp: 265573

Ion Ratio Lower Upper

264 100

260 24.3 19.2 28.8

265 21.0 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

