

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122117\
 Data File : BF101647.D
 Acq On : 22 Dec 2017 10:43
 Operator : SJ/JU
 Sample : I7008-13
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 121817-TIFR-E-U-M

Quant Time: Dec 22 11:15:25 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 20 14:25:04 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	122662	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	435347	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	163078	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	267177	20.00	ng	0.00
75) Chrysene-d12	13.97	240	292082	20.00	ng	0.00
86) Perylene-d12	15.44	264	227443	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	318378	38.66	ng	0.01
7) Phenol-d6	6.44	99	245222	23.93	ng	0.00
23) Nitrobenzene-d5	7.36	82	684996	87.59	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	110730	70.47	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	1042907	99.20	ng	0.00
78) Terphenyl-d14	12.90	244	848182	70.01	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122117\
Data File : BF101647.D
Acq On : 22 Dec 2017 10:43
Operator : SJ/JU
Sample : I7008-13
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
121817-TIFR-E-U-M

Quant Time: Dec 22 11:15:25 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 20 14:25:04 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.80 min Scan# 801
 Delta R.T. 0.01 min
 Lab File: BF101647.D
 Acq: 22 Dec 2017 10:43

Instrument :
 BNA_F
 ClientSampleId :
 121817-TIFR-E-U-M

Tot Ion	Ratio	Lower	Upper
152	100		
150	154.7	124.6	186.8
115	58.2	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 38.663 ng
 RT: 5.42 min Scan# 567
 Delta R.T. 0.01 min
 Lab File: BF101647.D
 Acq: 22 Dec 2017 10:43

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.8	47.9	71.9
63	31.2	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.928 ng

RT: 6.44 min Scan# 740

Delta R.T. 0.00 min

Lab File: BF101647.D

Acq: 22 Dec 2017 10:43

Instrument :

BNA_F

ClientSampleId :

121817-TIFR-E-U-M



Tot Ion: 99 Resp: 245222

Ion Ratio Lower Upper

99 100

42 21.3 14.5 21.7



71 32.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.08 min Scan# 1019

Delta R.T. 0.00 min

Lab File: BF101647.D

Acq: 22 Dec 2017 10:43

Tgt Ion: 136 Resp: 435347



Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 8.5 6.6 9.8

68 6.1 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 87.587 ng
 RT: 7.36 min Scan# 897
 Delta R.T. -0.01 min
 Lab File: BF101647.D
 Acq: 22 Dec 2017 10:43

Instrument :
 BNA_F
 ClientSampleId :
 121817-TIFR-E-U-M

Tot Ion: 82 Resp: 684996
 Ion Ratio Lower Upper
 82 100
 128 42.2 36.1 54.1
 54 56.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.83 min Scan# 1317
 Delta R.T. 0.00 min
 Lab File: BF101647.D
 Acq: 22 Dec 2017 10:43

Tgt Ion:164 Resp: 163078
 Ion Ratio Lower Upper
 164 100
 162 102.3 86.1 129.1
 160 47.9 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41

2,4,6-Tribromophenol

Concen: 70.467 ng

RT: 10.63 min Scan# 1452

Delta R.T. -0.01 min

Lab File: BF101647.D

Acq: 22 Dec 2017 10:43

Instrument :

BNA_F

ClientSampleId :

121817-TIFR-E-U-M


Tot Ion:330 Resp: 110730

Ion Ratio Lower Upper

330 100

332 95.5 77.0 115.6




141 36.0 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 99.204 ng

RT: 9.15 min Scan# 1201

Delta R.T. 0.00 min

Lab File: BF101647.D

Acq: 22 Dec 2017 10:43


Tgt Ion:172 Resp: 1042907

Ion Ratio Lower Upper

172 100

171 36.6 29.7 44.5



170 24.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. -0.01 min
Lab File: BF101647.D
Acq: 22 Dec 2017 10:43




Instrument :
BNA_F
ClientSampleId :
121817-TIFR-E-U-M


Tot Ion:188 Resp: 267177
Ion Ratio Lower Upper
188 100
94 10.7 8.5 12.7
80 12.1 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF101647.D
Acq: 22 Dec 2017 10:43

Tgt Ion:240 Resp: 292082
Ion Ratio Lower Upper
240 100
120 13.2 9.5 14.3
236 26.0 20.7 31.1





#78

Terphenyl-d14

Concen: 70.007 ng

RT: 12.90 min Scan# 1839

Delta R.T. -0.01 min

Lab File: BF101647.D

Acq: 22 Dec 2017 10:43

Instrument :

BNA_F

ClientSampleId :

121817-TIFR-E-U-M


Tot Ion:244 Resp: 848182

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0




122 11.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.44 min Scan# 2270

Delta R.T. 0.01 min

Lab File: BF101647.D

Acq: 22 Dec 2017 10:43


Tgt Ion:264 Resp: 227443

Ion Ratio Lower Upper

264 100

260 24.1 19.2 28.8

265 21.0 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

