

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122120\
 Data File : BF122801.D
 Acq On : 21 Dec 2020 15:31
 Operator : JU/CG
 Sample : PB133720BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB133720BS

Manual Integrations
 APPROVED

mohammad
 12/22/2020 12:07:52 PM

Quant Time: Dec 21 17:16:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 15 18:14:23 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.822	152	185374	20.00	ng	0.00
21) Naphthalene-d8	8.104	136	684586	20.00	ng	0.00
39) Acenaphthene-d10	9.863	164	366348	20.00	ng	0.00
64) Phenanthrene-d10	11.345	188	648577	20.00	ng	0.00
76) Chrysene-d12	13.992	240	521040	20.00	ng	0.00
86) Perylene-d12	15.445	264	461055	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	1267443	108.24	ng	0.02
7) Phenol-d6	6.463	99	1618633	104.23	ng	0.00
23) Nitrobenzene-d5	7.386	82	952784	69.73	ng	0.00
42) 2,4,6-Tribromophenol	10.657	330	514736	107.34	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	1765894	65.20	ng	0.00
79) Terphenyl-d14	12.933	244	2023631	67.98	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.704	88	224818	40.85	ng	98
3) Pyridine	3.434	79	603095	41.46	ng	98
4) n-Nitrosodimethylamine	3.398	42	251502	43.11	ng	97
6) Aniline	6.487	93	556265	30.43	ng	98
8) 2-Chlorophenol	6.610	128	553157	42.86	ng	99
9) Benzaldehyde	6.369	77	121820	12.96	ng	98
10) Phenol	6.475	94	638973	39.71	ng	96
11) bis(2-Chloroethyl)ether	6.563	93	544934	44.33	ng	97
12) 1,3-Dichlorobenzene	6.763	146	626354	41.02	ng	100
13) 1,4-Dichlorobenzene	6.839	146	629978	40.91	ng	99
14) 1,2-Dichlorobenzene	6.992	146	575443	38.71	ng	99
15) Benzyl Alcohol	6.969	79	422231	39.49	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.098	45	661139	37.71	ng	95
17) 2-Methylphenol	7.081	107	453563	44.21	ng	97
18) Hexachloroethane	7.334	117	233486	42.55	ng	97
19) n-Nitroso-di-n-propyla...	7.239	70	363086	40.82	ng	98
20) 3+4-Methylphenols	7.234	107	513647	39.63	ng	97
22) Acetophenone	7.234	105	711108	41.78	ng	# 96
24) Nitrobenzene	7.404	77	579835	42.66	ng	98
25) Isophorone	7.645	82	1040833	44.23	ng	99
26) 2-Nitrophenol	7.722	139	310683	46.86	ng	95
27) 2,4-Dimethylphenol	7.763	122	476826	49.07	ng	99
28) bis(2-Chloroethoxy)met...	7.857	93	660439	40.98	ng	99
29) 2,4-Dichlorophenol	7.969	162	476772	42.02	ng	99
30) 1,2,4-Trichlorobenzene	8.045	180	530772	41.28	ng	99
31) Naphthalene	8.128	128	1590498	42.10	ng	99
32) Benzoic acid	7.916	122	331093	42.76	ng	99
33) 4-Chloroaniline	8.175	127	389909	24.69	ng	99
34) Hexachlorobutadiene	8.245	225	322656	40.78	ng	99
35) Caprolactam	8.563	113	145956m	42.71	ng	
36) 4-Chloro-3-methylphenol	8.669	107	500503	44.78	ng	97
37) 2-Methylnaphthalene	8.822	142	1073843	42.97	ng	99
38) 1-Methylnaphthalene	8.916	142	989759	41.87	ng	99
40) 1,2,4,5-Tetrachloroben...	8.986	216	505540	41.66	ng	99
41) Hexachlorocyclopentadiene	8.975	237	446425	83.21	ng	98
43) 2,4,6-Trichlorophenol	9.104	196	342878	40.91	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122120\
 Data File : BF122801.D
 Acq On : 21 Dec 2020 15:31
 Operator : JU/CG
 Sample : PB133720BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB133720BS

Manual Integrations
 APPROVED

mohammad
 12/22/2020 12:07:52 PM

Quant Time: Dec 21 17:16:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 15 18:14:23 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.151	196	356109	41.11	ng	97
46) 1,1'-Biphenyl	9.286	154	1262009	41.51	ng	99
47) 2-Chloronaphthalene	9.310	162	1003027	39.82	ng	99
48) 2-Nitroaniline	9.410	65	289821	39.46	ng	99
49) Acenaphthylene	9.727	152	1536078	41.28	ng	99
50) Dimethylphthalate	9.586	163	1208847	41.32	ng	99
51) 2,6-Dinitrotoluene	9.651	165	271085	43.87	ng	96
52) Acenaphthene	9.898	154	1083196m	45.00	ng	
53) 3-Nitroaniline	9.816	138	186574	26.13	ng	94
54) 2,4-Dinitrophenol	9.933	184	275319	91.13	ng	95
55) Dibenzofuran	10.069	168	1356447	40.06	ng	99
56) 4-Nitrophenol	9.992	139	398129	78.20	ng	93
57) 2,4-Dinitrotoluene	10.057	165	354112	43.02	ng	97
58) Fluorene	10.410	166	1045513	38.82	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.192	232	305761	40.18	ng	99
60) Diethylphthalate	10.286	149	1153579	40.54	ng	99
61) 4-Chlorophenyl-phenyle...	10.404	204	511793	38.59	ng	96
62) 4-Nitroaniline	10.439	138	277334	38.26	ng	96
63) Azobenzene	10.563	77	1057978	40.45	ng	98
65) 4,6-Dinitro-2-methylph...	10.469	198	199608	50.47	ng	96
66) n-Nitrosodiphenylamine	10.522	169	970138	42.33	ng	99
67) 4-Bromophenyl-phenylether	10.892	248	363398	41.35	ng	94
68) Hexachlorobenzene	10.963	284	396575	40.82	ng	97
69) Atrazine	11.051	200	275370	37.00	ng	100
70) Pentachlorophenol	11.157	266	416533	80.92	ng	99
71) Phenanthrene	11.374	178	1545504	40.10	ng	100
72) Anthracene	11.427	178	1584949	41.47	ng	100
73) Carbazole	11.580	167	1444895	41.68	ng	99
74) Di-n-butylphthalate	11.910	149	1709340	39.24	ng	99
75) Fluoranthene	12.563	202	1635829	40.47	ng	99
77) Benzidine	12.680	184	564963	50.13	ng	99
78) Pyrene	12.792	202	1648886	40.93	ng	100
80) Butylbenzylphthalate	13.410	149	722431	39.81	ng	93
81) Benzo(a)anthracene	13.980	228	1448526	41.60	ng	99
82) 3,3'-Dichlorobenzidine	13.945	252	449548	36.05	ng	99
83) Chrysene	14.021	228	1425978	41.15	ng	99
84) Bis(2-ethylhexyl)phtha...	13.968	149	972767	39.15	ng	# 98
85) Di-n-octyl phthalate	14.580	149	1626079	39.45	ng	98
87) Indeno(1,2,3-cd)pyrene	16.903	276	1346180	44.48	ng	100
88) Benzo(b)fluoranthene	15.027	252	1550852	47.94	ng	99
89) Benzo(k)fluoranthene	15.062	252	1288569	43.57	ng	98
90) Benzo(a)pyrene	15.392	252	1264519	44.68	ng	100
91) Dibenzo(a,h)anthracene	16.921	278	1115438	45.03	ng	99
92) Benzo(g,h,i)perylene	17.345	276	1090443	45.49	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122120\
Data File : BF122801.D
Acq On : 21 Dec 2020 15:31
Operator : JU/CG
Sample : PB133720BS
Misc :
ALS Vial : 4 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM

Quant Time: Dec 21 17:16:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 15 18:14:23 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.822 min Scan# 805
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:152 Resp: 185374
Ion Ratio Lower Upper
152 100
150 156.3 125.8 188.6
115 57.4 49.3 73.9



#2
1,4-Dioxane
Concen: 40.85 ng
RT: 2.704 min Scan# 105
Delta R.T. 0.164 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion: 88 Resp: 224818
Ion Ratio Lower Upper
88 100
58 68.5 56.2 84.2
43 25.6 21.8 32.6



Instrument :
BNA_F
ClientSampled :
PB133720BS

Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM







#3
Pyridine
Concen: 41.46 ng
RT: 3.434 min Scan# 229
Delta R.T. 0.147 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion: 79 Resp: 603095
Ion Ratio Lower Upper
79 100
52 65.1 53.0 79.4
51 31.7 26.6 39.8

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#4
n-Nitrosodimethylamine
Concen: 43.11 ng
RT: 3.398 min Scan# 223
Delta R.T. 0.159 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion: 42 Resp: 251502
Ion Ratio Lower Upper
42 100
74 147.8 115.2 172.8
44 7.1 5.4 8.0





#5
2-Fluorophenol
Concen: 108.24 ng
RT: 5.457 min Scan# 573
Delta R.T. 0.023 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion:112 Resp: 1267443
Ion Ratio Lower Upper
112 100
64 56.4 46.9 70.3
63 28.8 24.5 36.7

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#6
Aniline
Concen: 30.43 ng
RT: 6.487 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion: 93 Resp: 556265
Ion Ratio Lower Upper
93 100
66 40.4 31.3 46.9
65 20.6 15.6 23.4





#7
Phenol-d6
Concen: 104.23 ng
RT: 6.463 min Scan# 744
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion: 99 Resp: 1618633

Ion	Ratio	Lower	Upper
99	100		
42	17.0	13.8	20.6
71	35.1	26.9	40.3

Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#8
2-Chlorophenol
Concen: 42.86 ng
RT: 6.610 min Scan# 769
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:128 Resp: 553157

Ion	Ratio	Lower	Upper
128	100		
130	32.1	12.3	52.3
64	44.3	25.5	65.5









#9
Benzaldehyde
Concen: 12.96 ng
RT: 6.369 min Scan# 728
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion: 77 Resp: 121820
Ion Ratio Lower Upper
77 100
105 102.1 80.6 120.6
106 99.9 77.2 117.2

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM




#10
Phenol
Concen: 39.71 ng
RT: 6.475 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion: 94 Resp: 638973
Ion Ratio Lower Upper
94 100
65 32.5 11.2 51.2
66 49.4 25.8 65.8









#11
bis(2-Chloroethyl)ether
Concen: 44.33 ng
RT: 6.563 min Scan# 761
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion: 93 Resp: 544934
Ion Ratio Lower Upper
93 100
63 70.0 52.6 92.6
95 33.8 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 41.02 ng
RT: 6.763 min Scan# 795
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion: 146 Resp: 626354
Ion Ratio Lower Upper
146 100
148 64.8 51.8 77.8
75 28.3 22.5 33.7



Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM



#13





1,4-Dichlorobenzene
Concen: 40.91 ng
RT: 6.839 min Scan# 808
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:146 Resp: 629978
Ion Ratio Lower Upper
146 100
148 64.2 52.0 78.0
111 40.8 32.3 48.5

Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#14

1,2-Dichlorobenzene
Concen: 38.71 ng
RT: 6.992 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion:146 Resp: 575443
Ion Ratio Lower Upper
146 100
148 64.3 51.5 77.3
111 43.5 34.2 51.2





#15
Benzyl Alcohol
Concen: 39.49 ng
RT: 6.969 min Scan# 830
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampled :
PB133720BS




Tgt Ion: 79 Resp: 422231
Ion Ratio Lower Upper
79 100
108 78.6 62.4 93.6
77 63.0 49.0 73.6

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.71 ng
RT: 7.098 min Scan# 852
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion: 45 Resp: 661139
Ion Ratio Lower Upper
45 100
77 17.9 0.0 35.6
79 14.2 0.0 32.4









#17
2-Methylphenol
Concen: 44.21 ng
RT: 7.081 min Scan# 849
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:	107	Resp:	453563
Ion	Ratio	Lower	Upper
107	100		
108	111.5	91.1	136.7
77	48.9	36.3	54.5
79	48.2	36.8	55.2

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#18
Hexachloroethane
Concen: 42.55 ng
RT: 7.334 min Scan# 892
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion:	117	Resp:	233486
Ion	Ratio	Lower	Upper
117	100		
119	96.1	78.4	117.6
201	104.2	79.6	119.4





#19
n-Nitroso-di-n-propylamine
Concen: 40.82 ng
RT: 7.239 min Scan# 876
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion: 70 Resp: 363086
Ion Ratio Lower Upper
70 100
42 55.1 43.0 64.4
101 9.7 7.9 11.9
130 21.8 18.5 27.7

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#20
3+4-Methylphenols
Concen: 39.63 ng
RT: 7.234 min Scan# 875
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion: 107 Resp: 513647
Ion Ratio Lower Upper
107 100
108 88.9 68.7 108.7
77 115.6 89.8 129.8
79 29.4 9.8 49.8









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.104 min Scan# 1023
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:	136	Resp:	684586
Ion Ratio	Lower	Upper	
136	100		
137	11.0	8.8	13.2
54	7.1	5.5	8.3
68	5.7	4.6	6.8

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#22
Acetophenone
Concen: 41.78 ng
RT: 7.234 min Scan# 875
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:	105	Resp:	711108
Ion Ratio	Lower	Upper	
105	100		
71	6.0	6.5	9.7#
51	33.6	24.3	36.5
120	21.6	18.1	27.1









#23
Nitrobenzene-d5
Concen: 69.73 ng
RT: 7.386 min Scan# 901
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion: 82 Resp: 952784
Ion Ratio Lower Upper
82 100
128 46.3 37.0 55.4
54 46.5 38.4 57.6

Instrument :
BNA_F
ClientSampled :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#24
Nitrobenzene
Concen: 42.66 ng
RT: 7.404 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion: 77 Resp: 579835
Ion Ratio Lower Upper
77 100
123 47.4 39.3 58.9
65 13.2 10.6 15.8





#25
Isophorone
Concen: 44.23 ng
RT: 7.645 min Scan# 945
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion: 82 Resp: 1040833
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.6
138 18.6 14.6 21.8

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#26
2-Nitrophenol
Concen: 46.86 ng
RT: 7.722 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion: 139 Resp: 310683
Ion Ratio Lower Upper
139 100
109 28.2 24.0 36.0
65 46.7 40.9 61.3









#27
2,4-Dimethylphenol
Concen: 49.07 ng
RT: 7.763 min Scan# 965
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:122 Resp: 476826
Ion Ratio Lower Upper
122 100
107 113.5 91.8 137.8
121 59.9 47.3 70.9



#28
bis(2-Chloroethoxy)methane
Concen: 40.98 ng
RT: 7.857 min Scan# 981
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion: 93 Resp: 660439
Ion Ratio Lower Upper
93 100
95 32.7 26.2 39.2
123 12.3 9.2 13.8



Instrument :
BNA_F
ClientSampleId :
PB133720BS


Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM



#29
2,4-Dichlorophenol
Concen: 42.02 ng
RT: 7.969 min Scan# 1000
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion:162 Resp: 476772
Ion Ratio Lower Upper
162 100
164 63.9 43.2 83.2
98 35.8 15.2 55.2

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#30
1,2,4-Trichlorobenzene
Concen: 41.28 ng
RT: 8.045 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:180 Resp: 530772
Ion Ratio Lower Upper
180 100
182 93.6 75.7 113.5
145 30.9 25.0 37.4








#31
Naphthalene
Concen: 42.10 ng
RT: 8.128 min Scan# 1027
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:128 Resp: 1590498

Ion	Ratio	Lower	Upper
128	100		
129	11.4	9.0	13.6
127	13.7	10.7	16.1





#32
Benzoic acid
Concen: 42.76 ng
RT: 7.916 min Scan# 991
Delta R.T. 0.023 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion:122 Resp: 331093


Ion	Ratio	Lower	Upper
122	100		
105	124.9	104.8	144.8
77	88.7	71.0	111.0



Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM







#33
4-Chloroaniline
Concen: 24.69 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Instrument :
BNA_F
ClientSampleId :
PB133720BS

Tgt Ion:	127	Resp:	389909
Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.2	39.2
65	28.3	22.2	33.2
92	19.0	15.3	22.9




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#34
Hexachlorobutadiene
Concen: 40.78 ng
RT: 8.245 min Scan# 1047
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:	225	Resp:	322656
Ion	Ratio	Lower	Upper
225	100		
223	62.7	50.7	76.1
227	64.4	51.7	77.5









#35
Caprolactam
Concen: 42.71 ng m
RT: 8.563 min Scan# 1101
Delta R.T. 0.012 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:113 Resp: 145956
Ion Ratio Lower Upper
113 100
55 149.5 133.7 173.7
56 115.0 95.3 135.3

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#36
4-Chloro-3-methylphenol
Concen: 44.78 ng
RT: 8.669 min Scan# 1119
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:107 Resp: 500503
Ion Ratio Lower Upper
107 100
144 24.7 20.2 30.2
142 77.4 64.4 96.6









#37
2-Methylnaphthalene
Concen: 42.97 ng
RT: 8.822 min Scan# 1145
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:142 Resp: 1073843
Ion Ratio Lower Upper
142 100
141 88.7 70.6 106.0
115 34.3 28.7 43.1

Instrument :
BNA_F
ClientSampled :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#38
1-Methylnaphthalene
Concen: 41.87 ng
RT: 8.916 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion:142 Resp: 989759
Ion Ratio Lower Upper
142 100
141 91.9 74.5 111.7
116 3.9 3.2 4.8





#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.863 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion:164 Resp: 366348
Ion Ratio Lower Upper
164 100
162 103.3 80.8 121.2
160 44.4 35.4 53.0

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#40
1,2,4,5-Tetrachlorobenzene
Concen: 41.66 ng
RT: 8.986 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion:216 Resp: 505540
Ion Ratio Lower Upper
216 100
214 79.2 63.1 94.7
179 21.6 17.1 25.7
108 18.9 14.6 21.8









#41
Hexachlorocyclopentadiene
Concen: 83.21 ng
RT: 8.975 min Scan# 1171
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:237 Resp: 446425
Ion Ratio Lower Upper
237 100
235 62.5 40.9 80.9
272 13.8 0.0 33.4

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM




#42
2,4,6-Tribromophenol
Concen: 107.34 ng
RT: 10.657 min Scan# 1457
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:330 Resp: 514736
Ion Ratio Lower Upper
330 100
332 98.6 77.5 116.3
141 28.0 23.8 35.8









#43
2,4,6-Trichlorophenol
Concen: 40.91 ng
RT: 9.104 min Scan# 1193
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:196 Resp: 342878
Ion Ratio Lower Upper
196 100
198 96.2 75.1 112.7
200 31.0 23.7 35.5



#44
2,4,5-Trichlorophenol
Concen: 41.11 ng
RT: 9.151 min Scan# 1201
Delta R.T. 0.012 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:196 Resp: 356109
Ion Ratio Lower Upper
196 100
198 96.0 76.5 114.7
97 46.4 40.1 60.1
132 26.6 23.3 34.9



Instrument :
BNA_F
ClientSampled :
PB133720BS


Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM



#45
2-Fluorobiphenyl
Concen: 65.20 ng
RT: 9.186 min Scan# 1207
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Instrument :
BNA_F
ClientSampleId :
PB133720BS






Tgt Ion:172 Resp: 1765894


Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.6	44.4
170	24.4	19.5	29.3

Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM






#46
1,1'-Biphenyl
Concen: 41.51 ng
RT: 9.286 min Scan# 1224
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion:154 Resp: 1262009

Ion	Ratio	Lower	Upper
154	100		
153	41.4	21.8	61.8
76	12.1	0.0	33.4









#47
2-Chloronaphthalene
Concen: 39.82 ng
RT: 9.310 min Scan# 1228
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:162 Resp: 1003027
Ion Ratio Lower Upper
162 100
127 42.2 33.8 50.8
164 33.9 26.5 39.7

Instrument :
BNA_F
ClientSampled :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#48
2-Nitroaniline
Concen: 39.46 ng
RT: 9.410 min Scan# 1245
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion: 65 Resp: 289821
Ion Ratio Lower Upper
65 100
92 75.5 60.0 90.0
138 127.8 100.6 151.0





#49

Acenaphthylene

Concen: 41.28 ng

RT: 9.727 min Scan# 1299

Delta R.T. 0.006 min

Lab File: BF122801.D

Acq: 21 Dec 2020 15:31

Tgt Ion:152 Resp: 1536078

Ion	Ratio	Lower	Upper
152	100		
151	20.6	16.6	25.0
153	13.2	10.9	16.3

Instrument :

BNA_F

ClientSampleId :





PB133720BS

Manual Integrations

APPROVED

mohammad

12/22/2020 12:07:52 PM



#50

Dimethylphthalate

Concen: 41.32 ng

RT: 9.586 min Scan# 1275




Delta R.T. -0.000 min


Lab File: BF122801.D

Acq: 21 Dec 2020 15:31

Tgt Ion:163 Resp: 1208847

Ion	Ratio	Lower	Upper
163	100		
194	3.8	3.4	5.0
164	10.3	8.1	12.1









#51
2,6-Dinitrotoluene
Concen: 43.87 ng
RT: 9.651 min Scan# 1286
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:165 Resp: 271085
Ion Ratio Lower Upper
165 100
63 48.7 36.6 55.0
89 51.6 39.4 59.0

Instrument :
BNA_F
ClientSampled :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#52
Acenaphthene
Concen: 45.00 ng m
RT: 9.898 min Scan# 1328
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:154 Resp: 1083196
Ion Ratio Lower Upper
154 100
153 113.0 89.0 133.6
152 53.7 42.7 64.1









#53
3-Nitroaniline
Concen: 26.13 ng
RT: 9.816 min Scan# 1314
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:138 Resp: 186574
Ion Ratio Lower Upper
138 100
108 10.7 8.2 12.2
92 113.0 85.4 128.2

Instrument :
BNA_F
ClientSampled :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#54
2,4-Dinitrophenol
Concen: 91.13 ng
RT: 9.933 min Scan# 1334
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion:184 Resp: 275319
Ion Ratio Lower Upper
184 100
63 58.8 51.4 77.2
154 65.1 49.7 74.5





#55
Dibenzenofuran
Concen: 40.06 ng
RT: 10.069 min Scan# 1357
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS



Tgt Ion:168 Resp: 1356447
Ion Ratio Lower Upper
168 100
139 39.9 31.3 46.9
169 13.9 11.2 16.8




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#56
4-Nitrophenol
Concen: 78.20 ng
RT: 9.992 min Scan# 1344
Delta R.T. 0.017 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:139 Resp: 398129
Ion Ratio Lower Upper
139 100
109 67.5 45.1 85.1
65 88.3 59.2 99.2









#57
2,4-Dinitrotoluene
Concen: 43.02 ng
RT: 10.057 min Scan# 1355
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:165 Resp: 354112
Ion Ratio Lower Upper
165 100
63 44.6 34.3 51.5
89 71.7 55.2 82.8
182 2.7 2.2 3.2

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#58
Fluorene
Concen: 38.82 ng
RT: 10.410 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:166 Resp: 1045513
Ion Ratio Lower Upper
166 100
165 99.7 79.4 119.0
167 13.7 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 40.18 ng
RT: 10.192 min Scan# 1378
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:232 Resp: 305761
Ion Ratio Lower Upper
232 100
131 42.2 33.0 49.4
130 2.0 1.7 2.5
166 28.7 23.0 34.4

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#60
Diethylphthalate
Concen: 40.54 ng
RT: 10.286 min Scan# 1394
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:149 Resp: 1153579
Ion Ratio Lower Upper
149 100
177 23.2 18.2 27.4
150 12.9 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 38.59 ng
RT: 10.404 min Scan# 1414
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:204 Resp: 511793
Ion Ratio Lower Upper
204 100
206 33.4 27.0 40.4
141 58.1 50.4 75.6

Instrument :
BNA_F
ClientSampled :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM




#62
4-Nitroaniline
Concen: 38.26 ng
RT: 10.439 min Scan# 1420
Delta R.T. 0.012 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:138 Resp: 277334
Ion Ratio Lower Upper
138 100
92 48.8 31.0 71.0
108 71.5 54.8 94.8









#63
Azobenzene
Concen: 40.45 ng
RT: 10.563 min Scan# 1441
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion: 77 Resp: 1057978
Ion Ratio Lower Upper
77 100
182 27.1 5.6 45.6
105 22.8 1.8 41.8
51 27.2 8.3 48.3



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.345 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion: 188 Resp: 648577
Ion Ratio Lower Upper
188 100
94 10.3 7.4 11.2
80 11.1 8.2 12.4




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#65
4,6-Dinitro-2-methylphenol
Concen: 50.47 ng
RT: 10.469 min Scan# 1425
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:198 Resp: 199608
Ion Ratio Lower Upper
198 100
51 43.4 20.3 60.3
105 45.5 23.0 63.0



#66
n-Nitrosodiphenylamine
Concen: 42.33 ng
RT: 10.522 min Scan# 1434
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:169 Resp: 970138
Ion Ratio Lower Upper
169 100
168 67.0 54.2 81.2
167 36.7 29.2 43.8




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#67
4-Bromophenyl-phenylether
Concen: 41.35 ng
RT: 10.892 min Scan# 1497
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:248 Resp: 363398
Ion Ratio Lower Upper
248 100
250 94.8 76.8 115.2
141 65.0 59.8 89.8



#68
Hexachlorobenzene
Concen: 40.82 ng
RT: 10.963 min Scan# 1509
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:284 Resp: 396575
Ion Ratio Lower Upper
284 100
142 29.2 25.6 38.4
249 30.7 25.1 37.7



Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM







#69
Atrazine
Concen: 37.00 ng
RT: 11.051 min Scan# 1524
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31

Tgt Ion:200 Resp: 275370
Ion Ratio Lower Upper
200 100
173 26.7 6.6 46.6
215 47.8 28.1 68.1

Instrument :
BNA_F
ClientSampleId :
PB133720BS




Manual Integrations
APPROVED


mohammad
12/22/2020 12:07:52 PM



#70
Pentachlorophenol
Concen: 80.92 ng
RT: 11.157 min Scan# 1542
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31


Tgt Ion:266 Resp: 416533
Ion Ratio Lower Upper
266 100
268 63.6 50.5 75.7
264 63.3 49.8 74.8





#71
Phenanthrene
Concen: 40.10 ng
RT: 11.374 min Scan# 1579
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion:178 Resp: 1545504
Ion Ratio Lower Upper
178 100
176 20.0 16.2 24.2
179 16.0 12.7 19.1

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#72
Anthracene
Concen: 41.47 ng
RT: 11.427 min Scan# 1588
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:178 Resp: 1584949
Ion Ratio Lower Upper
178 100
176 19.5 15.6 23.4
179 15.9 12.8 19.2









#73
Carbazole
Concen: 41.68 ng
RT: 11.580 min Scan# 1614
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:167 Resp: 1444895
Ion Ratio Lower Upper
167 100
166 22.1 18.0 27.0
139 13.5 10.9 16.3



#74
Di-n-butylphthalate
Concen: 39.24 ng
RT: 11.910 min Scan# 1670
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:149 Resp: 1709340
Ion Ratio Lower Upper
149 100
150 9.4 7.8 11.6
104 4.8 4.2 6.4



Instrument :
BNA_F
ClientSampleId :
PB133720BS


Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM



#75
Fluoranthene
Concen: 40.47 ng
RT: 12.563 min Scan# 1781
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampleId :
PB133720BS




Tgt Ion:202 Resp: 1635829
Ion Ratio Lower Upper
202 100
101 11.7 0.0 32.2
203 17.9 0.0 38.1

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.992 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:240 Resp: 521040
Ion Ratio Lower Upper
240 100
120 11.3 8.6 12.8
236 25.1 20.3 30.5









#77
Benzidine
Concen: 50.13 ng
RT: 12.680 min Scan# 1801
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:184 Resp: 564963
Ion Ratio Lower Upper
184 100
185 15.5 11.8 17.6
183 11.7 9.7 14.5



#78
Pyrene
Concen: 40.93 ng
RT: 12.792 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:202 Resp: 1648886
Ion Ratio Lower Upper
202 100
200 22.1 17.6 26.4
203 18.0 14.6 21.8




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#79
Terphenyl-d14
Concen: 67.98 ng
RT: 12.933 min Scan# 1844
Delta R.T. -0.000 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:244 Resp: 2023631
Ion Ratio Lower Upper
244 100
212 7.1 5.7 8.5
122 11.0 8.3 12.5



#80
Butylbenzylphthalate
Concen: 39.81 ng
RT: 13.410 min Scan# 1925
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:149 Resp: 722431
Ion Ratio Lower Upper
149 100
91 64.2 56.5 84.7
206 23.1 17.0 25.6



Instrument :
BNA_F
ClientSampleId :
PB133720BS


Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM



#81
Benzo(a)anthracene
Concen: 41.60 ng
RT: 13.980 min Scan# 2022
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Instrument :
BNA_F
ClientSampled :
PB133720BS




Tgt Ion:228 Resp: 1448526
Ion Ratio Lower Upper
228 100
226 27.9 23.0 34.4
229 20.3 16.6 24.8

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#82
3,3'-Dichlorobenzidine
Concen: 36.05 ng
RT: 13.945 min Scan# 2016
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:252 Resp: 449548
Ion Ratio Lower Upper
252 100
254 64.7 52.7 79.1
126 9.8 8.0 12.0







#83
Chrysene
Concen: 41.15 ng
RT: 14.021 min Scan# 2029
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:228 Resp: 1425978
Ion Ratio Lower Upper
228 100
226 31.4 24.6 36.8
229 20.4 15.8 23.6




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED



mohammad
12/22/2020 12:07:52 PM




#84
Bis(2-ethylhexyl)phthalate
Concen: 39.15 ng
RT: 13.968 min Scan# 2020
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:149 Resp: 972767
Ion Ratio Lower Upper
149 100
167 27.7 21.4 32.2
279 5.3 3.4 5.0#









#85
Di-n-octyl phthalate
Concen: 39.45 ng
RT: 14.580 min Scan# 2124
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:149 Resp: 1626079
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 8.7 7.6 11.4



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.445 min Scan# 2271
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:264 Resp: 461055
Ion Ratio Lower Upper
264 100
260 23.3 18.6 28.0
265 21.3 17.0 25.6




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#87
Indeno(1,2,3-cd)pyrene
Concen: 44.48 ng
RT: 16.903 min Scan# 2519
Delta R.T. 0.012 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:276 Resp: 1346180
Ion Ratio Lower Upper
276 100
138 23.5 18.7 28.1
277 25.2 20.2 30.4



#88
Benzo(b)fluoranthene
Concen: 47.94 ng
RT: 15.027 min Scan# 2200
Delta R.T. 0.006 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:252 Resp: 1550852
Ion Ratio Lower Upper
252 100
253 22.4 18.3 27.5
125 10.3 8.1 12.1




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#89
Benzo(k)fluoranthene
Concen: 43.57 ng
RT: 15.062 min Scan# 2206
Delta R.T. 0.012 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:252 Resp: 1288569
Ion Ratio Lower Upper
252 100
253 22.1 17.8 26.8
125 8.9 8.4 12.6



#90
Benzo(a)pyrene
Concen: 44.68 ng
RT: 15.392 min Scan# 2262
Delta R.T. 0.012 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31




Tgt Ion:252 Resp: 1264519
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.5 8.6 12.8




Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED




mohammad
12/22/2020 12:07:52 PM




#91
Dibenzo(a,h)anthracene
Concen: 45.03 ng
RT: 16.921 min Scan# 2522
Delta R.T. 0.017 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31





Tgt Ion:278 Resp: 1115438
Ion Ratio Lower Upper
278 100
139 14.5 12.0 18.0
279 23.5 19.4 29.2



#92
Benzo(g,h,i)perylene
Concen: 45.49 ng
RT: 17.345 min Scan# 2594
Delta R.T. 0.017 min
Lab File: BF122801.D
Acq: 21 Dec 2020 15:31



Tgt Ion:276 Resp: 1090443
Ion Ratio Lower Upper
276 100
277 24.3 19.3 28.9
138 20.9 16.6 24.8



Instrument :
BNA_F
ClientSampleId :
PB133720BS

Manual Integrations
APPROVED

mohammad
12/22/2020 12:07:52 PM