

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122316\
 Data File : BF091949.D
 Acq On : 24 Dec 2016 4:13
 Operator : UM/SJ
 Sample : H6205-04
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EAST-NY-FB-1-122016

Quant Time: Dec 24 04:55:19 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 21 16:17:51 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	202655	20.00	ng	-0.01
21) Naphthalene-d8	8.03	136	774871	20.00	ng	-0.01
38) Acenaphthene-d10	9.78	164	402919	20.00	ng	-0.01
63) Phenanthrene-d10	11.25	188	578457	20.00	ng	-0.01
75) Chrysene-d12	13.88	240	392104	20.00	ng	-0.02
86) Perylene-d12	15.29	264	379797	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	883556	72.80	ng	0.02
7) Phenol-d6	6.42	99	638116	43.06	ng	0.01
23) Nitrobenzene-d5	7.31	82	1376346	98.77	ng	-0.01
41) 2,4,6-Tribromophenol	10.57	330	388777	116.59	ng	-0.01
44) 2-Fluorobiphenyl	9.10	172	1987787	103.96	ng	-0.01
78) Terphenyl-d14	12.84	244	1454953	89.99	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122316\
Data File : BF091949.D
Acq On : 24 Dec 2016 4:13
Operator : UM/SJ
Sample : H6205-04
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EAST-NY-FB-1-122016

Quant Time: Dec 24 04:55:19 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 21 16:17:51 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.74 min Scan# 407

Delta R.T. -0.01 min

Lab File: BF091949.D

Acq: 24 Dec 2016 4:13

Instrument :

BNA_F

ClientSampleId :

EAST-NY-FB-1-122016


Tot Ion:152 Resp: 202655

Ion Ratio Lower Upper

152 100

150 158.0 124.9 187.3




115 60.2 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 72.80 ng

RT: 5.37 min Scan# 287

Delta R.T. 0.02 min

Lab File: BF091949.D

Acq: 24 Dec 2016 4:13


Tgt Ion:112 Resp: 883556

Ion Ratio Lower Upper

112 100

64 64.1 46.1 69.1



63 32.3 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 43.06 ng

RT: 6.42 min Scan# 379

Delta R.T. 0.01 min

Lab File: BF091949.D

Acq: 24 Dec 2016 4:13

Instrument :

BNA_F

ClientSampleId :

EAST-NY-FB-1-122016





Tot Ion: 99 Resp: 638116

Ion Ratio Lower Upper

99 100

42 16.5 15.6 23.4

71 31.7 27.5 41.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.03 min Scan# 520

Delta R.T. -0.01 min

Lab File: BF091949.D

Acq: 24 Dec 2016 4:13

Tgt Ion: 136 Resp: 774871




Ion Ratio Lower Upper


136 100

137 10.6 8.4 12.6

54 4.8 4.5 6.7

68 4.2 3.6 5.4









#23
 Nitrobenzene-d5
 Concen: 98.77 ng
 RT: 7.31 min Scan# 457
 Delta R.T. -0.01 min
 Lab File: BF091949.D
 Acq: 24 Dec 2016 4:13

Instrument :
 BNA_F
 ClientSampleId :
 EAST-NY-FB-1-122016

Tot Ion: 82 Resp: 1376346




Ion	Ratio	Lower	Upper
82	100		
128	41.0	34.6	52.0
54	50.4	39.5	59.3




#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.78 min Scan# 673
 Delta R.T. -0.01 min
 Lab File: BF091949.D
 Acq: 24 Dec 2016 4:13

Tgt Ion: 164 Resp: 402919

Ion	Ratio	Lower	Upper
164	100		
162	99.2	80.2	120.2
160	44.7	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 116.59 ng
 RT: 10.57 min Scan# 742
 Delta R.T. -0.01 min
 Lab File: BF091949.D
 Acq: 24 Dec 2016 4:13

Instrument :
 BNA_F
 ClientSampleId :
 EAST-NY-FB-1-122016

Tot Ion:330 Resp: 388777
 Ion Ratio Lower Upper
 330 100
 332 95.3 77.4 116.2
 141 41.4 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 103.96 ng
 RT: 9.10 min Scan# 614
 Delta R.T. -0.01 min
 Lab File: BF091949.D
 Acq: 24 Dec 2016 4:13

Tgt Ion:172 Resp: 1987787
 Ion Ratio Lower Upper
 172 100
 171 37.0 29.4 44.0
 170 25.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.25 min Scan# 802
Delta R.T. -0.01 min
Lab File: BF091949.D
Acq: 24 Dec 2016 4:13

Instrument :
BNA_F
ClientSampleId :
EAST-NY-FB-1-122016

Tot Ion:188 Resp: 578457
Ion Ratio Lower Upper
188 100
94 10.4 10.0 15.0
80 11.5 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.88 min Scan# 1032
Delta R.T. -0.02 min
Lab File: BF091949.D
Acq: 24 Dec 2016 4:13

Tgt Ion:240 Resp: 392104
Ion Ratio Lower Upper
240 100
120 15.7 12.9 19.3
236 25.5 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 89.99 ng

RT: 12.84 min Scan# 941

Delta R.T. -0.01 min

Lab File: BF091949.D

Acq: 24 Dec 2016 4:13

Instrument :

BNA_F

ClientSampleId :

EAST-NY-FB-1-122016


Tot Ion:244 Resp: 1454953

Ion Ratio Lower Upper

244 100

212 7.5 6.2 9.2




122 13.9 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.29 min Scan# 1155

Delta R.T. -0.01 min

Lab File: BF091949.D

Acq: 24 Dec 2016 4:13


Tgt Ion:264 Resp: 379797

Ion Ratio Lower Upper

264 100

260 22.7 19.2 28.8

265 21.5 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

