

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122316\
 Data File : BF091960.D
 Acq On : 24 Dec 2016 9:11
 Operator : UM/SJ
 Sample : H6156-15DL 20X
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-9DL

Quant Time: Dec 24 23:58:09 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 24 23:54:12 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	255016	20.00	ng	-0.01
21) Naphthalene-d8	8.03	136	908669	20.00	ng	-0.01
38) Acenaphthene-d10	9.78	164	456742	20.00	ng	-0.01
63) Phenanthrene-d10	11.25	188	641253	20.00	ng	-0.01
75) Chrysene-d12	13.89	240	459412	20.00	ng	-0.01
86) Perylene-d12	15.29	264	432171	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	53057	3.47	ng	0.02
7) Phenol-d6	6.42	99	43197	2.32	ng	0.01
23) Nitrobenzene-d5	7.30	82	83997	5.14	ng	-0.02
41) 2,4,6-Tribromophenol	10.57	330	22161	5.86	ng	-0.01
44) 2-Fluorobiphenyl	9.10	172	169674	7.13	ng	-0.01
78) Terphenyl-d14	12.84	244	106937	5.65	ng	-0.01
Target Compounds						
31) Naphthalene	8.05	128	1456040	35.01	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122316\
Data File : BF091960.D
Acq On : 24 Dec 2016 9:11
Operator : UM/SJ
Sample : H6156-15DL 20X
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-9DL

Quant Time: Dec 24 23:58:09 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 24 23:54:12 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.74 min Scan# 407
Delta R.T. -0.01 min
Lab File: BF091960.D
Acq: 24 Dec 2016 9:11

Instrument :
BNA_F
ClientSampleId :
MW-9DL

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.5	124.9	187.3
115	58.1	46.0	69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 3.47 ng
RT: 5.37 min Scan# 287
Delta R.T. 0.02 min
Lab File: BF091960.D
Acq: 24 Dec 2016 9:11

Tgt Ion	Ratio	Lower	Upper
112	100		
64	51.4	46.1	69.1
63	24.4	23.8	35.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 2.32 ng

RT: 6.42 min Scan# 379

Delta R.T. 0.01 min

Lab File: BF091960.D

Acq: 24 Dec 2016 9:11

Instrument :

BNA_F

ClientSampleId :

MW-9DL





Tot Ion: 99 Resp: 43197

Ion Ratio Lower Upper

99 100

42 16.1 15.6 23.4

71 26.6 27.5 41.3#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.03 min Scan# 520

Delta R.T. -0.01 min

Lab File: BF091960.D

Acq: 24 Dec 2016 9:11

Tgt Ion: 136 Resp: 908669




Ion Ratio Lower Upper


136 100

137 10.9 8.4 12.6

54 5.9 4.5 6.7

68 4.9 3.6 5.4









#23
 Nitrobenzene-d5
 Concen: 5.14 ng
 RT: 7.30 min Scan# 456
 Delta R.T. -0.02 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11




Instrument :
 BNA_F
 ClientSampleId :
 MW-9DL


Tot Ion: 82 Resp: 83997
 Ion Ratio Lower Upper
 82 100
 128 32.4 34.6 52.0#
 54 49.2 39.5 59.3



#31
 Naphthalene
 Concen: 35.01 ng
 RT: 8.05 min Scan# 522
 Delta R.T. -0.01 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11

Tgt Ion: 128 Resp: 1456040
 Ion Ratio Lower Upper
 128 100
 129 10.8 9.5 14.3
 127 13.2 10.8 16.2









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.78 min Scan# 673
 Delta R.T. -0.01 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11




Instrument :
 BNA_F
 ClientSampleId :
 MW-9DL

Tot Ion:164 Resp: 456742
 Ion Ratio Lower Upper
 164 100
 162 99.9 80.2 120.2
 160 44.5 36.9 55.3



#41
 2,4,6-Tribromophenol
 Concen: 5.86 ng
 RT: 10.57 min Scan# 742
 Delta R.T. -0.01 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11

Tgt Ion:330 Resp: 22161
 Ion Ratio Lower Upper
 330 100
 332 100.4 77.4 116.2
 141 34.4 34.1 51.1









#44
 2-Fluorobiphenyl
 Concen: 7.13 ng
 RT: 9.10 min Scan# 614
 Delta R.T. -0.01 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11

Instrument :
 BNA_F
 ClientSampleId :
 MW-9DL

Tot Ion:172 Resp: 169674
 Ion Ratio Lower Upper
 172 100
 171 33.1 29.4 44.0
 170 22.1 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.25 min Scan# 802
 Delta R.T. -0.01 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11

Tgt Ion:188 Resp: 641253
 Ion Ratio Lower Upper
 188 100
 94 12.0 10.0 15.0
 80 13.3 11.2 16.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.89 min Scan# 1033

Delta R.T. -0.01 min

Lab File: BF091960.D

Acq: 24 Dec 2016 9:11

Instrument :

BNA_F

ClientSampled :

MW-9DL


Tot Ion:240 Resp: 459412

Ion Ratio Lower Upper

240 100

120 8.2 12.9 19.3#




236 25.7 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 5.65 ng

RT: 12.84 min Scan# 941

Delta R.T. -0.01 min

Lab File: BF091960.D

Acq: 24 Dec 2016 9:11


Tgt Ion:244 Resp: 106937

Ion Ratio Lower Upper

244 100

212 6.1 6.2 9.2#



122 9.4 11.4 17.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.29 min Scan# 1155
 Delta R.T. -0.01 min
 Lab File: BF091960.D
 Acq: 24 Dec 2016 9:11

Instrument :
 BNA_F
 ClientSampleId :
 MW-9DL

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	21.1	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

