

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122415\
 Data File : BF084095.D
 Acq On : 24 Dec 2015 22:52
 Operator : UM/SJ
 Sample : G4644-02
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S8-0528

Quant Time: Dec 25 04:41:19 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 24 16:48:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	59863	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	226840	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	111951	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	195834	20.00	ng	0.00
75) Chrysene-d12	13.95	240	153350	20.00	ng	-0.01
86) Perylene-d12	15.38	264	120427	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	206263	58.42	ng	0.00
7) Phenol-d6	6.44	99	150200	34.38	ng	-0.01
23) Nitrobenzene-d5	7.37	82	387654	100.03	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	153121	128.26	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	669800	81.86	ng	0.00
78) Terphenyl-d14	12.90	244	663298	78.27	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF122415\
Data File : BF084095.D
Acq On : 24 Dec 2015 22:52
Operator : UM/SJ
Sample : G4644-02
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S8-0528

Quant Time: Dec 25 04:41:19 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 24 16:48:39 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.80 min Scan# 412
Delta R.T. 0.00 min
Lab File: BF084095.D
Acq: 24 Dec 2015 22:52

Instrument :
BNA_F
ClientSampled :
S8-0528

Tot Ion:152 Resp: 59863
Ion Ratio Lower Upper
152 100
150 159.3 123.0 184.4
115 65.3 51.4 77.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 58.42 ng
RT: 5.41 min Scan# 291
Delta R.T. 0.00 min
Lab File: BF084095.D
Acq: 24 Dec 2015 22:52

Tgt Ion:112 Resp: 206263
Ion Ratio Lower Upper
112 100
64 50.0 36.6 55.0
63 28.0 19.4 29.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 34.38 ng

RT: 6.44 min Scan# 381

Delta R.T. -0.01 min

Lab File: BF084095.D

Acq: 24 Dec 2015 22:52

Instrument :

BNA_F

ClientSampleId :

S8-0528


Tot Ion: 99 Resp: 150200

Ion Ratio Lower Upper

99 100

42 19.2 12.8 19.2#




71 44.4 30.9 46.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. 0.00 min

Lab File: BF084095.D

Acq: 24 Dec 2015 22:52

Tgt Ion: 136 Resp: 226840


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 4.3 5.8 8.8#

68 3.5 4.2 6.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 100.03 ng
 RT: 7.37 min Scan# 462
 Delta R.T. 0.00 min
 Lab File: BF084095.D
 Acq: 24 Dec 2015 22:52




Instrument :
 BNA_F
 ClientSampled :
 S8-0528


Tot Ion	82	Resp	387654
Ion Ratio	Lower	Upper	
82	100		
128	47.6	34.6	51.8
54	45.6	38.4	57.6



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 678
 Delta R.T. 0.00 min
 Lab File: BF084095.D
 Acq: 24 Dec 2015 22:52

Tgt Ion	164	Resp	111951
Ion Ratio	Lower	Upper	
164	100		
162	106.6	85.1	127.7
160	48.0	37.5	56.3









#41
 2,4,6-Tribromophenol
 Concen: 128.26 ng
 RT: 10.62 min Scan# 747
 Delta R.T. 0.00 min
 Lab File: BF084095.D
 Acq: 24 Dec 2015 22:52

Instrument :
 BNA_F
 ClientSampleId :
 S8-0528

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.8	76.6	114.8
141	40.3	27.8	41.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.86 ng
 RT: 9.16 min Scan# 619
 Delta R.T. 0.00 min
 Lab File: BF084095.D
 Acq: 24 Dec 2015 22:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	28.9	43.3
170	24.2	18.6	27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 808
Delta R.T. 0.00 min
Lab File: BF084095.D
Acq: 24 Dec 2015 22:52

Instrument :
BNA_F
ClientSampleId :
S8-0528

Tot Ion	Ratio	Lower	Upper
188	100		
94	6.8	9.0	13.4#
80	6.9	9.6	14.4#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.95 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF084095.D
Acq: 24 Dec 2015 22:52

Tgt Ion	Ratio	Lower	Upper
240	100		
120	16.2	9.5	14.3#
236	25.7	20.6	31.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 78.27 ng
 RT: 12.90 min Scan# 946
 Delta R.T. 0.00 min
 Lab File: BF084095.D
 Acq: 24 Dec 2015 22:52

Instrument :
 BNA_F
 ClientSampleId :
 S8-0528

Tot Ion:244 Resp: 663298
 Ion Ratio Lower Upper
 244 100
 212 7.9 5.7 8.5
 122 14.7 7.4 11.0#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.38 min Scan# 1163
 Delta R.T. 0.00 min
 Lab File: BF084095.D
 Acq: 24 Dec 2015 22:52

Tgt Ion:264 Resp: 120427
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.4 29.2
 265 21.0 17.8 26.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

